476

# The Scottish Naturalist

Founded 1871

Volume 113 2001
Parts 1-2

Annual Subscription £ 35.00

A Journal of Scottish Natural History

**THE SCOTTISH NATURALIST**

Founded 1871

A Journal of Scottish Natural History

Editorial Committee:

J.A. Gibson

John Hamilton

John C. Smyth

THE SCOTTISH NATURAL HISTORY LIBRARY
Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

The *Scottish Naturalist,* now published by the Scottish Natural History Library, is an independent journal primarily devoted to the study of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. For a summary of the record of publication, see the inside back cover.

Although the journal's main interests have always centred on the history and distribution of Scottish fauna and flora, it is prepared to publish contributions on the many aspects of Scottish natural science embraced by its title, including Zoology, Botany, Geology, History, Geography, Medicine and the allied sciences, Archaeology, and the Environment.

All papers and notes for publication, or books for review, should be sent to the Editors at the Scottish Natural History Library, Foremount House, Kilbarchan, Renfrewshire PA10 2EZ.

Contributions should be clearly written; whenever possible they should be typed, double-spaced, on one side of the paper, with adequate margins, and should try to conform to the general style and arrangement of papers and notes in the current number of the journal. Maps, diagrams and graphs should be drawn in black ink on white unlined paper. Photographs should be on glossy paper. Proofs of all contributions will be sent to authors and should be returned without delay.

Authors of papers, but not of short notes, will receive thirty reprints in covers free of charge. Additional reprints may be ordered, at cost, when the proofs are returned.

The *Scottish Naturalist* is usually published three times a year. The standard annual subscription is £35.00, which should be sent to the Editors at the Library address. Members of recognised natural history organisations, however, can receive the *Scottish Naturalist* at a greatly reduced subscription; for details apply to the Editors.

THE NATURAL HISTORY MUSEUM
31 DEC 2002
GENERAL LIBRARY

# THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

113th Year 2001

CONTENTS

2001 - Parts 1-2

**Vertebrate Zoology in the Scottish Naturalist**
**Part 3: 1901-1925**
**3b:** *Scottish Naturalist* 1912-1925
By Dr. J.A. Gibson 3-100

Published by The Scottish Natural History Library

XX(359613)

EDITORS

J.A. Gibson

John Hamilton

John C. Smyth

All items for publication should be sent to the Editors at

The Scottish Natural History Library

Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

ISSN 0268-3385

The *Scottish Naturalist* is the national journal of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. The journal exists to provide a medium for the publication of original work on all aspects of Scottish natural science. All contributions, however, represent the personal opinions of the authors concerned, and do not necessarily reflect the views of the Editors of the *Scottish Naturalist.*

Published by

**THE SCOTTISH NATURAL HISTORY LIBRARY**

# VERTEBRATE ZOOLOGY IN THE SCOTTISH NATURALIST

A Classified Index of all Contributions on Vertebrate Zoology in the *Scottish Naturalist* from its Commencement in 1871 to the end of the Year 2000

## Part 3: 1901-1925

**3b:** *Scottish Naturalist* 1912-1925

By J.A. GIBSON
*Representative for Scotland,*
*Society for the History of Natural History*

This third part (continued) of the survey of the contributions on vertebrate zoology in the *Scottish Naturalist* covers the first twenty-five years of the 20th century, from 1901 to 1925. The first two parts dealt with the Introduction (Gibson, 1998a) and the thirty years from the commencement of the journal in 1871 until 1900 (Gibson, 1998b).

As previously indicated, however, because of the large number of contributions, the first quarter of the 20th century (1901-1925) was divided into two sections (Gibson, 2000). Part 3a covered the final years of the *Annals of Scottish Natural History*, from 1901 to 1911, and this present section, Part 3b, covers the years from 1912, when the journal's original name of the *Scottish Naturalist* was restored, to 1925.

The *Scottish Naturalist* was published monthly from 1912 until the end of 1918, when it began to be published bi-monthly, and this publication of six parts each year continued until the end of 1939, when the journal temporarily ceased publication until after the second world war.

As before, all items are listed in chronological order, and are referenced by name of journal, year of publication, and pagination; no volume numbers were actually issued from 1892 to 1939.

## References

**Gibson, J.A.** (1998a). Vertebrate zoology in the *Scottish Naturalist*. Part 1: Introduction. *Scottish Naturalist*, **110**: 3-11.

**Gibson, J.A.** (1998b). Vertebrate zoology in the *Scottish Naturalist*. Part 2: 1871-1900. *Scottish Naturalist*, **110**: 109-205.

**Gibson, J.A.** (2000). Vertebrate zoology in the *Scottish Naturalist*. Part 3: 1901-1925. 3a: *Annals of Scottish Natural History* 1901-1911. *Scottish Naturalist*, **112**: 75-154.

---

**1901-1925**

*Scottish Naturalist* 1912-1925

Chronological List
Pages 3-87

Faunal Area Distribution
Pages 88-100

---

1861 **Elwes, H.J.** (1912). Notes on the primitive breeds of sheep in Scotland. *Scottish Naturalist,* **1912**: 1-7, 25-32, 49-52.
Class: Mamm
Area: Gen CS OH SK OR SH FI

1862 **Clarke, W.E.** (1912). On the occurrence of the Pine Bunting, Thrush Nightingale, and Baird's Sandpiper in Scotland. *Scottish Naturalist,* **1912**: 8-10.
Class: Bird
Area: SK FI

1863 **Rintoul, L.J. and Baxter, E.V.** (1912). On the occurrence of the Woodchat Shrike in Forth area. *Scottish Naturalist,* **1912**: 10-11.
Class: Bird
Area: FO

1864 **Wild, O.H.** (1912). Serin Finch (*Serinus serinus*) in Midlothian. *Scottish Naturalist,* **1912**: 11.
Class: Bird
Area: FO

1865 **Brock, S.E.** (1912). Jackdaw nesting in Squirrel's drey. *Scottish Naturalist,* **1912**: 15.
Class: Mamm Bird
Area: Gen FO

1866 **Bedford, Duchess of** (1912). Richard's Pipit and Lapland Bunting at Fair Isle. *Scottish Naturalist,* **1912**: 15.
Class: Bird
Area: FI

1867 **Bedford, Duchess of** (1912). Greater Wheatear at Barra in November. *Scottish Naturalist,* **1912**: 15.
Class: Bird
Area: OH

1868 **Waldron, P.L.** (1912). Montagu's Harrier in Roxburghshire. *Scottish Naturalist,* **1912**: 15.
Class: Bird
Area: TW

1869 **Maxwell, H.** (1912). Honey-Buzzard in Wigtownshire. *Scottish Naturalist,* **1912**: 15-16.
Class: Bird
Area: SO

1870 **Graham, G.** (1912). Grey Phalarope in Ayrshire. *Scottish Naturalist,* **1912**: 16.
Class: Bird
Area: CL

1871 **Evans, W.** (1912). Wood-Sandpiper in south-east Fife (Forth). *Scottish Naturalist,* **1912**: 16.
Class: Bird
Area: FO

1872 **Baxter, E.V.** (1912). Blue Shark in Forth. *Scottish Naturalist,* **1912**: 16.
Class: Fish
Area: FO

1873 **Editorial comment.** (1912). The Grouse in Health and in Disease. *Scottish Naturalist,* **1912**: 33-40.
Class: Bird
Area: Gen

1874 **Gladstone, H.S.** (1912). Badger in Lanarkshire. *Scottish Naturalist,* **1912**: 42.
Class: Mamm
Area: CL

1875 **Laidlaw, T.G.** (1912). Bird notes from Berwickshire. *Scottish Naturalist,* **1912**: 42-43.
Class: Bird
Area: TW

1876 **Gladstone, H.S.** (1912). Some bird notes from the Solway area. *Scottish Naturalist,* **1912**: 43.
Class: Bird
Area: SO

1877 **Campbell, B.** (1912). Hawfinch in West Lothian. *Scottish Naturalist,* **1912**: 43.
Class: Bird
Area: FO

1878 **Evans, W.** (1912). The Continental Song-Thrush and Northern Willow-Wren in Haddingtonshire. *Scottish Naturalist,* **1912**: 43-44.
Class: Bird
Area: FO

1879 **Cook, C.** (1912). Little Bustard in Kincardineshire. *Scottish Naturalist,* **1912**: 44.
Class: Bird
Area: DE

1880 **Editorial note.** (1912). [Records of the Little Bustard in Scotland]. *Scottish Naturalist,* **1912**: 44-45.
Class: Bird
Area: TA DE MO CS

1881 **Rintoul, L.J. and Baxter, E.V.** (1912). Black-tailed Godwits and Green Sandpiper in Solway. *Scottish Naturalist,* **1912**: 45.
Class: Bird
Area: SO

1882 **Evans, W.** (1912). Whimbrel in "Forth" in winter. *Scottish Naturalist,* **1912**: 45.
Class: Bird
Area: FO

1883 **Ritchie, R.L.** (1912). Whimbrel in December. *Scottish Naturalist,* **1912**: 45.
Class: Bird
Area: FO

1884 **Ritchie, R.L.** (1912). Black Tern in East Lothian. *Scottish Naturalist,* **1912**: 45.
Class: Bird
Area: FO

1885 **Baxter, E.V. and Rintoul, L.J.** (1912). Bird notes from the Isle of May in 1911. *Scottish Naturalist,* **1912**: 53-58.
Class: Bird
Area: FO

1886 **Edwards, A.J.H.** (1912). The presence of functional teeth in the upper jaw of the Sperm Whale. *Scottish Naturalist,* **1912**: 65-66.
Class: Mamm
Area: Gen OL SH

1887 **Macdonald, D.** (1912). Greater Wheatear in Argyll. *Scottish Naturalist,* **1912**: 66.
Class: Bird
Area: AG IH

1888 **Evans, W.** (1912). The Shore-Lark and other birds on the Hadddingtonshire coast. *Scottish Naturalist,* **1912**: 66-67.
Class: Bird
Area: FO

1889 **Jackson, A.C.** (1912). Continental race of the Redbreast in East Ross. *Scottish Naturalist,* **1912**: 67.
Class: Bird
Area: MO

1890 **Maxwell, H.** (1912). Honey-Buzzard reported from Wigtownshire. *Scottish Naturalist,* **1912**: 67.
Class: Bird
Area: SO

1891 **Bisshopp, C.H.** (1912). Bittern at Oban. *Scottish Naturalist,* **1912**: 67.
Class: Bird
Area: AG

1892 **Jackson, A.C.** (1912). Occurrence of the Black-necked Grebe on the Cromarty Firth. *Scottish Naturalist,* **1912**: 67.
Class: Bird
Area: MO

1893 **Rintoul, L.J. and Baxter, E.V.** (1912). Tadpole-Fish in Largo bay, Firth of Forth. *Scottish Naturalist,* **1912**: 68.
Class: Fish
Area: FO

1894 **McIntosh, W.C.** (1912). On the storm of January, 1912, in the bay of St. Andrews. *Scottish Naturalist,* **1912**: 73-77.
Class: Bird Fish
Area: TA

1895 **Editorial comment.** (1912). The Little Auk visitation of 1911-12. *Scottish Naturalist,* **1912**: 77-81, 141.
Class: Bird
Area: Gen SO TW CL FO TA DE MO CS NW AG IH OH OR SH FI

1896 **Bonar, H.N.** (1912). Some trees in which the Great Spotted Woodpecker (*Dendrocopus major*, Linn.) has bored or nested in Scotland. *Scottish Naturalist,* **1912**: 81-83.
Class: Bird
Area: Gen

1897 **Thomson, A.L.** (1912). The Sandwich Tern (*Sterna cantiaca*) in "Dee": general status and first nesting record. *Scottish Naturalist,* **1912**: 84-85.
Class: Bird
Area: DE

1898 **Gordon, J.G** (1912). Otters in Wigtownshire. *Scottish Naturalist,* **1912**: 88.
Class: Mamm
Area: SO

1899 **Galloway, A.R.** (1912). Rooks and Lapwings. *Scottish Naturalist,* **1912**: 88-89.
Class: Bird
Area: Gen DE

1900 **Gladstone, H.S.** (1912). Migration of Fieldfares. *Scottish Naturalist,* **1912**: 89.
Class: Bird
Area: SO

1901 **Stout, G.** (1912). Rock-Pipit on the Clyde estuary. *Scottish Naturalist,* **1912**: 89.
Class: Bird
Area: CL

1902 **Jackson, A.C.** (1912). White Wagtails on migration in East Ross. *Scottish Naturalist,* **1912**: 89-90.
Class: Bird
Area: MO

1903 **Saxby, T.E.** (1912). Tengmalm's Owl in Shetland. *Scottish Naturalist,* **1912**: 90.
Class: Bird
Area: SH

1904 **Baxter, E.V.** (1912). A note on the Gannet. *Scottish Naturalist,* **1912**: 90.
Class: Bird
Area: Gen FO

1905 **Gladstone, H.S.** (1912). Solamosse Geese. *Scottish Naturalist,* **1912**: 90-91.
Class: Bird
Area: Gen SO FO

1906 **Crosbie, K.C.** (1912). Occurrence of Smew in Forth area. *Scottish Naturalist,* **1912**: 91.
Class: Bird
Area: FO

1907 **Crosbie, K.C.** (1912). Smew eating Goby (*Gobius minutus*). *Scottish Naturalist,* **1912**: 91.
Class: Bird Fish
Area: Gen FO

1908 **Mackenzie, A.** (1912). Occurrence of Smew in Moray area. *Scottish Naturalist,* **1912**: 91.
Class: Bird
Area: MO

1909 **Russell, G.W.** (1912). Occurrence of Smew in Shetland. *Scottish Naturalist,* **1912**: 91.
Class: Bird
Area: SH

1910 **Clarke, W.E.** (1912). Smews and Red-necked Grebes in the Firth of Forth. *Scottish Naturalist,* **1912**: 91-92.
Class: Bird
Area: FO

1911 **Gladstone, H.S** (1912). Movements of ringed Woodcocks. *Scottish Naturalist,* **1912**: 92.
Class: Bird
Area: SO

1912 **Jackson, A.C.** (1912). Black-tailed Godwits in Moray. *Scottish Naturalist,* **1912**: 92.
Class: Bird
Area: MO

1913 **Stout, G.** (1912). Early appearance of the Common Tern on the Clyde. *Scottish Naturalist,* **1912**: 92.
Class: Bird
Area: CL

1914 **Harvie-Brown, J.A.** (1912). The Fulmar: its past and present distribution as a breeding species in the British Isles. *Scottish Naturalist,* **1912**: 97-102, 121-132.
Class: Bird
Area: CS NW AG IH OH SK OL OR SH FI

1915 **Clarke, W.E.** (1912). Notes on the plumage of the Fulmar Petrel. *Scottish Naturalist,* **1912**: 102-104.
Class: Bird
Area: Gen SK SH FI

1916 **Gladstone, H.S.** (1912). The Killer, or Grampus, in the Solway. *Scottish Naturalist,* **1912**: 114-115.
Class: Mamm
Area: SO

1917 **Evans, W.** (1912). The Greater Wheatear in Midlothian. *Scottish Naturalist,* **1912**: 115.
Class: Bird
Area: FO

1918 **Laidlaw, T.G.** (1912). Barn Owls in Berwickshire. *Scottish Naturalist,* **1912**: 115.
Class: Bird
Area: TW

1919 **Editorial note.** (1912). [Increase of Barn Owls in Haddingtonshire]. *Scottish Naturalist,* **1912**: 115.
Class: Bird
Area: FO

1920 **Laidlaw, T.G.** (1912). Brent Goose in Peeblesshire. *Scottish Naturalist,* **1912**: 115-116.
Class: Bird
Area: TW

1921 **Brock, S.E.** (1912). The "display" of the Goosander. *Scottish Naturalist,* **1912**: 116.
Class: Bird
Area: Gen FO

1922 **Leach, R.H.W.** (1912). Smew in Elginshire. *Scottish Naturalist,* **1912**: 116-117.
Class: Bird
Area: MO

1923 **Laurence, J.R.** (1912). Early appearance of the Common Tern on the Clyde. *Scottish Naturalist,* **1912**: 117.
Class: Bird
Area: CL

1924 **Thomson, A.L.** (1912). Supposed Blue-headed Wagtail in "Dee". *Scottish Naturalist,* **1912**: 139.
Class: Bird
Area: DE

1925 **Waterston, J.** (1912). Early occurrence of the Swallow in Delting, Shetland. *Scottish Naturalist,* **1912**: 139-140.
Class: Bird
Area: SH

1926 **Robinson, H.W.** (1912). Size of immature Smew drake. *Scottish Naturalist,* **1912**: 140.
Class: Bird
Area: Gen MO

1927 **Gordon, J.G.** (1912). Smew in Wigtownshire. *Scottish Naturalist,* **1912**: 140.
Class: Bird
Area: SO

1928 **Mackay, H.** (1912). Smew on Duddingston loch. *Scottish Naturalist,* **1912**: 140.
Class: Bird
Area: FO

1929 **Editorial note.** (1912). Little Auk: a correction. *Scottish Naturalist,* **1912**: 141.
Class: Bird
Area: SO FO

1930 **Thomson, A.L.** (1912). Aberdeen University Bird-Migration Inquiry: first interim report (1909-12). *Scottish Naturalist,* **1912**: 145-153, 169-174, 217-224, 241-248.
Class: Bird
Area: Gen TW CL FO TA DE MO CS AG OH OR

1931 **Bartholomew, J.** (1912). Lesser Shrew and Badger near Glasgow. *Scottish Naturalist,* **1912**: 162.
Class: Mamm
Area: CL

1932 **Gladstone, H.S.** (1912). Badgers in Kirkcudbrightshire. *Scottish Naturalist,* **1912**: 162-163.
Class: Mamm
Area: SO

1933 **Jackson, A.C.** (1912). Continental Song-Thrush in the Moray and Solway areas. *Scottish Naturalist,* **1912**: 163.
Class: Bird
Area: SO MO

1934 **Jackson, A.C.** (1912). Northern form of Willow-Wren in Solway. *Scottish Naturalist,* **1912**: 163.
Class: Bird
Area: SO

1935 **Harvie-Brown, J.A.** (1912). Fatality amongst Rooks. *Scottish Naturalist,* **1912**: 163-164.
Class: Bird
Area: Gen FO

1936 **Clyne, R.** (1912). The Snowy Owl. *Scottish Naturalist,* **1912**: 164.
Class: Bird
Area: SH

1937 **MacGillivray, W.L.** (1912). Greenland Falcon at Barra, Outer Hebrides. *Scottish Naturalist,* **1912**: 164.
Class: Bird
Area: OH

1938 **Clyne, R.** (1912). Some habits of the Gannet. *Scottish Naturalist,* **1912**: 164.
Class: Bird
Area: Gen OH

1939 **Davidson, G.D.** (1912). Smew at Melrose. *Scottish Naturalist,* **1912**: 165.
Class: Bird
Area: TW

1940 **Graham, G.** (1912). Early breeding of Ringed Plover in Ayrshire. *Scottish Naturalist,* **1912**: 165.
Class: Bird
Area: CL

1941 **Gordon, J.G.** (1912). Black Tern in Wigtownshire. *Scottish Naturalist,* **1912**: 165.
Class: Bird
Area: SO

1942 **Gordon, J.G.** (1912). Fishes taken off the Wigtownshire coast. *Scottish Naturalist,* **1912**: 165.
Class: Fish
Area: SO

1943 **Bartholomew, J.** (1912). Scarcity of young Rooks. *Scottish Naturalist,* **1912**: 184.
Class: Bird
Area: Gen CL

1944 **Kirk, C.** (1912). Great Spotted Woodpecker breeding on Loch Lomondside. *Scottish Naturalist,* **1912**: 185.
Class: Bird
Area: CL

1945 **Macdonald, D.** (1912). Herons nesting near Stornoway. *Scottish Naturalist,* **1912**: 185.
Class: Bird
Area: OH

1946 **Nash, J.K.** (1912). Remarkable eggs of Tufted Duck. *Scottish Naturalist,* **1912**: 185.
Class: Bird
Area: Gen FO

1947 **Cairns, J.B.** (1912). Turtle-Dove nesting near Gretna Green. *Scottish Naturalist,* **1912**: 186.
Class: Bird
Area: SO

1948 **Baxter, E.V. and Rintoul, L.J.** (1912). Green Sandpiper in Tay. *Scottish Naturalist,* **1912**: 186.
Class: Bird
Area: TA

1949 **Evans, W.** (1912). The Greater Wheatear in Berwickshire. *Scottish Naturalist,* **1912**: 186.
Class: Bird
Area: TW

1950 **Evans, W.** (1912). The Great Crested Grebe in Peeblesshire, &c. *Scottish Naturalist,* **1912**: 186.
Class: Bird
Area: TW FO

1951 **Bedford, Duchess of** (1912). Black-necked Grebe in Perthshire. *Scottish Naturalist,* **1912**: 186.
Class: Bird
Area: TA

1952 **Editorial comment.** (1912). The new nomenclature of British birds. *Scottish Naturalist,* **1912**: 193-198.
Class: Bird
Area: Gen

1953 **Clarke, W.E.** (1912). On a case of hybridism between an Eider and a Wild Duck. *Scottish Naturalist,* **1912**: 198-201.
Class: Bird
Area: Gen OR

1954 **Harvie-Brown, J.A.** (1912). Hedgehog in Argyll. *Scottish Naturalist,* **1912**: 209.
Class: Mamm
Area: NW AG

1955 **Bedford, Duchess of** (1912). Female Greenland Wheatear in male plumage. *Scottish Naturalist,* **1912**: 210.
Class: Bird
Area: Gen OH

1956 **Stout, G.** (1912). Lesser Whitethroat in Dumfriesshire. *Scottish Naturalist,* **1912**: 210.
Class: Bird
Area: SO

1957 **Millar, G.** (1912). Hawfinch at Fidra, Firth of Forth. *Scottish Naturalist,* **1912**: 210.
Class: Bird
Area: FO

1958 **Editorial note.** (1912). [The Hawfinch in south-east Scotland]. *Scottish Naturalist,* **1912**: 210.
Class: Bird
Area: TW FO

1959 **Laidlaw, T.G.** (1912). Quails nesting in Peeblesshire. *Scottish Naturalist,* **1912**: 210-211.
Class: Bird
Area: TW

1960 **Jopp, P.** (1912). Pheasants in Shetland. *Scottish Naturalist,* **1912**: 211.
Class: Bird
Area: SH

1961 **Macdonald, D.** (1912). Herons nesting in the Lewis. *Scottish Naturalist,* **1912**: 211.
Class: Bird
Area: OH

1962 **Gordon, J.G.** (1912). Green Sandpiper in Wigtownshire. *Scottish Naturalist,* **1912**: 211-212.
Class: Bird
Area: SO

1963 **Berry, W.** (1912). Broad-billed Sandpiper in Fifeshire. *Scottish Naturalist,* **1912**: 212-213.
Class: Bird
Area: TA

1964 **Bedford, Duchess of** (1912). Cream-coloured Whimbrel at Barra. *Scottish Naturalist,* **1912**: 213.
Class: Bird
Area: OH

1965 **Rattray, M.H.** (1912). Little Tern on the Ayrshire coast. *Scottish Naturalist,* **1912**: 213.
Class: Bird
Area: CL

1966 **Mackay, H.** (1912). Immature Eared Grebe in Solway. *Scottish Naturalist,* **1912**: 213.
Class: Bird
Area: SO

1967 **Sinclair, T.** (1912). Fulmar Petrels nesting at Stronsay, Orkney. *Scottish Naturalist,* **1912**: 214.
Class: Bird
Area: OR

1968 **Robinson, H.W.** (1912). Herons nesting in Orkney. *Scottish Naturalist,* **1912**: 214.
Class: Bird
Area: OR

1969 **Somerville, R.** (1912). On the occurrence of the Little Owl in Fife. *Scottish Naturalist,* **1912**: 225-226.
Class: Bird
Area: FO

1970 **Hall, C.A.** (1912). Hedgehog in Argyll. *Scottish Naturalist,* **1912**: 235.
Class: Mamm
Area: CL AG

1971 **Kirk, C.** (1912). Cuckoo reared by Rock-Pipits at Ailsa Craig. *Scottish Naturalist,* **1912**: 235.
Class: Bird
Area: CL

1972 **Rintoul, L.J. and Baxter, E.V.** (1912). Lapland form of Bluethroat on the Isle of May. *Scottish Naturalist,* **1912**: 236.
Class: Bird
Area: FO

1973 **Evans, W.** (1912). The Tree-Sparrow breeding in Midlothian. *Scottish Naturalist,* **1912**: 236.
Class: Bird
Area: FO

1974 **Bedford, Duchess of** (1912). Variety of Heron in Wigtownshire. *Scottish Naturalist,* **1912**: 236.
Class: Bird
Area: SO

1975 **Leslie, A.S.** (1912). Marked Grouse - identification wanted. *Scottish Naturalist,* **1912**: 236-237.
Class: Bird
Area: SO TW

1976 **Mackenzie, D.** (1912). Black-tailed Godwit in the Outer Hebrides. *Scottish Naturalist,* **1912**: 237.
Class: Bird
Area: OH

1977 **Evans, W.** (1912). Sabine's Gull in the Firth of Forth. *Scottish Naturalist,* **1912**: 237.
Class: Bird
Area: FO

1978 **Carmichael, A.D.** (1912). Fulmars breeding at Reawick, Shetland. *Scottish Naturalist,* **1912**: 237.
Class: Bird
Area: SH

1979 **Tulloch, J.S.** (1912). Tunny in Shetland. *Scottish Naturalist,* **1912**: 237.
Class: Fish
Area: SH

1980 **Wallace, A.B.** (1912). Large Sunfish in the Forth. *Scottish Naturalist,* **1912**: 238.
Class: Fish
Area: FO

1981 **Grimshaw, P.H.** (1912). Note on the food of the Common Pheasant. *Scottish Naturalist,* **1912**: 249-251.
Class: Bird
Area: Gen CL AG

1982 **Waterston, J.** (1912). On *Mackayia dimorpha*, a new genus and species of *Mallophaga* from the Manx Shearwater. *Scottish Naturalist,* **1912**: 251-258.
Class: Bird
Area: Gen IH

1983 **Congalton, W.D.** (1912). The Hedgehog in Arran. *Scottish Naturalist,* **1912**: 259.
Class: Mamm
Area: CL

1984 **Mackay, H.** (1912). Bird notes from the Solway. *Scottish Naturalist,* **1912**: 259.
Class: Bird
Area: SO

1985 **Baxter, E.V. and Rintoul, L.J.** (1912). Female Greenland Wheatear assuming male plumage. *Scottish Naturalist,* **1912**: 259-260.
Class: Bird
Area: Gen FO

1986 **Evans, W.** (1912). Late stay of Swifts about Edinburgh. *Scottish Naturalist,* **1912**: 260.
Class: Bird
Area: FO

1987 **Ferguson, G.D.** (1912). Notes on the Fulmar Petrel. *Scottish Naturalist,* **1912**: 260-261.
Class: Bird
Area: OR SH

1988 **Brock, S.E.** (1912). The Tufted-Duck (*Fuligula cristata*) in the nesting season. *Scottish Naturalist,* **1912**: 265-271.
Class: Bird
Area: Gen FO

1989 **Clarke, W.E.** (1912). Great Grey Seal and Coal-Fish incident. *Scottish Naturalist,* **1912**: 276-277.
Class: Mamm Fish
Area: OR

1990 **Gladstone, H.S.** (1912). Jays in Dumfriesshire. *Scottish Naturalist,* **1912**: 277.
Class: Bird
Area: SO

1991 **Jourdain, F.C.R.** (1912). The winter quarters of the Yellow Wagtail. *Scottish Naturalist,* **1912**: 277.
Class: Bird
Area: Gen

1992 **Bain, J.** (1912). Red-breasted Flycatcher at the Pentland Skerries. *Scottish Naturalist,* **1912**: 278.
Class: Bird
Area: OR

1993 **Laidlaw, H.** (1912). Reed-Warbler in the Orkneys. *Scottish Naturalist,* **1912**: 278.
Class: Bird
Area: OR

1994 **Gowan, J.** (1912). Late stay of Swifts in Banffshire. *Scottish Naturalist,* **1912**: 278.
Class: Bird
Area: MO

1995 **Bartholomew, J.** (1912). Common Guillemot and Barn Owl near Glasgow. *Scottish Naturalist,* **1912**: 278.
Class: Bird
Area: CL

1996 **Gladstone, H.S.** (1912). Quail nesting in Kirkcudbrightshire. *Scottish Naturalist,* **1912**: 278.
Class: Bird
Area: SO

1997 **Evans, W.** (1912). Food of the Common Partridge. *Scottish Naturalist,* **1912**: 278-279.
Class: Bird
Area: Gen FO

1998 **Evans, W.** (1912). Little Gull near Dunbar (Forth). *Scottish Naturalist,* **1912**: 279.
Class: Bird
Area: FO

1999 **Tulloch, J.S.** (1912). Tunny stranded at Weisdale, Shetland. *Scottish Naturalist,* **1912**: 279.
Class: Fish
Area: SH

2000 **Rintoul, L.J. and Baxter E.V.** (1912). Tunny in the Firth of Forth. *Scottish Naturalist,* **1912**: 279-280.
Class: Fish
Area: SH

2001 **Baxter, E.V. and Rintoul, L.J.** (1912). *Report on Scottish Ornithology in 1911, including Migration. Scottish Naturalist,* Extra Publication No. 1. Edinburgh: Oliver & Boyd.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2002 **Bedford, Duchess of and Clarke, W.E.** (1913). Notes on migratory birds observed at Fair Isle during the year 1912. *Scottish Naturalist,* **1913**: 5-8; 25-29.
Class: Bird
Area: FI

2003 **Bonar, H.N.** (1913). Male Pied Flycatcher at a last year's nesting site. *Scottish Naturalist,* **1913**: 17-18.
Class: Bird
Area: Gen FO

2004 **Clarke, W.E.** (1913). Interesting variety of the Starling. *Scottish Naturalist,* **1913**: 18.
Class: Bird
Area: Gen CL

2005 **Dewar, T.F.** (1913). Hoopoe in Forfarshire. *Scottish Naturalist,* **1913**: 18.
Class: Bird
Area: TA

2006 **Pagan, J.** (1913). A Cuckoo incident. *Scottish Naturalist,* **1913**: 18-19.
Class: Bird
Area: Gen FO

2007 **Tomlinson, R.** (1913). The Hobby in Midlothian. *Scottish Naturalist,* **1913**: -19.
Class: Bird
Area: FO

2008 **Watt H.B.** (1913). Scottish Heronries. *Scottish Naturalist,* **1913**: 19.
Class: Bird
Area: Gen OH OR

2009 **Wild, O.H.** (1913). Grey Lag-Goose in East Lothian. *Scottish Naturalist,* **1913**: 20.
Class: Bird
Area: FO

2010 **Alston, C.H.** (1913). Gadwall in Caithness. *Scottish Naturalist,* **1913**: 20.
Class: Bird
Area: CS

2011 **Evans, W.** (1913). The Pochard in east Stirling in the breeding season. *Scottish Naturalist,* **1913**: 20.
Class: Bird
Area: FO

2012 **MacKeith, T.T.** (1913). Sandwich Tern nesting in Clyde area. *Scottish Naturalist,* **1913**: 20.
Class: Bird
Area: CL

2013 **Baigrie, S.** (1913). Herring Gull eating Redwing. *Scottish Naturalist,* **1913**: 20.
Class: Bird
Area: Gen FO

2014 **Kirk, C.** (1913). Rare fishes in the Kelvingrove Museum, Glasgow. *Scottish Naturalist,* **1913**: 21-22.
Class: Fish
Area: FO OL

2015 **Tulloch, J.S.** (1913). Basking Shark in Shetland waters. *Scottish Naturalist,* **1913**: 22.
Class: Fish
Area: SH

2016 **Thomson, A.L.** (1913). Aberdeen University Bird-Migration Inquiry: First Interim Report (1909-12). *Scottish Naturalist,* **1913**: 29-35; 79-84; 121-131.
Class: Bird
Area: TW CL FO TA DE MO

2017 **Editorial comment.** (1913). Zoological nomenclature. *Scottish Naturalist,* **1913**: 40.
Class: Mamm Bird Rept Amph Fish
Area: Gen

2018 **Editorial comment.** (1913). The Scottish Bird-Migration Inquiry. *Scottish Naturalist,* **1913**: 40.
Class: Bird
Area: Gen

2019 **Taylor, W.** (1913). Risso's Dolphin in the Moray Firth. *Scottish Naturalist,* **1912**: 40-41.
Class: Mamm
Area: MO

2020 **Blackwood, W.** (1913). Male Pied Flycatcher at last year's nesting site. *Scottish Naturalist,* **1913**: 41-42.
Class: Bird
Area: Gen TW

2021 **Jackson, A.C.** (1913). The Scarlet Grosbeak in Moray area. *Scottish Naturalist,* **1913**: 42-43.
Class: Bird
Area: MO

2022 **Jackson, A.C.** (1913). Curious nesting site of the Tree Sparrow. *Scottish Naturalist,* **1913**: 43.
Class: Bird
Area: NW

2023 **Carphin, J.E.** (1913). Variety of the Starling at Liberton. *Scottish Naturalist,* **1913**: 43.
Class: Bird
Area: FO

2024 **Alston, C.H.** (1913). The Jay in Argyll. *Scottish Naturalist,* **1913**: 43-44.
Class: Bird
Area: CL AG

2025 **Campbell, J.** (1913). Little Bittern in Fifeshire. *Scottish Naturalist,* **1913**: 44.
Class: Bird
Area: TA

2026 **Robinson, H.W.** (1913). Wild Geese in Aberlady Bay, East Lothian. *Scottish Naturalist,* **1913**: 44.
Class: Bird
Area: FO

2027 **Jackson, A.C.** (1913). Gadwall nesting in Caithness. *Scottish Naturalist,* **1913**: 44-45.
Class: Bird
Area: CS

2028 **Mackay, H.** (1913). Common Redshank in unusual plumage. *Scottish Naturalist,* **1913**: 45.
Class: Bird
Area: Gen FO

2029 **Rintoul, L.J. and Baxter E.V.** (1913). Bird notes from the Isle of May - spring and autumn 1912. *Scottish Naturalist,* **1913**: 49-53.
Class: Bird
Area: FO

2030 **Clarke, W.E.** (1913). The Song-Thrush of the Outer Hebrides - *Turdus musicus hebridensis* - a new racial form. *Scottish Naturalist,* **1913**: 53-55.
Class: Bird
Area: OH SK

2031 **Taylor, W.** (1913). Bottlenose and Lesser Fin-Whales in the Moray Firth. *Scottish Naturalist,* **1913**: 67.
Class: Mamm
Area: MO

2032 **Kay, T.** (1913). Barred Warblers and other birds in Shetland. *Scottish Naturalist,* **1913**: 67.
Class: Bird
Area: SH

2033 **Harvie-Brown, J.A.** (1913). Tree Sparrows in East Ross. *Scottish Naturalist,* **1913**: 67.
Class: Bird
Area: NW

2034 **Blackwood, W.** (1913). Sparrows nesting in the foundations of Herons' nests. *Scottish Naturalist,* **1913**: 67-68.
Class: Bird
Area: Gen FO

2035 **Wild, O.H.** (1913). Waxwing near Edinburgh. *Scottish Naturalist,* **1913**: 68.
Class: Bird
Area: FO

2036 **Harvie-Brown, J.A.** (1913). Glossy Ibis in Skye. *Scottish Naturalist,* **1913**: 68.
Class: Bird
Area: NW IH

2037 **Editorial note.** (1913). [Glossy Ibis shot in South Uist]. *Scottish Naturalist,* **1913**: 68.
Class: Bird
Area: OH

2038 **Harvie-Brown, J.A.** (1913). Shoveler in the Moray Firth. *Scottish Naturalist,* **1913**: 68.
Class: Bird
Area: MO

2039 **Kirk, C.** (1913). Hybrid Capercaillie-Blackcock in Argyll. *Scottish Naturalist,* **1913**: 68-69.
Class: Bird
Area: Gen CL AG

2040 **Jackson, A.C.** (1913). Smews in Moray area. *Scottish Naturalist,* **1913**: 69.
Class: Bird
Area: MO

2041 **Stout, G. and Duncan, H.** (1913). Green Sandpiper in Dumbartonshire. *Scottish Naturalist,* **1913**: 69.
Class: Bird
Area: CL

2042 **Bedford, Duchess of** (1913). Manx Shearwater inland in Ayrshire. *Scottish Naturalist,* **1913**: 69.
Class: Bird
Area: CL

2043 **Ritchie, J.** (1913). Fox Shark off Barra. *Scottish Naturalist,* **1913**: 69-70.
Class: Fish
Area: OH

2044 **Anderson, P.** (1913). The birds of the Island of Tiree. *Scottish Naturalist,* **1913** 73-78, 169-172, 193-200, 217-224, 241-245. [Introductory remarks by J.A Harvie-Brown].
Class: Bird
Area: AG IH

2045 **Gladstone, H.S.** (1913). Ornithological notes from Dumfriesshire. *Scottish Naturalist,* **1913**: 91.
Class: Bird
Area: SO

2046 **Jackson, A.C.** (1913). Uncommon birds on the Beauly Firth. *Scottish Naturalist,* **1913**: 92.
Class: Bird
Area: MO

2047 **Kirk, C.** (1913). Snowy Owl at Sule Skerry. *Scottish Naturalist,* **1913**: 92.
Class: Bird
Area: OR

2048 **Bruce, S.** (1913). Quail nesting in Shetland. *Scottish Naturalist,* **1913**: 92.
Class: Bird
Area: SH

2049 **Jackson, A.C.** (1913). White variety of the Lapwing. *Scottish Naturalist,* **1913**: 92.
Class: Bird
Area: Gen MO

2050 **Jackson, A.C.** (1913). Green Sandpiper and Fork-tailed Petrel in Moray area. *Scottish Naturalist,* **1913**: 93.
Class: Bird
Area: MO

2051 **Graham, G.** (1913). Bar-tailed Godwit [in summer plumage] in Ayrshire. *Scottish Naturalist,* **1913**: 93, [163].
Class: Bird
Area: CL

2052 **Jackson, A.C.** (1913). Roseate Terns in Moray area. *Scottish Naturalist,* **1913**: 93.
Class: Bird
Area: MO

2053 **Evans, W.** (1913). Lemming remains in south-east Scotland. *Scottish Naturalist,* **1913**: 97-100.
Class: Mamm
Area: FO

2054 **Ramsay, L.N.G.** (1913). On the moulting of the Herring Gull (*Larus argentatus*) and other species. *Scottish Naturalist,* **1913**: 100-105.
Class: Bird
Area: Gen DE

2055 **Evans, W.** (1913). White-sided Dolphin in the Dornoch Firth. *Scottish Naturalist,* **1913**: 114-115.
Class: Mamm
Area: MO

2056 **Gordon, J.G.** (1913). Ornithological notes from Wigtownshire. *Scottish Naturalist,* **1913**: 115.
Class: Bird
Area: SO

2057 **Tulloch, J.S.** (1913). Bird-notes from Shetland. *Scottish Naturalist,* **1913**: 115.
Class: Bird
Area: SH

2058 **Bonar, H.N.** (1913). Hawfinch in East Lothian. *Scottish Naturalist,* **1913**: 115.
Class: Bird
Area: FO

2059 **Clarke, W.E.** (1913). Greenland Falcons at Scottish islands. *Scottish Naturalist,* **1913**: 116.
Class: Bird
Area: AG IH SH

2060 **Kirke, D.J.B.** (1913). Hoopoe in Fife. *Scottish Naturalist,* **1913**: 116.
Class: Bird
Area: FO

2061 **Begg, W.** (1913). Black-throated and Red-throated Divers in the Firth of Forth. *Scottish Naturalist,* **1913**: 116.
Class: Bird
Area: FO

2062 **Evans, W.** (1913). The Continental race of the Robin in Haddingtonshire. *Scottish Naturalist,* **1913**: 141.
Class: Bird
Area: FO

2063 **MacGillivray, W.L.** (1913). Iceland and Greenland Falcons at Barra, Outer Hebrides. *Scottish Naturalist,* **1913**: 141.
Class: Bird
Area: OH

2064 **Harvie-Brown, J.A.** (1913). Further increase of the Fulmar Petrel. *Scottish Naturalist,* **1913**: 141-142.
Class: Bird
Area: CS

2065 **Alston, C.H.** (1913). A list of the Gaelic names of British mammals. *Scottish Naturalist,* **1913**: 145-153.
Class: Mamm
Area: Gen

2066 **Clarke, W.E.** (1913). On the occurrence of Sykes's Blue-headed Wagtail at Fair Isle. *Scottish Naturalist,* **1913**: 153-154.
Class: Bird
Area: FI

2067 **Bain, J.** (1913). On the occurrence of the Gull-billed Tern in Orkney. *Scottish Naturalist,* **1913**: 154.
Class: Bird
Area: OR

2068 **Laidlaw, T.G.** (1913). Large litter of Fox cubs. *Scottish Naturalist,* **1913**: 160.
Class: Mamm
Area: Gen TW

2069 **Gunnis, F.G.** (1913). Hawfinch in Sutherland. *Scottish Naturalist,* **1913**: 160.
Class: Bird
Area: CS

2070 **Rintoul, L.J. and Baxter, E.V.** (1913). Grey-headed Wagtail in Forth. *Scottish Naturalist,* **1913**: 160.
Class: Bird
Area: FO

2071 **Saxby J.E.** (1913). Honey Buzzard in Shetland. *Scottish Naturalist,* **1913**: 161.
Class: Bird
Area: SH

2072 **Wedderburn, C.S.** (1913). Osprey in Tay. *Scottish Naturalist,* **1913**: 161.
Class: Bird
Area: TA

2073 **Thomson, A.L.** (1913). An unrecorded heronry in "Dee". *Scottish Naturalist,* **1913**: 161.
Class: Bird
Area: DE

2074 **Gladstone, H.S.** (1913). Geese struck by lightning in Dumfriesshire. *Scottish Naturalist,* **1913**: 161-162.
Class: Bird
Area: SO

2075 **Thomson, A.L.** (1913). An unclaimed marked Woodcock. *Scottish Naturalist,* **1913**: 162.
Class: Bird
Area: MO

2076 **McConachie, W.** (1913). Nesting of the Dunlin in Berwickshire. *Scottish Naturalist,* **1913**: 162-163.
Class: Bird
Area: TW

2077 **Editorial note.** (1913). Bar-tailed Godwit [in summer plumage] in Ayrshire. *Scottish Naturalist,* **1913**: [93], 163.
Class: Bird
Area: CL

2078 **Russell, G.W.** (1913). Notes on Shags and Fulmars in Shetland. *Scottish Naturalist,* **1913**: 163-164.
Class: Bird
Area: SH

2079 **Harvie-Brown, J.A.** (1913). Fulmars in the Moray Firth. *Scottish Naturalist,* **1913**: 164.
Class: Bird
Area: MO

2080 **Gladstone, H.S.** (1913). Perch in Dumfriesshire and Galloway. *Scottish Naturalist,* **1913**: 164.
Class: Fish
Area: SO

2081 **Jackson, A.C.** (1913). Continental Song-Thrush, autumn record for Moray. *Scottish Naturalist,* **1913**: 188.
Class: Bird
Area: MO

2082 **Jackson, A.C.** (1913). Black Redstart in Moray. *Scottish Naturalist,* **1913**: 188.
Class: Bird
Area: MO

2083 **Brock, S.E.** (1913). Notes on a Carrion-Crow roost. *Scottish Naturalist,* **1913**: 188-190.
Class: Bird
Area: CL FO

2084 **Beveridge, F.S.** (1913). Sea-Eagles in Argyll. *Scottish Naturalist,* **1913**: 190.
Class: Bird
Area: AG

2085 **Taylor, W.** (1913). A bone of Rudolphi's Rorqual from the post-glacial sand of Elgin. *Scottish Naturalist,* **1913**: 211.
Class: Mamm
Area: MO

2086 **Clyne, R.** (1913). The Squacco Heron in the Outer Hebrides. *Scottish Naturalist,* **1913**: 211.
Class: Bird
Area: OH

2087 **Noble, H.** (1913). Scaup-Duck nesting in the Outer Hebrides. *Scottish Naturalist,* **1913**: 211.
Class: Bird
Area: OH

2088 **Baigrie, S.** (1913). An Eider-Duck's unusual nesting-place. *Scottish Naturalist,* **1913**: 211-212.
Class: Bird
Area: Gen FO

2089 **Laidlaw, H.** (1913). Ringed Plovers nesting under stones in Orkney. *Scottish Naturalist,* **1913**: 212.
Class: Bird
Area: Gen OR

2090 **Bain, J.** (1913). Notes on Arctic Terns at the Pentland Skerries. *Scottish Naturalist,* **1913**: 212.
Class: Bird
Area: OR

2091 **Harvie-Brown, J.A.** (1913). An early reference to Hebridean Thrushes. *Scottish Naturalist,* **1913**: 233.
Class: Bird
Area: NW OH

2092 **Kirk, C.** (1913). Ring-Ouzel feeding young Cuckoo. *Scottish Naturalist,* **1913**: 233.
Class: Bird
Area: Gen AG

2093 **Geddie, A.** (1913). Late breeding of the Crossbill in Speyside. *Scottish Naturalist,* **1913**: 233.
Class: Bird
Area: Gen MO

2094 **Editorial note.** (1913). [Late breeding of the Crossbill in Speyside]. *Scottish Naturalist,* **1913**: 233-234.
Class: Bird
Area: Gen MO

2095 **Nash, J.K.** (1913). The Nightjar in Edinburgh. *Scottish Naturalist,* **1913**: 234.
Class: Bird
Area: FO

2096 **Bain, G.** (1913). Hoopoe off the coast of Caithness. *Scottish Naturalist,* **1913**: 234.
Class: Bird
Area: CS

2097 **Begg, W.** (1913). Black Grouse on Inchkeith, Firth of Forth. *Scottish Naturalist,* **1913**: 234.
Class: Bird
Area: FO

2098 **Mackay, H.** (1913). Spotted Redshank in Solway. *Scottish Naturalist,* **1913**: 234-235.
Class: Bird
Area: SO

2099 **Beveridge, F.S.** (1913). Black-tailed Godwit in the Outer Hebrides. *Scottish Naturalist,* **1913**: 235.
Class: Bird
Area: OH

2100 **McLean, J. and McGilvray, J.D.** (1913). Note on the Kittiwakes at the Flannan Islands. *Scottish Naturalist,* **1913**: 235.
Class: Bird
Area: OL

2101 **Kirk, C.** (1913). Ailsa Craig deserted by Razorbills and Guillemots. *Scottish Naturalist,* **1913**: 235-236.
Class: Bird
Area: CL

2102 **Evans, W.** (1913). [Scarcity of seabirds in Firth of Forth]. *Scottish Naturalist,* **1913**: 236.
Class: Bird
Area: FO

2103 **Clyne, R.** (1913). The Fulmar and Common Guillemot in Lewis: extension of breeding-range. *Scottish Naturalist,* **1913**: 236-237.
Class: Bird
Area: OH

2104 **Begg, W.** (1913). Storm Petrels in the Firth of Forth in summer. *Scottish Naturalist,* **1913**: 237.
Class: Bird
Area: FO

2105 **Scrymgeour-Wedderburn, H.** (1913). Quail in Forfarshire. *Scottish Naturalist,* **1913**: 259-260.
Class: Bird
Area: TA

2106 **Best, M.G.S.** (1913). Scarcity of Razorbills and Guillemots. *Scottish Naturalist,* **1913**: 260.
Class: Bird
Area: Gen CL

2107 **Evans, W.** (1913). The Scandinavian race of the Lesser Black-backed Gull in Forth. *Scottish Naturalist,* **1913**: 260.
Class: Bird
Area: FO

2108 **Editorial comment.** (1913). A List of British Terrestrial Mammals. *Scottish Naturalist,* **1913**: 265-270.
Class: Mamm
Area: Gen

2109 **Clarke, W.E.** (1913). On the occurrence of *Phylloscopus fuscatus* (Blyth) in the Orkney Islands: a new British bird. *Scottish Naturalist,* **1913**: 271-273.
Class: Bird
Area: OR

2110 **Baxter, E.V. and Rintoul, L.J.** (1913). Two new Scottish birds. *Scottish Naturalist,* **1913**: 273-274.
Class: Bird
Area: FO

2111 **Bedford, Duchess of** (1913). Movements of migratory birds observed in Kirkcudbrightshire. *Scottish Naturalist,* **1913**: 283.
Class: Bird
Area: SO

2112 **Brock, S.E.** (1913). Song of the Willow-Tit. *Scottish Naturalist,* **1913**: 283-284.
Class: Bird
Area: Gen FO

2113 **Harris, C.K.** (1913). Glossy Ibis in Argyll. *Scottish Naturalist,* **1913**: 284.
Class: Bird
Area: AG IH

2114 **Fowler, C.M.** (1913). Iceland Gull in West Ross-shire. *Scottish Naturalist,* **1913**: 284.
Class: Bird
Area: NW

2115 **Anderson, J.** (1913). Newts in Caithness. *Scottish Naturalist,* **1913**: 284.
Class: Amph
Area: CS

2116 **Editorial note.** (1913). [Palmated Newt in Sutherland]. *Scottish Naturalist,* **1913**: 284.
Class: Amph
Area: CS

2117 **Rintoul, L.J. and Baxter, E.V.** (1913). *Report on Scottish Ornithology in 1912, including Migration. Scottish Naturalist,* Extra Publication No. 2. Edinburgh: Oliver & Boyd.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2118 **Clarke, W.E.** (1914). On some rare and interesting migratory birds observed at the Orcadian island of Auskerry in the autumn of 1913. *Scottish Naturalist,* **1914**: 5-8.
Class: Bird
Area: OR

2119 **Gladstone, H.S.** (1914). Badger in Dumfriesshire. *Scottish Naturalist,* **1914**: 19.
Class: Mamm
Area: SO

2120 **Hall, C.A.** (1914). Bank Vole (*Evotomys glareolus*) in Renfrewshire. *Scottish Naturalist,* **1914**: 19.
Class: Mamm
Area: CL

2121 **Tomlinson, M.R.** (1914). Richard's Pipit in Midlothian. *Scottish Naturalist,* **1914**: 19-20.
Class: Bird
Area: FO

2122 **Blackwood, W.T.** (1914). Nesting of Pied Flycatcher in Peebleshire. *Scottish Naturalist,* **1914**: 20.
Class: Bird
Area: TW

2123 **Bartholomew, J.** (1914). Yellow-browed Warbler in Kirkcudbrightshire. *Scottish Naturalist,* **1914**: 20-21.
Class: Bird
Area: SO

2124 **Macdougall, P.** (1914). Fieldfares in Shetland. *Scottish Naturalist,* **1914**: 21.
Class: Bird
Area: SH

2125 **Page, R.H.S.** (1914). Late Swallow in West Lothian. *Scottish Naturalist,* **1914**: 21.
Class: Bird
Area: FO

2126 **Bedford, Duchess of.** (1914). Sparrow Hawk and Mistle Thrush as migrants at Barra, Outer Hebrides. *Scottish Naturalist,* **1914**: 21.
Class: Bird
Area: OH

2127 **Editorial note.** (1914). [First record of Sparrow Hawk and Mistle Thrush in Outer Hebrides]. *Scottish Naturalist,* **1914**: 21-22 .
Class: Bird
Area: Gen OH

2128 **Gurney, J.H.** (1914). Variety of the Gannet. *Scottish Naturalist,* **1914**: 22.
Class: Bird
Area: FO

2129 **Cowan, R.C.** (1914). Ringed Grouse. *Scottish Naturalist,* **1914**: 22.
Class: Bird
Area: FO

2130 **Kirke, D.J.B.** (1914). Quails in Fife. *Scottish Naturalist,* **1914**: 22.
Class: Bird
Area: FO

2131 **Serle, W.** (1914). Common Snipe at Duddingston Loch. *Scottish Naturalist,* **1914**: 22.
Class: Bird
Area: FO

2132 **Gladstone, H.S.** (1914). Sword-fish in Dumfriesshire. *Scottish Naturalist,* **1914**: 22.
Class: Fish
Area: SO

2133 **Taylor, W.** (1914). A Sperm Whale in the Moray Firth. *Scottish Naturalist,* **1914**: 28-30.
Class: Mamm
Area: MO

2134 **Best, M.G.S., Turner, E.L. and Haviland, M.D.** (1914). Notes on bird-life in the Outer Hebrides as observed during May and June 1913. *Scottish Naturalist,* **1914**: 30-34.
Class: Bird
Area: OH

2135 **Watt, H.B.** (1914). Bank Vole in the Clyde area. *Scottish Naturalist,* **1914**: 43.
Class: Mamm
Area: CL

2136 **Robinson, H.W.** (1914). The birds of Tiree - additional records. *Scottish Naturalist,* **1914**: 43-44.
Class: Bird
Area: AG IH

2137 **Jackson, A.C.** (1914). The birds of Tiree - additional records. *Scottish Naturalist,* **1914**: 44, [71].
Class: Bird
Area: AG IH

2138 **Russell, G.W.** (1914). Some bird notes from Shetland. *Scottish Naturalist,* **1914**: 44.
Class: Bird
Area: SH

2139 **Clarke, W.E.** (1914). Northern Bullfinches in Orkney. *Scottish Naturalist,* **1914**: 45.
Class: Bird
Area: OR

2140 **Laidlaw, H.** (1914). Woodchat Shrike in Orkney. *Scottish Naturalist,* **1914**: 45.
Class: Bird
Area: OR

2141 **Jackson, A.C.** (1914). Nesting of the Pintail in Moray area. *Scottish Naturalist,* **1914**: 45.
Class: Bird
Area: MO

2142 **Editorial note.** (1914). [Nesting of the Pintail in Inverness-shire]. *Scottish Naturalist,* **1914**: 45 .
Class: Bird
Area: MO

2143 **Beveridge, F.S.** (1914). Probable breeding of Tufted Duck in North Uist. *Scottish Naturalist,* **1914**: 45.
Class: Bird
Area: OH

2144 **Editorial note.** (1914). [Previous record of Tufted Duck breeding in Outer Hebrides]. *Scottish Naturalist,* **1914**: 45 .
Class: Bird
Area: OH

2145 **Editorial comment.** (1914). The Great Skua in danger of extermination as a native of the British Islands. *Scottish Naturalist,* **1914**: 46.
Class: Bird
Area: SH

2146 **Jackson, A.C.** (1914). Nesting of Great Crested Grebe in Moray area. *Scottish Naturalist,* **1914**: 46.
Class: Bird
Area: MO

2147 **Clarke, W.E.** (1914). On some migratory birds observed at Fair Isle during the spring and autumn of 1913. *Scottish Naturalist,* **1914**: 53-55.
Class: Bird
Area: FI

2148 **McConachie, W.** (1914). Yellow-browed Warbler in Berwickshire. *Scottish Naturalist,* **1914**: 68.
Class: Bird
Area: TW

2149 **Robinson, H.W.** (1914). Arrival of the Pied Wagtail in Orkney. *Scottish Naturalist,* **1914**: 68.
Class: Bird
Area: OR

2150 **Jackson, A.C.** (1914). Honey Buzzard in Ross-shire. *Scottish Naturalist,* **1914**: 69.
Class: Bird
Area: NW

2151 **MacKeith, T.T.** (1914). Quails nesting in Renfrew and Bute. *Scottish Naturalist,* **1914**: 69.
Class: Bird
Area: CL

2152 **Gray, W.A.** (1914). Ruff in the Outer Hebrides. *Scottish Naturalist,* **1914**: 69.
Class: Bird
Area: OH

2153 **Jackson, A.C.** (1914). Occurrence of Iceland Gulls in the North. *Scottish Naturalist,* **1914**: 69.
Class: Bird
Area: MO CS

2154 **Currie, T.** (1914). Fork-tailed Petrel in Peeblesshire. *Scottish Naturalist,* **1914**: 69.
Class: Bird
Area: TW

2155 **Editorial comment.** (1914). Plumage (Prohibition) Bill. *Scottish Naturalist,* **1914**: 73-74.
Class: Bird
Area: Gen

2156 **Editorial comment.** (1914). Egg coloration in the Cuckoo. *Scottish Naturalist,* **1914**: 74-75.
Class: Bird
Area: Gen

2157 **Editorial comment.** (1914). Large quantities of fish eggs floating in North Sea, Shetland and Moray Firth. *Scottish Naturalist,* **1914**: 75-76.
Class: Fish
Area: DE MO SH

2158 **Brock, S.E.** (1914). The display of the Mallard in relation to pairing. *Scottish Naturalist,* **1914**: 78-86.
Class: Bird
Area: Gen

2159 **Campbell. H.B.** (1914). Pine Marten in Argyll. *Scottish Naturalist,* **1914**: 93.
Class: Mamm
Area: CL AG

2160 **Clarke, W.E.** (1914). White Wagtail in the Orkneys. *Scottish Naturalist,* **1914**: 93.
Class: Bird
Area: OR

2161 **Tulloch, J.S.** (1914). Redbreasts in Shetland. *Scottish Naturalist,* **1914**: 93.
Class: Bird
Area: SH

2162 **Russell, G.W.** (1914). Siberian Chiffchaff in Shetland in winter. *Scottish Naturalist,* **1914**: 93-94.
Class: Bird
Area: SH

2163 **Tulloch, J.S.** (1914). Grey Shrike in Shetland. *Scottish Naturalist,* **1914**: 94.
Class: Bird
Area: SH

2164 **Bartholomew, J.** (1914). Ringed Grouse. *Scottish Naturalist,* **1914**: 94.
Class: Bird
Area: Gen FO

2165 **Robinson, H.W.** (1914). Lesser Black-backed Gull in Orkney. *Scottish Naturalist,* **1914**: 94-95.
Class: Bird
Area: OR

2166 **Campbell, B.** (1914). Whimbrel in the Forth district in January. *Scottish Naturalist,* **1914**: 95.
Class: Bird
Area: Gen FO

2167 **Scott, T.** (1914). Seal louse (*Echinophthirius phocae*) from a Common Seal in the west of Scotland. *Scottish Naturalist,* **1914**: 95.
Class: Mamm
Area: Gen CL

2168 **Editorial note.** (1914). [Salmon of 49 lb. weight from River Deveron]. *Scottish Naturalist,* **1914**: 97.
Class: Fish
Area: DE

2169 **Ritchie, J.** (1914). Some early references to Four-horned Sheep in Scotland. *Scottish Naturalist,* **1914**: 100-106.
Class: Mamm
Area: Gen SO TW CL OH SK SH

2170 **Baxter, E.V. and Rintoul, L.J.** (1914). Bird notes from the Isle of May in 1913. *Scottish Naturalist,* **1914**: 106-111.
Class: Bird
Area: FO

2171 **Watt, H.B.** (1914). Scottish heronries. Fourth paper, with statistical summary. *Scottish Naturalist,* **1914**: 112-115, 143.
Class: Bird
Area: SO TW CL FO TA DE MO NW AG IH OH OR

2172 **Laidlaw, T.G.** (1914). Supposed hybrid between Mallard and Wigeon in Berwickshire. *Scottish Naturalist,* **1914**: 117-118.
Class: Bird
Area: Gen TW

2173 **Serle, W.** (1914). Smew on Duddingston Loch. *Scottish Naturalist,* **1914**: 118.
Class: Bird
Area: FO

2174 **May, A.M.** (1914). Woodcock in the city of Edinburgh. *Scottish Naturalist,* **1914**: 118.
Class: Bird
Area: FO

2175 **Rodger, A.M.** (1914). Scarcity of Frogs and Toads near Perth. *Scottish Naturalist,* **1914**: 118.
Class: Amph
Area: TA

2176 **Clarke, W.E.** (1914). Notes on the Mice of St. Kilda. *Scottish Naturalist,* **1914**: 124-128.
Class: Mamm
Area: SK

2177 **Oldham, C.** (1914). Goldfinch in the Moray area. *Scottish Naturalist,* **1914**: 143.
Class: Bird
Area: MO

2178 **Tulloch, J.S.** (1914). Migratory Blackcap in song in Shetland. *Scottish Naturalist,* **1914**: 143.
Class: Bird
Area: SH

2179 **Gladstone, H.S.** (1914). Swift in Dumfriesshire. *Scottish Naturalist,* **1914**: 143.
Class: Bird
Area: SO

2180 **McConachie, W.** (1914). Nesting of the Dunlin in Berwickshire. *Scottish Naturalist,* **1914**: 143-144.
Class: Bird
Area: TW

2181 **Alston, C.H.** (1914). Trout feeding on the Heather Beetle. *Scottish Naturalist,* **1914**: 144.
Class: Fish
Area: Gen CL AG

2182 **Cash, G.C.** (1914). History of the Loch an Eilein Ospreys. *Scottish Naturalist,* **1914**: 149-158.
Class: Bird
Area: MO

2183 **Gladstone, H.S.** (1914). Badger in Dumfriesshire. *Scottish Naturalist,* **1914**: 162.
Class: Mamm
Area: SO

2184 **Baxter, E.V. and Rintoul, L.J.** (1914). Increase in cliff-breeding birds on the Isle of May. *Scottish Naturalist,* **1914**: 162-163.
Class: Bird
Area: FO

2185 **Evans, W.** (1914). The nesting season of 1914. *Scottish Naturalist,* **1914**: 163-164.
Class: Bird
Area: Gen FO

2186 **MacKeith, T.T.** (1914). Willow-Tit nesting in Renfrewshire. *Scottish Naturalist,* **1914**: 164.
Class: Bird
Area: CL

2187 **Baxter, E.V.** (1914). Little Gull in Forth in June. *Scottish Naturalist,* **1914**: 164-165.
Class: Bird
Area: FO

2188 **Clyne, R.** (1914). Fulmars at Butt of Lewis. *Scottish Naturalist,* **1914**: 165.
Class: Bird
Area: OH

2189 **MacGregor, A.** (1914). Great Warty, Smooth, and Palmated Newts near Forres. *Scottish Naturalist,* **1914**: 165-166.
Class: Amph
Area: MO

2190 **Graham, G.** (1914). Greater Fork-beard in Clyde. *Scottish Naturalist,* **1914**: 166.
Class: Fish
Area: CL

2191 **Bedford, Duchess of** (1914). Spring bird-notes from various Scottish Islands. *Scottish Naturalist,* **1914**: 173-181.
Class: Bird Mamm Fish
Area: MO CS NW OH SK OL FI

2192 **Berry, W.** (1914). Albino Weasel. *Scottish Naturalist,* **1914**: 188.
Class: Mamm
Area: Gen TA

2193 **Baxter, E.V. and Rintoul, L.J.** (1914). Birds singing while on migration. *Scottish Naturalist,* **1914**: 188-189.
Class: Bird
Area: Gen FO

2194 **Maxwell, H.** (1914). Increase of the Goldfinch in Scotland. *Scottish Naturalist,* **1914**: 189.
Class: Bird
Area: SO

2195 **Rintoul, L.J. and Baxter, E.V.** (1914). Bird notes from the Isle of May - spring 1914. *Scottish Naturalist,* **1914**: 198-201.
Class: Bird
Area: FO

2196 **Thomson, A.L.** (1914). Rare birds in Aberdeenshire in 1913. *Scottish Naturalist,* **1914**: 201-202.
Class: Bird
Area: DE

2197 **Gladstone, H.S.** (1914). Black-headed Gulls in Dumfriesshire. *Scottish Naturalist,* **1914**: 203-204.
Class: Bird
Area: SO

2198 **Gladstone, H.S.** (1914). Large Sturgeon in the Solway Firth. *Scottish Naturalist,* **1914**: 213.
Class: Fish
Area: SO

2199 **Macvicar, S.M.** (1914). Scottish Heronries. *Scottish Naturalist,* **1914**: 213.
Class: Bird
Area: AG

2200 **Kirk, C.** (1914). Nesting of Twites on Ailsa Craig. *Scottish Naturalist,* **1914**: 213-214.
Class: Bird
Area: CL

2201 **Thin, R.G.** (1914). Dunlin brooding young Redshanks. *Scottish Naturalist,* **1914**: 214.
Class: Bird
Area: Gen FO

2202 **Clyne, R.** (1914). Fulmars and Common Guillemots at Butt of Lewis. *Scottish Naturalist,* **1914**: 214-215.
Class: Bird
Area: OH

2203 **Rintoul, L.J., Baxter, E.V. and Sutherland, L.R.** (1914). Fulmars at Fowlsheugh, Kincardineshire coast. *Scottish Naturalist,* **1914**: 215.
Class: Bird
Area: TA DE

2204 **Clarke, W.E.** (1914). The "Blue Fulmar": its plumage and distribution. *Scottish Naturalist,* **1914**: 221-225.
Class: Bird
Area: Gen SK SH

2205 **McConachie, W.** (1914). Bird notes from Lauderdale. *Scottish Naturalist,* **1914**: 237.
Class: Bird
Area: TW

2206 **Bain, J.** (1914). Icterine Warbler in Orkney. *Scottish Naturalist,* **1914**: 237.
Class: Bird
Area: OR

2207 **Ritchie, J.** (1914). The spread of the Starling in Scotland. *Scottish Naturalist,* **1914**: 237-238.
Class: Bird
Area: DE MO

2208 **Beveridge, F.S.** (1914). Carrion Crow in North Uist. *Scottish Naturalist,* **1914**: 238.
Class: Bird
Area: OH

2209 **Macdonald, A.** (1914). Young Goatsucker at Durris, Kincardineshire. *Scottish Naturalist,* **1914**: 238.
Class: Bird
Area: TA DE

2210 **Douglas-Menzies, N.E.** (1914). Great Spotted Woodpecker in Dumfriesshire. *Scottish Naturalist,* **1914**: 238.
Class: Bird
Area: SO

2211 **Baigrie, S.** (1914). Kingfisher at the Isle of May lantern. *Scottish Naturalist,* **1914**: 239.
Class: Bird
Area: FO

2212 **Baigrie, S.** (1914). Dotterel at the Isle of May lantern. *Scottish Naturalist,* **1914**: 239.
Class: Bird
Area: FO

2213 **Braid, C.H.** (1914). Dotterel at the Mull of Galloway lantern. *Scottish Naturalist,* **1914**: 239.
Class: Bird
Area: SO

2214 **Rintoul, L.J. and Baxter, E.V.** (1914). Notes on some passerine birds found migrating in moult. *Scottish Naturalist,* **1914**: 245-252.
Class: Bird
Area: Gen SO FO SK SH FI

2215 **Balfour, A.** (1914). Nesting of the Eider Duck in Tyninghame woods. *Scottish Naturalist,* **1914**: 263.
Class: Bird
Area: FO

2216 **Balfour, A.** (1914). Lesser Tern in East Lothian. *Scottish Naturalist,* **1914**: 263.
Class: Bird
Area: FO

2217 **Gaskell, T.K. and Gaskell, J.H.** (1914). Large numbers of the Lesser Launce in Largo Bay. *Scottish Naturalist,* **1914**: 263.
Class: Fish
Area: FO

2218 **Galloway, A.R. and Thomson, A.L.** (1914). Notes on high mortality among young Common Terns in certain seasons. *Scottish Naturalist,* **1914**: 271-278.
Class: Bird
Area: Gen DE

2219 **Tulloch, J.S.** (1914). Bird notes from Shetland. *Scottish Naturalist,* **1914**: 287.
Class: Bird
Area: SH

2220 **Page, R.** (1914). Bird notes from Leith. *Scottish Naturalist,* **1914**: 287.
Class: Bird
Area: FO

2221 **McConachie, W.** (1914). Increase of the Tree-Sparrow in Lauderdale. *Scottish Naturalist,* **1914**: 287-288.
Class: Bird
Area: TW

2222 **Editorial note.** (1914). [Increase of Tree-Sparrow in the eastern Borders]. *Scottish Naturalist,* **1914**: 288.
Class: Bird
Area: TW

2223 **White, A.** (1914). Long-eared Owl in Shetland. *Scottish Naturalist,* **1914**: 288.
Class: Bird
Area: SH

2224 **Nicolson, A.J.** (1914). Spotted Crake in Shetland. *Scottish Naturalist,* **1914**: 288-289.
Class: Bird
Area: SH

2225 **Nash, J.K.** (1914). Razorbills and Guillemots on Ailsa Craig. *Scottish Naturalist,* **1914**: 289.
Class: Bird
Area: CL

2226 **Evans, W.** (1914). Blackbird feeding on Daisies. *Scottish Naturalist,* **1914**: 289-290.
Class: Bird
Area: Gen FO

2227 **Nash, J.K.** (1914). Song-Thrush's strange bill of fare. *Scottish Naturalist,* **1914**: 290.
Class: Bird
Area: Gen FO

2228 **Baxter, E.V. and Rintoul, L.J.** (1914). *Report on Scottish Ornithology in 1913, including Migration*. *Scottish Naturalist,* Extra Publication No. 3. Edinburgh: Oliver & Boyd.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2229 **Ticehurst, C.B.** (1915). On the juvenile plumage of the Starling (*Sturnus vulgaris*) from the Shetland Islands. *Scottish Naturalist,* **1915**: 3-4.
Class: Bird
Area: Gen SH

2230 **Clarke, W.E.** (1915). A new Scottish bird: the Aquatic Warbler at Fair Isle. *Scottish Naturalist,* **1915**: 5.
Class: Bird
Area: FI

2231 **Bolam, G.** (1915). Newts on the eastern Borders. *Scottish Naturalist,* **1915**: 6-7.
Class: Amph
Area: TW

2232 **Wilson, R.** (1915). Enormous rush of Redwings at Skerryvore lantern. *Scottish Naturalist,* **1915**: 21.
Class: Bird
Area: AG IH

2233 **Clarke, W.E.** (1915). Curlew ringed in Finland and recovered in Lewis. *Scottish Naturalist,* **1915**: 21-22.
Class: Bird
Area: OH

2234 **Kirk, C.** (1915). Siberian Chiffchaff in Shetland. *Scottish Naturalist,* **1915**: 22.
Class: Bird
Area: SH

2235 **Coates, H.** (1915). The recent irruption of the Little Auk (*Alle alle*) in Scotland. *Scottish Naturalist,* **1915**: 22.
Class: Bird
Area: TA

2236 **Kirk, C.** (1915). The recent irruption of the Little Auk (*Alle alle*) in Scotland. *Scottish Naturalist,* **1915**: 22-23.
Class: Bird
Area: CL FO

2237 **Nicholson, W.A.** (1915). The recent irruption of the Little Auk (*Alle alle*) in Scotland. *Scottish Naturalist,* **1915**: 23.
Class: Bird
Area: FO

2238 **Editorial note.** (1915). [Other records of the Little Auk (*Alle alle*) in Scotland]. *Scottish Naturalist,* **1915**: 23.
Class: Bird
Area: FO TA DE MO

2239 **Ritchie, J.** (1915). A curious habitat of Amphipod Crustacea [in Cod roe]. *Scottish Naturalist,* **1915**: 23.
Class: Fish
Area: MO

2240 **Clyne, R.** (1915). Notes on birds observed at the Butt of Lewis. *Scottish Naturalist,* **1915**: 29-37, 77-81.
Class: Bird
Area: OH

2241 **McConachie, W.** (1915). Voles, Shrews, and Mice in Lauderdale. *Scottish Naturalist,* **1915**: 44.
Class: Mamm
Area: TW

2242 **McConachie, W.** (1915). Hawfinches in Lauderdale. *Scottish Naturalist,* **1915**: 44-45.
Class: Bird
Area: TW

2243 **Bolam, G.** (1915). Tree-sparrow in Lauderdale, etc. *Scottish Naturalist,* **1915**: 45-46.
Class: Bird
Area: TW

2244 **Robertson, J.** (1915). Occurrence of the Knot inland. *Scottish Naturalist,* **1915**: 46.
Class: Bird
Area: Gen CL

2245 **Robertson, J.** (1915). Migration of the Ringed Plover in east Renfrewshire. *Scottish Naturalist,* **1915**: 46.
Class: Bird
Area: CL

2246 **Macdonald, D.** (1915). Green Sandpiper in "Clyde" in spring. *Scottish Naturalist,* **1915**: 46.
Class: Bird
Area: CL

2247 **Robertson, J.** (1915). Green Sandpiper in east Renfrewshire. *Scottish Naturalist,* **1915**: 46-47.
Class: Bird
Area: CL

2248 **Bain, G.** (1915). Northern Bullfinch in Caithness. *Scottish Naturalist,* **1915**: 68.
Class: Bird
Area: CS

2249 **Jackson, A.C.** (1915). Great Grey Shrike in East Ross-shire. *Scottish Naturalist,* **1915**: 68.
Class: Bird
Area: MO

2250 **Editorial note.** (1915). [Great Grey Shrike in Pitlochry]. *Scottish Naturalist,* **1915**: 68.
Class: Bird
Area: TA

2251 **Jackson, A.C.** (1915). Black-tailed Godwit in Caithness. *Scottish Naturalist,* **1915**: 68.
Class: Bird
Area: CS

2252 **Rintoul, L.J. and Baxter, E.V.** (1915). Gulls and searchlights. *Scottish Naturalist,* **1915**: 68.
Class: Bird
Area: Gen FO

2253 **Allan, T.** (1915). Glaucous Gulls and Little Auks off the east coast of Ross-shire. *Scottish Naturalist,* **1915**: 69.
Class: Bird
Area: MO

2254 **Rintoul, L.J. and Baxter, E.V.** (1915). Some observations on the nesting habits of Slavonian Grebe. *Scottish Naturalist,* **1915**: 69-70.
Class: Bird
Area: Gen MO

2255 **Maxwell. H.** (1915). Waterfowl and the American pond-weed (*Elodea canadensise*). *Scottish Naturalist,* **1915**: 81-83.
Class: Bird
Area: Gen SO

2256 **Robinson, H.W.** (1915). Linnet in Orkney. *Scottish Naturalist,* **1915**: 93.
Class: Bird
Area: OR

2257 **Ingles, W.M.** (1915). Tawny Owl attacking Sparrows. *Scottish Naturalist,* **1915**: 93.
Class: Bird
Area: Gen FO

2258 **Jackson, A.C.** (1915). Uncommon birds on the Beauly Firth. *Scottish Naturalist,* **1915**: 93.
Class: Bird
Area: MO

2259 **Jackson, A.C.** (1915). Gadwall nesting in Caithness. *Scottish Naturalist,* **1915**: 94.
Class: Bird
Area: CS

2260 **Robinson, H.W.** (1915). Goosander in Orkney. *Scottish Naturalist,* **1915**: 94.
Class: Bird
Area: OR

2261 **Beveridge, F.S.** (1915). Whimbrels at Musselburgh in winter. *Scottish Naturalist,* **1915**: 94.
Class: Bird
Area: Gen FO

2262 **Best. M.G.S.** (1915). Gulls and searchlights. *Scottish Naturalist,* **1915**: 94-95.
Class: Bird
Area: Gen

2263 **MacKeith, T.T.** (1915). Irruption of Little Auks. *Scottish Naturalist,* **1915**: 95.
Class: Bird
Area: CL

2264 **Bartholomew, J.** (1915). Irruption of Little Auks. *Scottish Naturalist,* **1915**: 95.
Class: Bird
Area: SO CL

2265 **Editorial comment.** (1915). The Parrot Crossbill. *Scottish Naturalist,* **1915**: 97-98.
Class: Bird
Area: Gen MO NW

2266 **Clarke, W.E.** (1915). On the occurrence of the Eastern Short-toed Lark at Fair Isle: an addition to the British avifauna. *Scottish Naturalist,* **1915**: 100-101.
Class: Bird
Area: FI

2267 **Clarke, W.E.** (1915). Notes on the migratory birds observed at Fair Isle in 1914. *Scottish Naturalist,* **1915**: 101-105.
Class: Bird
Area: FI

2268 **Bruce, S.** (1915). Uncommon bird visitors in Shetland. *Scottish Naturalist,* **1915**: 115.
Class: Bird
Area: SH

2269 **Coates, H.** (1915). Tengmalm's Owl in Perthshire. *Scottish Naturalist,* **1915**: 100-115-116.
Class: Bird
Area: TA

2270 **Robinson, H.W.** (1915). Goosanders in Orkney. *Scottish Naturalist,* **1915**: 116.
Class: Bird
Area: OR

2271 **Robinson, H.W.** (1915). Unrecorded Ivory Gull from Orkney. *Scottish Naturalist,* **1915**: 116.
Class: Bird
Area: OR

2272 **Baxter, E.V. and Rintoul, L.J.** (1915). Absence of Eider in east Fife, winter, 1914-15. *Scottish Naturalist,* **1915**: 116-117.
Class: Bird
Area: FO TA

2273 **Robertson, J. and MacKeith, T.T.** (1915). The birds of Renfrewshire. *Scottish Naturalist,* **1915**: 124-127, 244-250, 268-275, [357].
Class: Bird
Area: CL

2274 **Thomson, A.L.** (1915). Ornithological records from the "Dee" area. *Scottish Naturalist,* **1915**: 127-129.
Class: Bird
Area: DE

2275 **Evans, W.** (1915). Lesser Shrew in Haddingtonshire. *Scottish Naturalist,* **1915**: 142.
Class: Mamm
Area: FO

2276 **Bruce, S.** (1915). Barred Warbler in Shetland in June. *Scottish Naturalist,* **1915**: 143.
Class: Bird
Area: SH

2277 **Robinson, H.W.** (1915). Tengmalm's Owl in Shetland. *Scottish Naturalist,* **1915**: 143.
Class: Bird
Area: SH

2278 **Robinson, H.W.** (1915). Unrecorded King Eider from Orkney. *Scottish Naturalist,* **1915**: 143.
Class: Bird
Area: OR

2279 **Fowler, A.** (1915). Little Auk on west coast of Ross-shire. *Scottish Naturalist,* **1915**: 143-144.
Class: Bird
Area: NW

2280 **Baxter, E.V. and Rintoul, L.J.** (1915). Report on Scottish ornithology in 1914, including migration. *Scottish Naturalist,* **1915**: 145-236.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2281 **Tulloch, J.S.** (1915). Nesting of the Gannet in Shetland: an extension of its breeding range. *Scottish Naturalist,* **1915**: 251.
Class: Bird
Area: SH

2282 **Robertson, J.** (1915). Water-Shrew in Renfrewshire. *Scottish Naturalist,* **1915**: 262-263.
Class: Mamm
Area: CL

2283 **Bedford, Duchess of** (1915). Late occurrence of the Fieldfare in S.W. Scotland. *Scottish Naturalist,* **1915**: 263, 356.
Class: Bird
Area: SO

2284 **Horsfield, H.K.** (1915). Subaquatic movements of the Dipper. *Scottish Naturalist,* **1915**: 263-264.
Class: Bird
Area: Gen TA

2285 **Robinson, H.W.** (1915). Absence of young Eider drakes in Orkney in winter. *Scottish Naturalist,* **1915**: 264.
Class: Bird
Area: OR

2286 **Taylor, W.** (1915). Angel-Fish off the Elginshire coast. *Scottish Naturalist,* **1915**: 264.
Class: Fish
Area: MO

2287 **Wilson, R.** (1915). Grey Seals at Skerryvore. *Scottish Naturalist,* **1915**: 282.
Class: Mamm
Area: AG IH

2288 **Erskine, M.** (1915). Sea-birds and oil. *Scottish Naturalist,* **1915**: 282-283.
Class: Bird
Area: Gen FO TA

2289 **Baigrie, S.** (1915). Sea-birds and oil. *Scottish Naturalist,* **1915**: 283.
Class: Bird
Area: Gen FO

2290 **Rintoul, L.J. and Baxter, E.V** (1915). Sea-birds and oil. *Scottish Naturalist,* **1915**: 284.
Class: Bird
Area: Gen FO

2291 **Evans, W.** (1915). Coloration of mouth of young Hawfinches. *Scottish Naturalist,* **1915**: 284, [307].
Class: Bird
Area: Gen FO

2292 **Macdonald, A.** (1915). Pied Flycatcher at Stonehaven. *Scottish Naturalist,* **1915**: 284-285.
Class: Bird
Area: DE

2293 **Gladstone,H.S.** (1915). Pied Flycatcher in Dumfriesshire. *Scottish Naturalist,* **1915**: 285.
Class: Bird
Area: SO

2294 **Blackwood, G.G.** (1915). Crested Tit in Nairnshire. *Scottish Naturalist,* **1915**: 285.
Class: Bird
Area: MO

2295 **Rintoul, L.J. and Baxter, E.V.** (1915). Spring moult of Common and Black-headed Gulls. *Scottish Naturalist,* **1915**: 285-286.
Class: Bird
Area: Gen FO

2296 **Evans, W.** (1915). The spring moult of the Black-headed Gull. *Scottish Naturalist,* **1915**: 286-287.
Class: Bird
Area: Gen TW FO

2297 **Clarke, W.E.** (1915). The Wren of St. Kilda: Its status, plumages, and habits. *Scottish Naturalist,* **1915**: 291-296.
Class: Bird
Area: SK

2298 **Taylor, W.** (1915). The history of the Triassic reptile *Scleromochlus taylori* (A. Smith Woodward). *Scottish Naturalist,* **1915**: 296-299.
Class: Rept
Area: MO

2299 **Watt, H.B.** (1915). The Water-Shrew in Renfrewshire. *Scottish Naturalist,* **1915**: 307.
Class: Mamm
Area: CL

2300 **Ticehurst, C.B.** (1915). Birds and oil. *Scottish Naturalist,* **1915**: 307.
Class: Bird
Area: Gen

2301 **Ticehurst, C.B.** (1915). Coloration of the mouth in young Hawfinches. *Scottish Naturalist,* **1915**: 307.
Class: Bird
Area: Gen

2302 **Evans, W.** (1915). [Coloration of the mouth in young Hawfinches]. *Scottish Naturalist,* **1915**: 307-308
Class: Bird
Area: Gen

2303 **Holmes, G.** (1915). Alpine Swift in Wigtownshire. *Scottish Naturalist,* **1915**: 308.
Class: Bird
Area: SO

2304 **Editorial note.** (1915). [Alpine Swifts in Ayrshire]. *Scottish Naturalist,* **1915**: 308.
Class: Bird
Area: CL

2305 **Tulloch, J.S.** (1915). Disappearance of Terns from the Skerries. *Scottish Naturalist,* **1915**: 308-309.
Class: Bird
Area: SH

2306 **Ticehurst, C.B.** (1915). Spring moult of Gulls. *Scottish Naturalist,* **1915**: 309-310.
Class: Bird
Area: Gen

2307 **Evans, W.** (1915). The Fulmar on the south-east coast of Scotland in summer. *Scottish Naturalist,* **1915**: 310.
Class: Bird
Area: TW FO TA

2308 **Thomson, A.L.** (1915). Aberdeen University Bird-migration Inquiry: Second interim report (1912-14). *Scottish Naturalist,* **1915**: 313-317, 339-343.
Class: Bird
Area: Gen CL FO TA DE MO AG OH OR SH

2309 **Mouat, M.E.** (1915). Otter (*Lutra vulgaris*) at Barrahead lighthouse. *Scottish Naturalist,* **1915**: 333.
Class: Mamm
Area: OH

2310 **Clarke, W.E.** (1915). Corn-crake at St. Kilda. *Scottish Naturalist,* **1915**: 333.
Class: Bird
Area: SK

2311 **Jackson, A.C.** (1915). The down-lining of ducks' nests. *Scottish Naturalist,* **1915**: 333-334.
Class: Bird
Area: Gen

2312 **Baxter, E.V. and Rintoul, L.J.** (1915). Black-headed Gull (*Larus ridibundus*) breeding while still in immature plumage. *Scottish Naturalist,* **1915**: 334.
Class: Bird
Area: Gen FO

2313 **Evans, W.** (1915). Spring moult of gulls. *Scottish Naturalist,* **1915**: 334.
Class: Bird
Area: Gen

2314 **Evans, W.** (1915). White-beaked Dolphin on the Fife coast of the Firth of Forth. *Scottish Naturalist,* **1915**: 355.
Class: Mamm
Area: FO

2315 **Malloch, T.** (1915). Lesser Shrew in Renfrewshire. *Scottish Naturalist,* **1915**: 356.
Class: Mamm
Area: CL

2316 **Bedford, Duchess of** (1915). Late occurrence of Fieldfare in S.W. Scotland. *Scottish Naturalist,* **1915**: [263], 356.
Class: Bird
Area: SO

2317 **Gladstone, H.S.** (1915). Hen-Harrier in Kirkcudbrightshire. *Scottish Naturalist,* **1915**: 356.
Class: Bird
Area: SO

2318 **Brown, R.** (1915). Albino Black Grouse in Selkirkshire. *Scottish Naturalist,* **1915**: 356.
Class: Bird
Area: Gen TW

2319 **Robertson, J.** (1915). Waders at Balgray reservoir, east Renfrewshire - autumn 1915. *Scottish Naturalist,* **1915**: 357.
Class: Bird
Area: CL

2320 **Ogg, W.** (1915). Great Snipe in Elginshire. *Scottish Naturalist,* **1915**: 357.
Class: Bird
Area: MO

2321 **Robertson, J.** (1915). Iceland Gull on Lochfyne. *Scottish Naturalist,* **1915**: 358.
Class: Bird
Area: CL AG

2322 **Bolam, G.** (1915). Black-headed Gull (*Larus ridibundus*) breeding in immature plumage. *Scottish Naturalist,* **1915**: 358.
Class: Bird
Area: Gen

2323 **Bolam, G.** (1915). [Immature Gannet breeding on the Bass Rock]. *Scottish Naturalist,* **1915**: 358.
Class: Bird
Area: Gen FO

2324 **Robertson, J.** (1915). Arctic Skua in Lanarkshire. *Scottish Naturalist,* **1915**: 358.
Class: Bird
Area: CL

2325 **Rintoul, L.J. and Baxter, E.V.** (1916). Some notes on birds moulting in their winter quarters. *Scottish Naturalist,* **1916**: 5-11.
Class: Bird
Area: Gen

2326 **Editorial comment.** (1916-17). The generic names of the Swallows and Divers. *Scottish Naturalist,* **1916**: 22; **1917**: 270.
Class: Bird
Area: Gen

2327 **Beveridge, F.S.** (1916). Birds attracted by lighted tents. *Scottish Naturalist,* **1916**: 23.
Class: Bird
Area: Gen FO

2328 **Nash, J.K.** (1916). Strange diet of the Song Thrush. *Scottish Naturalist,* **1916**: 23.
Class: Bird
Area: Gen FO

2329 **Bain, J.** (1916). Uncommon birds in Orkney. *Scottish Naturalist,* **1916**: 23-24.
Class: Bird
Area: OR

2330 **Thomson, J.G.** (1916). Uncommon birds in Orkney. *Scottish Naturalist,* **1916**: 24.
Class: Bird
Area: OR

2331 **Editorial note.** (1916). Crested Titmouse in East Rosshire. *Scottish Naturalist,* **1916**: 24.
Class: Bird
Area: MO

2332 **Russell, T.W.** (1916). Bee-Eater and Yellow-browed Warbler in Shetland. *Scottish Naturalist,* **1916**: 24.
Class: Bird
Area: SH

2333 **Gladstone, H.S.** (1916). Great Grey Shrike in Dumfriesshire. *Scottish Naturalist,* **1916**: 24.
Class: Bird
Area: SO

2334 **Coates, H.** (1916). Black-headed Gulls at Inver, Dunkeld, in winter. *Scottish Naturalist,* **1916**: 28.
Class: Bird
Area: Gen TA

2335 **Ticehurst, C.B.** (1916). Notes on migrants and moult with special reference to the moults of some of our summer visitants. *Scottish Naturalist,* **1916**: 29-38.
Class: Bird
Area: Gen OR

2336 **Bartholomew, J.** (1916). Barn Owl in Dumfriesshire. *Scottish Naturalist,* **1916**: 38.
Class: Bird
Area: SO

2337 **Editorial note.** (1916). Black-tailed Godwits in Moray area in summer. *Scottish Naturalist,* **1916**: 38.
Class: Bird
Area: MO

2338 **Editorial note.** (1916). Little Stint near Glasgow. *Scottish Naturalist,* **1916**: 38.
Class: Bird
Area: CL

2339 **Evans, W.** (1916). Birds and aeroplanes. *Scottish Naturalist,* **1916**: 39-42.
Class: Bird
Area: Gen CL FO

2340 **Editorial note.** (1916). Fox-Shark and Basking Shark off the Ayrshire coast. *Scottish Naturalist,* **1916**: 47.
Class: Fish
Area: CL

2341 **Editorial comment.** (1916). Bird-parasites and bird-phylogeny. *Scottish Naturalist,* **1916**: 51-54.
Class: Bird
Area: Gen

2342 **Clyne, R.** (1916). Movements of the Gannet as observed at the Butt of Lewis. *Scottish Naturalist,* **1916**: 55-59.
Class: Bird
Area: OH

2343 **Robertson, J.** (1916). The "Milkman's Whistle" of the Barn Owl. *Scottish Naturalist,* **1916**: 60.
Class: Bird
Area: Gen CL

2344 **Coates, H.** (1916). Birds and aeroplanes. *Scottish Naturalist,* **1916**: 66.
Class: Bird
Area: Gen TA

2345 **Robertson, J.** (1916). Notes on the Gannet. *Scottish Naturalist,* **1916**: 66-67.
Class: Bird
Area: Gen CL

2346 **Clarke, W.E.** (1916). Notes on the Gannet. *Scottish Naturalist,* **1916**: 67.
Class: Bird
Area: Gen

2347 **Berry, W.** (1916). Notes on the extension of range of the Crested Tit. *Scottish Naturalist,* **1916**: 68.
Class: Bird
Area: MO

2348 **Baxter, E.V. and Rintoul, L.J.** (1916). Rough-legged Buzzard in east Fife. *Scottish Naturalist,* **1916**: 68-69.
Class: Bird
Area: FO

2349 **Laidlaw, T.G.** (1916). Honey Buzzard in Berwickshire. *Scottish Naturalist,* **1916**: 69
Class: Bird
Area: TW

2350 **Laidlaw, T.G.** (1916). Bernicle Goose in Berwickshire. *Scottish Naturalist,* **1916**: 66-69.
Class: Bird
Area: TW

2351 **Editorial note.** (1916). Landrail at St. Kilda. *Scottish Naturalist,* **1916**: 69-70.
Class: Bird
Area: SK

2352 **Coates, H.** (1916). Little Auks in the Perth district. *Scottish Naturalist,* **1916**: 70.
Class: Bird
Area: TA

2353 **Evans, W.** (1916). Black-tailed Godwit in Forth. *Scottish Naturalist,* **1916**: 70.
Class: Bird
Area: FO

2354 **Clarke, W.E.** (1916). Notes on some Scottish birds observed in 1915. *Scottish Naturalist,* **1916**: 75-79.
Class: Bird
Area: NW OH SK SH FI

2355 **Paterson, G.** (1916). Little Gull at the mouth of the Don. *Scottish Naturalist,* **1916**: 79.
Class: Bird
Area: DE

2356 **Baxter, E.V. and Rintoul, L.J.** (1916). Some notes on the eclipse plumage of the young male Goldeneye. *Scottish Naturalist,* **1916**: 93-94.
Class: Bird
Area: Gen OH

2357 **MacKeith, T.T.** (1916). Swimming of young Lapwings. *Scottish Naturalist,* **1916**: 94.
Class: Bird
Area: Gen CL

2358 **Barnard, L.** (1916). Ivory Gull on the west coast of Scotland. *Scottish Naturalist,* **1916**: 95.
Class: Bird
Area: NW

2359 **Berry, W.** (1916). Ivory Gulls in Inverness-shire. *Scottish Naturalist,* **1916**: 95.
Class: Bird
Area: MO

2360 **Rintoul, L.J. and Baxter, E.V.** (1916). Continental racial forms of Scottish breeding birds and their occurrences in Scotland. *Scottish Naturalist,* **1916**: 99-106, 123-128.
Class: Bird
Area: Gen SO TW CL FO TA DE MO AG IH OH SK OL OR SH FI

2361 **Baxter, E.V. and Rintoul, L.J.** (1916). Comparison of Danish and Scottish ornithological movements in 1914. *Scottish Naturalist,* **1916**: 106.
Class: Bird
Area: Gen SO FO SH FI

2362 **Bartholomew, J.** (1916). Barn Owl in the Glasgow district. *Scottish Naturalist,* **1916**: 114.
Class: Bird
Area: CL

2363 **Baxter, E.V. and Rintoul, L.J.** (1916). Report on Scottish ornithology in 1915, including migration. *Scottish Naturalist,* **1916**: 145-218.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2364 **Hinton, M.A.C. and Hony, G.B.** (1916). Notes on two collections of Mice from Lewis, Outer Hebrides. *Scottish Naturalist,* **1916**: 221-227.
Class: Mamm
Area: OH

2365 **Editorial note.** (1916). Cetacea stranded on the Scottish coasts. *Scottish Naturalist,* **1916**: 227.
Class: Mamm
Area: TA MO CS

2366 **Bartholomew, J.** (1916). Tree-Sparrow near Glasgow. *Scottish Naturalist,* **1916**: 228.
Class: Bird
Area: CL

2367 **Kirke, D.J.B.** (1916). House-Sparrows utilising nest of Blackbird. *Scottish Naturalist,* **1916**: 228.
Class: Bird
Area: Gen FO

2368 **Thomson, A.L.** (1916). Wryneck in Aberdeenshire. *Scottish Naturalist,* **1916**: 114.
Class: Bird
Area: DE

2369 **Tait, T.M.** (1916). Goldcrest's unusual nesting-place. *Scottish Naturalist,* **1916**: 239-240.
Class: Bird
Area: Gen TW

2370 **Robertson, J.** (1916). Little Gull near Glasgow. *Scottish Naturalist,* **1916**: 240.
Class: Bird
Area: CL

2371 **Campbell, B.** (1916). Goldfinches in Mid-Lothian. *Scottish Naturalist,* **1916**: 240.
Class: Bird
Area: FO

2372 **Serle, W.** (1916). Early appearance of Swift. *Scottish Naturalist,* **1916**: 114.
Class: Bird
Area: Gen FO

2373 **Wiglesworth, J.** (1916). The Water-Rail at St. Kilda. *Scottish Naturalist,* **1916**: 241.
Class: Bird
Area: SK

2374 **Gladstone, H.S.** (1916). The new "Bibliography of British Ornithology". *Scottish Naturalist,* **1916**: 247-248.
Class: Bird
Area: Gen

2375 **Evans, W.** (1916). The Firth of Forth record of the Levantine Shearwater. *Scottish Naturalist,* **1916**: 249-252.
Class: Bird
Area: FO

2376 **McConachie, W.** (1916). Bird notes from Lauderdale. *Scottish Naturalist,* **1916**: 252.
Class: Bird
Area: TW

2377 **Beveridge, F.S.** (1916). Crossbill in North Uist. *Scottish Naturalist,* **1916**: 264.
Class: Bird
Area: OH

2378 **Bolam, G.** (1916). Lesser Whitethroat in Kirkcudbrightshire. *Scottish Naturalist,* **1916**: 264.
Class: Bird
Area: SO

2379 **Baxter, E.V. and Rintoul, L.J.** (1916). Pied Wagtails' curious nest at Largo. *Scottish Naturalist,* **1916**: 264.
Class: Bird
Area: Gen FO

2380 **Baxter, E.V. and Rintoul, L.J.** (1916). Great Crested Grebes at Kilconquhar Loch. *Scottish Naturalist,* **1916**: 264-265.
Class: Bird
Area: FO

2381 **Baxter, E.V. and Rintoul, L.J.** (1916). Continental Redbreast and Lesser Black-backed Gull in Fife. *Scottish Naturalist,* **1916**: 265.
Class: Bird
Area: FO

2382 **Gaskell, J.H.** (1916). Some notes on birds seen at Raasay. *Scottish Naturalist,* **1916**: 269-270.
Class: Bird
Area: NW IH

2383 **MacKeith, T.T.** (1916). The Capercaillie in Renfrewshire. *Scottish Naturalist,* **1916**: 270.
Class: Bird
Area: CL

2384 **Robertson, J.** (1916). Whinchat imitating Swallow's notes. *Scottish Naturalist,* **1916**: 282.
Class: Bird
Area: Gen CL

2385 **Berry, W.** (1916). Spotted Redshank (*Totanus fuscus*) in Fife. *Scottish Naturalist,* **1916**: 287-288.
Class: Bird
Area: TA

2386 **Mackenzie, D.** (1916). Nightjar in the Island of Lewis. *Scottish Naturalist,* **1916**: 288.
Class: Bird
Area: OH

2387 **Editorial note.** (1916). [Nightjar in the Outer Hebrides]. *Scottish Naturalist,* **1916**: 288.
Class: Bird
Area: OH

2388 **Evans, W.** (1916). The Gadwall in Midlothian. *Scottish Naturalist,* **1916**: 289.
Class: Bird
Area: FO

2389 **Bain, J.** (1916). Pied Wheatear and other rare birds in Orkney. *Scottish Naturalist,* **1916**: 293.
Class: Bird
Area: OR

2390 **Clarke, W.E.** (1916). On the first winter plumage of the female Pied Wheatear *Oenanthe leucomela*. *Scottish Naturalist,* **1916**: 293-294.
Class: Bird
Area: Gen OR

2391 **Kirk, C.** (1916). Hoopoe in Ayrshire. *Scottish Naturalist,* **1916**: 294.
Class: Bird
Area: CL

2392 **Robinson, H.W.** (1916). Cumberland-bred Black-headed Gulls nesting in Scotland. *Scottish Naturalist,* **1916**: 298.
Class: Bird
Area: SO FO TA

2393 **Begg, W.** (1917). Autumn migration at Little Ross lighthouse, Kirkcudbrightshire *Scottish Naturalist,* **1917**: 3-5.
Class: Bird
Area: SO

2394 **Begg, W.** (1917). Common Shrew in Raasay. *Scottish Naturalist,* **1917**: 6.
Class: Mamm
Area: NW IH

2395 **Baigrie, S.** (1917). Red-breasted Flycatcher and Black Redstart on the Isle of May. *Scottish Naturalist,* **1917**: 6.
Class: Bird
Area: FO

2396 **Robertson, J.** (1917). Lapwing's unusual nesting site. *Scottish Naturalist,* **1917**: 6.
Class: Bird
Area: Gen CL

2397 **Macdougall, J.P.** (1917). Striped Wrasse in Kerrera Sound. *Scottish Naturalist,* **1917**: 18.
Class: Fish
Area: AG

2398 **Editorial note.** (1917). [West of Scotland records of the Striped Wrasse]. *Scottish Naturalist,* **1917**: 18.
Class: Fish
Area: CL NW AG IH OH

2399 **Rintoul, L.J. and Baxter, E.V.** (1917). On the pale-breasted or American Brent Goose in Scotland. *Scottish Naturalist,* **1917**: 25-26.
Class: Bird
Area: CL FO TA MO NW IH OH SH FI

2400 **Begg, W.** (1917). Siberian Chiffchaff (*Phylloscopus collybita tristis*) at Little Ross lighthouse, Kirkcudbrightshire. *Scottish Naturalist,* **1917**: 33.
Class: Bird
Area: SO

2401 **Editorial note.** (1917). [Scottish records of the Siberian Chiffchaff]. *Scottish Naturalist,* **1917**: 33.
Class: Bird
Area: FO OR SH

2402 **Robertson, J.** (1917). Early appearance of Swift. *Scottish Naturalist,* **1917**: 33.
Class: Bird
Area: Gen CL

2403 **Campbell, J.** (1917). Black-headed Gulls at the Flannan Isles. *Scottish Naturalist,* **1917**: 34.
Class: Bird
Area: OL

2404 **Robinson, H.W.** (1917). English-bred Black-headed Gulls recoverd in Scotland. *Scottish Naturalist,* **1917**: 34.
Class: Bird
Area: Gen SO TW CL FO TA DE AG

2405 **Gowan, J.** (1917). Albino Ringed Plover. *Scottish Naturalist,* **1917**: 47.
Class: Bird
Area: Gen MO

2406 **Editorial note.** (1917). Dwarf eggs of birds. *Scottish Naturalist,* **1917**: 47-48.
Class: Bird
Area: Gen

2407 **Clarke, W.E.** (1917). An overlooked occurrence of the Black Lark in Great Britain. *Scottish Naturalist,* **1917**: 49-50.
Class: Bird
Area: Gen

2408 **Sykes, C.** (1917). Hawfinches and Goldfinches near Musselburgh. *Scottish Naturalist,* **1917**: 50.
Class: Bird
Area: FO

2409 **Collinge, W.E.** (1917). The economic status of wild birds. *Scottish Naturalist,* **1917**: 51-58.
Class: Bird
Area: Gen

2410 **Boase, H.** (1917). Observations on some habits of the Coot. *Scottish Naturalist,* **1917**: 59-64.
Class: Bird
Area: Gen TA

2411 **Jackson, A.C.** (1917). Occurrence of the Red-necked Grebe in Moray area. *Scottish Naturalist,* **1917**: 69.
Class: Bird
Area: MO

2412 **Rintoul, L.J. and Baxter, E.V.** (1917). Red-necked Grebe in Largo bay. *Scottish Naturalist,* **1917**: 69.
Class: Bird
Area: FO

2413 **Craig, J.** (1917). Persecution of Rooks by Carrion Crows at Beith. *Scottish Naturalist,* **1917**: 69.
Class: Bird
Area: Gen CL

2414 **Mackenzie, D.** (1917). Bittern in the Island of Lewis. *Scottish Naturalist,* **1917**: 70.
Class: Bird
Area: OH

2415 **Editorial note.** (1917). [Records of the Bittern in the Outer Hebrides]. *Scottish Naturalist,* **1917**: 70.
Class: Bird
Area: OH

2416 **Baxter, E.V. and Rintoul, L.J.** (1917). Little Gull in the Tay area. *Scottish Naturalist,* **1917**: 69.
Class: Bird
Area: TA

2417 **Chapman, A.** (1917). Brent Geese. *Scottish Naturalist,* **1917**: 73-76.
Class: Bird
Area: Gen

2418 **Editorial comment.** (1917). Light-bellied and Dark-bellied Brent Geese. *Scottish Naturalist,* **1917**: 75-76.
Class: Bird
Area: Gen

2419 **Evans, W.** (1917). Brent Geese, both dark and light-breasted, in the Forth, etc. *Scottish Naturalist,* **1917**: 76-77.
Class: Bird
Area: TW FO TA MO

2420 **Robinson, H.W.** (1917). Recovery of Black-headed Gulls marked in Scotland. *Scottish Naturalist,* **1917**: 78.
Class: Bird
Area: Gen SO CL DE

2421 **Brown, A.** (1917). Birds killed by oil at St. Andrews in 1915. *Scottish Naturalist,* **1917**: 78.
Class: Bird
Area: Gen TA

2422 **Editorial comment.** (1917). European forms of the Cormorant. *Scottish Naturalist,* **1917**: 90-91.
Class: Bird
Area: Gen

2423 **Erskine, M.** (1917). The light-bellied variety of the Brent Goose in Fife. *Scottish Naturalist,* **1917**: 91.
Class: Bird
Area: FO TA

2424 **Jackson, A.C.** (1917). On the capture of a Meadow-pipit by a Common Gull. *Scottish Naturalist,* **1917**: 91.
Class: Bird
Area: Gen MO

2425 **Editorial note.** (1917). Notes on the recovery of ringed birds. *Scottish Naturalist,* **1917**: 91-92.
Class: Bird
Area: Gen

2426 **Cowan, J.** (1917). Migration in Banffshire. *Scottish Naturalist,* **1917**: 92-93.
Class: Bird
Area: Gen MO

2427 **Baxter, E.V.** (1917). Hen-Harrier in Fife. *Scottish Naturalist,* **1917**: 93.
Class: Bird
Area: FO

2428 **Editorial comment.** (1917). Notes on the plumage, etc, of the Little Bustard. *Scottish Naturalist,* **1917**: 93.
Class: Bird
Area: Gen

2429 **Editorial comment.** (1917). Work done by the Watchers' Committee of the R.S.P.B. in Scotland in 1916. *Scottish Naturalist,* **1917**: 94.
Class: Bird
Area: Gen OR SH

2430 **Evans, W.** (1917). Tadpole-fish on the coast of East Lothian, Firth of Forth. *Scottish Naturalist,* **1917**: 94.
Class: Fish
Area: FO

2431 **McWilliam, J.M.** (1917). The Brent Goose in Bute. *Scottish Naturalist,* **1917**: 99-100.
Class: Bird
Area: CL

2432 **Robinson, H.W.** (1917). The status of the Brent Goose in Orkney and Shetland. *Scottish Naturalist,* **1917**: 100.
Class: Bird
Area: OR SH

2433 **Editorial comment.** (1917). Whales stranded on Scottish coasts in 1916. *Scottish Naturalist,* **1917**: 101-103.
Class: Mamm
Area: Gen SO FO TA OH

2434 **Robertson, J.** (1917). Pale-breasted Brent Goose in Ayr, Renfrew, and Bute. *Scottish Naturalist,* **1917**: 103.
Class: Bird
Area: CL

2435 **Haigh, G.H.C.** (1917). Light- and Dark-breasted Brent Geese. *Scottish Naturalist,* **1917**: 103-104.
Class: Bird
Area: Gen

2436 **Baxter, E.V. and Rintoul, L.J.** (1917). Black-headed and Common gulls eating Turnips. *Scottish Naturalist,* **1917**: 110.
Class: Bird
Area: Gen FO

2437 **Sutherland, L.R.** (1917). Healed fracture in tarsus of Golden Plover. *Scottish Naturalist,* **1917**: 117.
Class: Bird
Area: Gen FO

2438 **Oldham, C.** (1917). Red-necked Grebe in the Moray area. *Scottish Naturalist,* **1917**: 117.
Class: Bird
Area: MO

2439 **MacKeith, T.T.** (1917). Moorhens perching on trees. *Scottish Naturalist,* **1917**: 117.
Class: Bird
Area: Gen CL

2440 **Berry, W.V.** (1917). A Chair of Economic Ornithology. *Scottish Naturalist,* **1917**: 121-135.
Class: Bird
Area: Gen

2441 **McGregor, P.J.C.** (1917). Mountain Hare at North Berwick. *Scottish Naturalist,* **1917**: 135.
Class: Mamm
Area: FO

2442 **Coates, H.** (1917). Note on an unrecorded occurrence of remains of the Elk in Perthshire. *Scottish Naturalist,* **1917**: 1`35.
Class: Mamm
Area: TA

2443 **Beveridge, F.S.** (1917). Bird notes from North Uist. *Scottish Naturalist,* **1917**: 136.
Class: Bird
Area: OH

2444 **Laidlaw, T.G.** (1917). Unusual birds in Berwickshire. *Scottish Naturalist,* **1917**: 136.
Class: Bird
Area: TW

2445 **Editorial note.** (1917). Birds under fire. *Scottish Naturalist,* **1917**: 139.
Class: Bird
Area: Gen

2446 **Clarke, W.E.** (1917). Black Lark - a correction. *Scottish Naturalist,* **1917**: 140.
Class: Bird
Area: Gen

2447 **Wilson, H.W.** (1917). Red-breasted Merganser in east Renfrewshire. *Scottish Naturalist,* **1917**: 140.
Class: Bird
Area: CL

2448 **Editorial note.** (1917). Birds and explosions. *Scottish Naturalist,* **1917**: 140.
Class: Bird
Area: Gen

2449 **Jackson, A.C.** (1917). Note on a Kestrel carrying a young Rabbit. *Scottish Naturalist,* **1917**: 140.
Class: Mamm Bird
Area: Gen MO

2450 **Rintoul, L.J. and Baxter, E.V.** (1917). Report on Scottish ornithology in 1916, including migration. *Scottish Naturalist,* **1917**: 145-206.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2451 **Pitt, F.** (1917). Some notes and observations on the Mole in captivity. *Scottish Naturalist,* **1917**: 207-213, 231-234.
Class: Mamm
Area: Gen

2452 **Robinson, H.W.** (1917). An enormous bitch Otter. *Scottish Naturalist,* **1917**: 213.
Class: Mamm
Area: Gen

2453 **Saxby, E.T.** (1917). Little Bittern in Shetland. *Scottish Naturalist,* **1917**: 214.
Class: Bird
Area: SH

2454 **Laidlaw, T.G.** (1917). Rare birds in Berwickshire. *Scottish Naturalist,* **1917**: 214.
Class: Bird
Area: TW

2455 **Campbell, B.** (1917). Hawfinch in Linlithgowshire. *Scottish Naturalist,* **1917**: 214.
Class: Bird
Area: FO

2456 **Millais, J.G.** (1917). Brent Geese in Scotland. *Scottish Naturalist,* **1917**: 215-217.
Class: Bird
Area: Gen SO FO TA MO CS OR SH

2457 **Greenaway, W.H.** (1917). The Cuckoo at Foula Isle. *Scottish Naturalist,* **1917**: 217-218.
Class: Bird
Area: SH

2458 **Hopkins, N.** (1917). Hen-Harrier in Ayrshire. *Scottish Naturalist,* **1917**: 218.
Class: Bird
Area: CL

2459 **Robertson, J.** (1917). Late singing of the Missel-Thrush. *Scottish Naturalist,* **1917**: 234.
Class: Bird
Area: Gen CL

2460 **Thompson, D.W.** (1917-18). On some of the scarcer fishes in the Aberdeen market. *Scottish Naturalist,* **1917**: 235-249; **1918**: 16-18, 35-46, 59-68.
Class: Fish
Area: DE CS OH SK OL OR SH FI

2461 **Macdonald, A.** (1917). Gulls devouring turnips. *Scottish Naturalist,* **1917**: 250.
Class: Bird
Area: Gen DE

2462 **Laurence, J.R.** (1917). Gulls devouring turnips. *Scottish Naturalist,* **1917**: 250.
Class: Bird
Area: Gen OR

2463 **Tait, T.** (1917). Stock-Dove in Aberdeenshire. *Scottish Naturalist,* **1917**: 250.
Class: Bird
Area: DE

2464 **Gladstone, H.S.** (1917). *A Bibliography of British Ornithology,* parts I to VI, 1916-17. By W.H. Mullens and H. Kirke Swann. *Scottish Naturalist,* **1917**: 253.
Class: Bird
Area: Gen

2465 **Editorial note.** (1917). Sperm Whale in the Moray Firth. *Scottish Naturalist,* **1917**: 254.
Class: Mamm
Area: MO

2466 **Clarke, W.E.** (1917-18). Wild life in a west highland deer forest. *Scottish Naturalist,* **1917**: 255-264, 279-288; **1918**: 1-10.
Class: Mamm Bird Rept Amph
Area: Gen TA MO CS NW AG

2467 **Rintoul, L.J. and Baxter, E.V.** (1917). Autumn displays in our British birds. *Scottish Naturalist,* **1917**: 265-270.
Class: Bird
Area: Gen FO TA

2468 **MacKeith, T.T.** (1917). *Acanthis cannabina* nesting in Renfrewshire. *Scottish Naturalist,* **1917**: 275.
Class: Bird
Area: CL

2469 **Macdonald, A.** (1917). Strange nesting site of the Pied Wagtail. *Scottish Naturalist,* **1917**: 275.
Class: Bird
Area: Gen DE

2470 **Brock, S.E.** (1917). Swallows in Picardy. *Scottish Naturalist,* **1917**: 275-276.
Class: Bird
Area: Gen

2471 **Maxwell, H.** (1917). Nesting of the Kingfisher within the Glasgow boundaries. *Scottish Naturalist,* **1917**: 276.
Class: Bird
Area: CL

2472 **Clarke, W.E.** (1917). Woodcock ringed in Ireland and recovered in Shetland. *Scottish Naturalist,* **1917**: 276.
Class: Bird
Area: SH

2473 **Rintoul, L.J. and Baxter, E.V.** (1917). Migration by river. *Scottish Naturalist,* **1917**: 292.
Class: Bird
Area: Gen TA

2474 **Ogg, W.** (1917). Note on the Water Vole. *Scottish Naturalist,* **1917**: 293.
Class: Mamm
Area: Gen MO

2475 **Murray, G.E.G.** (1917). Note on the singular nesting of the Tree Creeper. *Scottish Naturalist,* **1917**: 293.
Class: Bird
Area: Gen TA

2476 **Mackenzie, D.** (1917). Spoonbill in the Outer Hebrides. *Scottish Naturalist,* **1917**: 293.
Class: Bird
Area: OH

2477 **Baxter, E.V. and Rintoul, L.J.** (1917). Occurrence of the Cuckoo Ray in Forth. *Scottish Naturalist,* **1917**: 293.
Class: Fish
Area: FO

2478 **Meek, A.** (1918). The migrations of *Chimaera monstrosa.* *Scottish Naturalist,* **1918**: 11-16, [16-18].
Class: Fish
Area: Gen DE OL OR SH

2479 **Smalley, F.W.** (1918). British Grey Geese. *Scottish Naturalist,* **1918**: 18.
Class: Bird
Area: Gen SO FO

2480 **Gladstone H.S.** (1918). Late nesting of the Dipper. *Scottish Naturalist,* **1918**: 21.
Class: Bird
Area: Gen FO

2481 **Kirke, C.** (1918). Swallows building in trees. *Scottish Naturalist,* **1918**: 21.
Class: Bird
Area: Gen

2482 **Robertson, J.** (1918). The Swift near Glasgow in September. *Scottish Naturalist,* **1918**: 21.
Class: Bird
Area: CL

2483 **Webster, P.** (1918). Kite in Perthshire. *Scottish Naturalist,* **1918**: 21-22.
Class: Bird
Area: TA

2484 **Robertson, J.** (1918). Slavonian Grebe in Renfrewshire. *Scottish Naturalist,* **1918**: 22.
Class: Bird
Area: CL

2485 **Clarke, W.E.** (1918). Variety of Red Grouse. *Scottish Naturalist,* **1918**: 22.
Class: Bird
Area: CL

2486 **McWilliam, J.M.** (1918). Notes on some of the birds of Bute, including records of their passage to the mainland. *Scottish Naturalist,* **1918**: 25-29.
Class: Bird
Area: CL

2487 **Maxwell, H.** (1918). The Golden and Amherst Pheasants. *Scottish Naturalist,* **1918**: 30.
Class: Bird
Area: Gen CL FO TA

2488 **Mackenzie, O.H.** (1918). Vanishing birds, and birds that have already vanished, on the west coast of Ross-shire. *Scottish Naturalist,* **1918**: 31-34.
Class: Bird
Area: NW

2489 **Simpson, H.D.** (1918). Hawfinch in Peeblesshire. *Scottish Naturalist,* **1918**: 34.
Class: Bird
Area: TW

2490 **Campbell, B.** (1918). A late Swift. *Scottish Naturalist,* **1918**: 34.
Class: Bird
Area: Gen FO

2491 **Serle, W.** (1918). Stonechat nesting in King's Park, Edinburgh. *Scottish Naturalist,* **1918**: 47.
Class: Bird
Area: FO

2492 **Evans, W.** (1918). [Breeding status of Stonechat in Edinburgh area]. *Scottish Naturalist,* **1918**: 47.
Class: Bird
Area: FO

2493 **Evans, W** (1918). Early references to the bird-life of the Isle of May. *Scottish Naturalist,* **1918**: 49-58.
Class: Bird
Area: FO

2494 **Macdonald, A.** (1918). Crossbills feeding on Rowans. *Scottish Naturalist,* **1918**: 71.
Class: Bird
Area: Gen DE

2495 **Beveridge, F.S.** (1918). The Grey Lag Goose in North Uist. *Scottish Naturalist,* **1918**: 73-74.
Class: Bird
Area: OH

2496 **Gladstone, H.S.** (1918). Agricultural damage by vermin and birds. *Scottish Naturalist,* **1918**: 75-78.
Class: Mam Bird
Area: Gen

2497 **Ellison, G. and Towers, A.** (1918). White variety of the Orkney Vole. *Scottish Naturalist,* **1918**: 47.
Class: Mamm
Area: OR

2498 **Grieve, S.** (1918). Vanishing game birds in Argyllshire. *Scottish Naturalist,* **1918**: 92-93.
Class: Bird
Area: AG

2499 **Baxter, E.V. and Rintoul, L.J.** (1918). Scarcity of winter visitors in Fife. *Scottish Naturalist,* **1918**: 93-94.
Class: Bird
Area: FO

2500 **Bonar, H.N.** (1918). Extension of the range of the Great Spotted Woodpecker in the Tay area. *Scottish Naturalist,* **1918**: 94.
Class: Bird
Area: TA

2501 **Hay, L.C.** (1918). Cuckoo reared in a window-box. *Scottish Naturalist,* **1918**: 94-95.
Class: Bird
Area: Gen FO

2502 **Ritchie, J.** (1918). Cave-hunting in Scotland. *Scottish Naturalist,* **1918**: 97-102.
Class: Mamm Bird Amph
Area: Gen CL FO TA CS NW

2503 **Holmes, H.** (1918). Wood-Warbler and Little Stint in the Outer Hebrides. *Scottish Naturalist,* **1918**: 102.
Class: Bird
Area: OH

2504 **Macdonald, D.** (1918). Swans on Possil Marsh. *Scottish Naturalist,* **1918**: 102.
Class: Bird
Area: CL

2505 **Collinge, W.E.** (1918). On the value of the different methods of estimating the stomach contents of wild birds. *Scottish Naturalist,* **1918**: 103-108.
Class: Bird
Area: Gen

2506 **Boase, H.** (1918). The westward flight of the Swallow, House-Martin and Sand-Martin on the Tay estuary in autumn. *Scottish Naturalist,* **1918**: 109-112.
Class: Bird
Area: TA

2507 **Baxter, E.V.** (1918). Blue Shark in Largo bay. *Scottish Naturalist,* **1918**: 112.
Class: Fish
Area: FO

2508 **Chapman, A.** (1918). Notes and observations on the birds of North Uist in May 1883. *Scottish Naturalist,* **1918**: 121-132.
Class: Bird
Area: IH OH

2509 **Macdonald, A.** (1918). The Stock-Dove in lower Deeside. *Scottish Naturalist,* **1918**: 132.
Class: Bird
Area: DE

2510 **Younger, R.J.** (1918). Lapwings' nest with five eggs. *Scottish Naturalist,* **1918**: 139.
Class: Bird
Area: Gen TA

2511 **Smalley, F.W.** (1918). Observations on the Grey Lag Goose. *Scottish Naturalist,* **1918**: 139-140.
Class: Bird
Area: Gen

2512 **Boase, H.** (1918). Description of aberrant hen Capercailzie from Afleck, Forfarshire. *Scottish Naturalist,* **1918**: 140-141.
Class: Bird
Area: TA DE

2513 **Baxter, E.V. and Rintoul, L.J.** (1918). Report on Scottish ornithology in 1917, including migration. *Scottish Naturalist,* **1918**: 145-196.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2514 **Thompson, D.W.** (1918-19). On whales landed at the Scottish whaling stations, especially during the years 1908-1914. *Scottish Naturalist,* **1918**: 197-208, 221-237; **1919**: 1-16, 37-46.
Class: Mamm
Area: CS OH SK OL OR SH

2515 **Pitt, F.** (1918). Seasonal changes in the coloration of the Pine Marten. *Scottish Naturalist,* **1918**: 209-212.
Class: Mamm
Area: Gen

2516 **Watt, H.B.** (1918). Roe Deer in Bute. *Scottish Naturalist,* **1918**: 212.
Class: Mamm
Area: CL

2517 **Ritchie, J.** (1918). [Roe Deer in Bute]. *Scottish Naturalist,* **1918**: 212.
Class: Mamm
Area: Gen CL

2518 **Beveridge, F.S.** (1918). The Grey Lag Goose. *Scottish Naturalist,* **1918**: 213-215.
Class: Bird
Area: OH

2519 **Macdonald, A.** (1918). Nests of Cole-Tit and Tree-Creeper. *Scottish Naturalist,* **1918**: 215.
Class: Bird
Area: DE

2520 **Mackessack, R.H.** (1918). Crested Titmouse in west Elgin. *Scottish Naturalist,* **1918**: 216.
Class: Bird
Area: MO

2521 **Serle, W.** (1918). Tufted Duck nesting on Duddingston Loch. *Scottish Naturalist,* **1918**: 216.
Class: Bird
Area: FO

2522 **Beveridge, F.S.** (1918). Little Stint in Outer Hebrides. *Scottish Naturalist,* **1918**: 216.
Class: Bird
Area: OH

2523 **MacKeith, T.T.** (1918). Moorhen nesting in trees. *Scottish Naturalist,* **1918**: 216-217.
Class: Bird
Area: Gen CL

2524 **Mahood, A.E.** (1918). Banffshire birds. *Scottish Naturalist,* **1918**: 239-242.
Class: Bird
Area: DE

2525 **Macdonald, A.** (1918). A new nesting site for *Larus ridibundus*. *Scottish Naturalist,* **1918**: 242.
Class: Bird
Area: DE

2526 **Robertson, J.** (1918). Nesting of the Woodcock within the Glasgow boundaries. *Scottish Naturalist,* **1918**: 242-243.
Class: Bird
Area: CL

2527 **Maxwell, H.** (1918). Woodcock carrying its young. *Scottish Naturalist,* **1918**: 243.
Class: Bird
Area: Gen SO

2528 **Maxwell, H.** (1918). Nesting of the Barn Owl. *Scottish Naturalist,* **1918**: 243-244.
Class: Mamm Bird
Area: SO

2529 **Beveridge, F.S.** (1918-19). The birds of North Uist. *Scottish Naturalist,* **1918**: 245-254; **1919**: 17-24, 94, 195-196.
Class: Bird
Area: OH

2530 **Ritchie, J.** (1918). The food of some wild birds. *Scottish Naturalist,* **1918**: 255-258.
Class: Bird
Area: Gen

2531 **Marr, M.J.** (1918). Pied variety of the Shrew. *Scottish Naturalist,* **1918**: 266.
Class: Mamm
Area: Gen FO

2532 **Berry, W.** (1918). Gadwall (*A. strepera*) nesting in Fife. *Scottish Naturalist,* **1918**: 266.
Class: Bird
Area: FO TA

2533 **Bartholomew, J.** (1918). Black Tern near Glasgow. *Scottish Naturalist,* **1918**: 266.
Class: Bird
Area: CL

2534 **Ewart, R.W.T.** (1918). Bird notes from the Montrose district. *Scottish Naturalist,* **1918**: 267.
Class: Bird
Area: TA

2535 **Gladstone, H.S.** (1918). Curlew-Sandpiper in Kirkcudbrightshire. *Scottish Naturalist,* **1918**: 267.
Class: Bird
Area: SO

2536 **Robertson, J.** (1918). An October Swift at Glasgow. *Scottish Naturalist,* **1918**: 273.
Class: Bird
Area: Gen CL

2537 **Ogg, W.** (1918). The Snowy Owl in Elgin. *Scottish Naturalist,* **1918**: 274.
Class: Bird
Area: DE

2538 **Paterson, E.G.** (1918). Snowy Owl, etc., in Aberdeenshire. *Scottish Naturalist,* **1918**: 274.
Class: Bird
Area: DE

2539 **Chapman, A.** (1918). Woodcock carrying its young. *Scottish Naturalist,* **1918**: 274.
Class: Bird
Area: Gen

2540 **Robertson, J.** (1918). Yellow Wagtail in Bute. *Scottish Naturalist,* **1918**: 286.
Class: Bird
Area: CL

2541 **Clarke, W.E.** (1919). A note on the identification of ducks' eggs. *Scottish Naturalist,* **1919**: 24.
Class: Bird
Area: Gen FO

2542 **Clarke, W.E.** (1919). An old-time record of the breeding of the White Stork in Scotland. *Scottish Naturalist,* **1919**: 25-26.
Class: Bird
Area: FO

2543 **Wilson, W.** (1919). Common Guillemot inland in southern Scotland. *Scottish Naturalist,* **1919**: 28.
Class: Bird
Area: CL

2544 **Hopkins, N.** (1919). Late nesting of the Wood-Pigeon. *Scottish Naturalist,* **1919**: 29.
Class: Bird
Area: Gen CL

2545 **McConachie, W.** (1919). Bird notes from Lauderdale. *Scottish Naturalist,* **1919**: 29.
Class: Bird
Area: TW

2546 **Mackenzie, W.** (1919). Recovery of marked Gull. *Scottish Naturalist,* **1919**: 29.
Class: Bird
Area: TA

2547 **Wilson, W.** (1919). Starlings and Sparrow-Hawk. *Scottish Naturalist,* **1919**: 30.
Class: Bird
Area: Gen CL

2548 **Editorial comment.** (1919). Whales stranded on British coasts. *Scottish Naturalist,* **1919**: 31.
Class: Mamm
Area: Gen SO

2549 **Ritchie, J.** (1919). Animals and Man. *Scottish Naturalist,* **1919**: 33-36.
Class: Mamm
Area: Gen

2550 **Leschallas, J.H.P.** (1919). Albino Otter. *Scottish Naturalist,* **1919**: 36.
Class: Mamm
Area: CL AG

2551 **Baxter, E.V. and Rintoul, L.J.** (1919). A crèch of House-Mice. *Scottish Naturalist,* **1919**: 36.
Class: Mamm
Area: FO

2552 **Maxwell, H.** (1919). The Golden Eagle in Galloway. *Scottish Naturalist,* **1919**: 47-48.
Class: Bird
Area: SO

2553 **Bartholomew, J.** (1919). Bank Voles in Clyde. *Scottish Naturalist,* **1919**: 48.
Class: Mamm
Area: CL

2554 **Evans, W.** (1919). The Great Crested Grebe in Forth. *Scottish Naturalist,* **1919**: 49-50.
Class: Bird
Area: FO

2555 **Malloch, P.D.** (1919). Waxwing on Deeside and Goosanders on the Deveron. *Scottish Naturalist,* **1919**: 50.
Class: Bird
Area: DE

2556 **Evans, W.** (1919). Woodcock and the safety of their young. *Scottish Naturalist,* **1919**: 51-54.
Class: Bird
Area: Gen FO

2557 **Serle, W.** (1919). Whooper Swans at Duddingston Loch. *Scottish Naturalist,* **1919**: 54.
Class: Bird
Area: FO

2558 **Laidlaw, T.G.** (1919). Sparrow-Hawk and Wood-Pigeons. *Scottish Naturalist,* **1919**: 61.
Class: Bird
Area: TW

2559 **Jourdain, F.C.R.** (1919). An old reference to the Hebridean Thrush (*Turdus ph. hebridensis*). *Scottish Naturalist*, **1919**: 62.
Class: Bird
Area: OH

2560 **Robertson, J.** (1919). The Goldfinch in east Renfrewshire. *Scottish Naturalist,* **1919**: 63.
Class: Bird
Area: CL

2561 **Rintoul, L.J. and Baxter, E.V.** (1919). Hebridean or Continental Song Thrush? *Scottish Naturalist*, **1919**: 66.
Class: Bird
Area: Gen

2562 **Baxter, E.V. and Rintoul, L.J.** (1919-20). On the Great Crested Grebe as a Scottish breeding species. *Scottish Naturalist*, **1919**: 67-77, [197-198]; **1920**: 5-6.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OR SH

2563 **Harting, J.E.** (1919). The Little Ringed Plover in North Uist. *Scottish Naturalist*, **1919**: 78.
Class: Bird
Area: OH

2564 **Smalley, F.W.** (1919). A note on the identification of duck's eggs. *Scottish Naturalist*, **1919**: 86.
Class: Bird
Area: Gen

2565 **Best, M.G.S.** (1919). Smews off the Aberdeenshire coast. *Scottish Naturalist*, **1919**: 94.
Class: Bird
Area: DE

2566 **Brooksbank, G.** (1919). Woodcock and the safety of their young. *Scottish Naturalist*, **1919**: 95-96.
Class: Bird
Area: Gen TA

2567 **Rintoul, L.J. and Baxter, E.V.** (1919). Report on Scottish ornithology in 1918, including migration. *Scottish Naturalist*, **1919**: 97-144.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2568 **Guthrie, D.** (1919-20). Some bird notes from South Uist. *Scottish Naturalist*, **1919**: 145-150, 187-192; **1920**: 45-48.
Class: Bird
Area: OH

2569 **Anderson, P.** (1919). White Snipe and Ruff in Tiree. *Scottish Naturalist*, **1919**: 156.
Class: Bird
Area: AG IH

2570 **Ewart, R.W.T.** (1919). Capercaillie in Montrose. *Scottish Naturalist*, **1919**: 156.
Class: Bird
Area: TA

2571 **Orde, A.J.C.** (1919). Fulmars nesting at Haskier. *Scottish Naturalist*, **1919**: 166.
Class: Bird
Area: OH

2572 **Bartholomew, J.** (1919). Tree-Sparrows nesting near Glasgow. *Scottish Naturalist*, **1919**: 166.
Class: Bird
Area: CL

2573 **MacKeith, T.T.** (1919). The Nightjar in Renfrewshire. *Scottish Naturalist*, **1919**: 166.
Class: Bird
Area: CL

2574 **Campbell, B.** (1919). Quail in Midlothian. *Scottish Naturalist*, **1919**: 166.
Class: Bird
Area: FO

2575 **Gladstone, H.S.** (1919). Observations on Carrion-Crows. *Scottish Naturalist,* **1919**: 166.
Class: Bird
Area: Gen SO

2576 **Smalley, F.W.** (1919). Mallard, Wigeon, and Lesser Black-backed Gull in North Uist. *Scottish Naturalist,* **1919**: 169-170.
Class: Bird
Area: OH

2577 **Greenaway, W.H.** (1919). The Fulmar Petrel at Foula Isle during winter. *Scottish Naturalist,* **1919**: 170.
Class: Bird
Area: SH

2578 **Gladstone, H.S.** (1919). Hawfinch nesting in Dumfriesshire. *Scottish Naturalist,* **1919**: 171.
Class: Bird
Area: SO

2579 **Macdonald, D.** (1919). Wigeon nesting in Ross-shire. *Scottish Naturalist,* **1919**: 171.
Class: Bird
Area: MO NW

2580 **Hinton, M.A.C.** (1919). The Field Mouse of Foula. *Scottish Naturalist,* **1919**: 177-181.
Class: Mamm
Area: SH

2581 **Bartholomew, J.** (1919). Number of young in Stoat's family. *Scottish Naturalist,* **1919**: 181.
Class: Mamm
Area: Gen CL

2582 **Editorial note.** (1919). [Number of young in Stoat's family]. *Scottish Naturalist,* **1919**: 181.
Class: Mamm
Area: Gen

2583 **Baxter, E.G. and Rintoul, L.J.** (1919). Behaviour of birds under abnormal conditions. *Scottish Naturalist,* **1919**: 182.
Class: Bird
Area: Gen

2584 **Clarke, W.E.** (1919). The Starlings of Shetland, Fair Isle, and St. Kilda. *Scottish Naturalist,* **1919**: 183-185.
Class: Bird
Area: SK SH FI

2585 **Kirk, C.** (1919). Great Spotted Woodpecker in Argyll. *Scottish Naturalist,* **1919**: 185.
Class: Bird
Area: CL AG

2586 **Beveridge, F.S.** (1919). The status of the Redshank in the Outer Hebrides. *Scottish Naturalist,* **1919**: 185-186.
Class: Bird
Area: OH

2587 **Kirk, C.** (1919). Hawfinch in Dumbartonshire. *Scottish Naturalist,* **1919**: 194.
Class: Bird
Area: CL

2588 **Kirke, D.J.B.** (1919). Nesting of the Pied Flycatcher and Garden Warbler in Ross-shire. *Scottish Naturalist,* **1919**: 194.
Class: Bird
Area: MO NW

2589 **Malcolm, G.W.** (1919). Unusual nesting-place of Grey Wagtail. *Scottish Naturalist,* **1919**: 195.
Class: Bird
Area: CL AG

2590 **Gladstone, H.S.** (1919). Albino Spotted Flycatcher. *Scottish Naturalist,* **1919**: 195.
Class: Bird
Area: SO

2591 **Thomson, A.L.** (1919). Pied Flycatcher in Aberdeenshire. *Scottish Naturalist,* **1919**: 195.
Class: Bird
Area: DE

2592 **Robertson, J.** (1919). The Whinchat as imitator. *Scottish Naturalist,* **1919**: 195.
Class: Bird
Area: Gen CL

2593 **Beveridge, F.S.** (1919). Golden Eagle in North Uist. *Scottish Naturalist,* **1919**: 195-196.
Class: Bird
Area: OH

2594 **Macdonald, D.** (1919). The Whooper Swan in Ross-shire in June. *Scottish Naturalist,* **1919**: 196.
Class: Bird
Area: Gen MO

2595 **Clarke, W.E.** (1919). Wild swans observed in the Western Highlands in summer. *Scottish Naturalist,* **1919**: 196-197.
Class: Bird
Area: MO

2596 **Currie, J.** (1919). Common Scoter on Duddingston Loch in May. *Scottish Naturalist,* **1919**: 197.
Class: Bird
Area: FO

2597 **Robinson, H.W.** (1919). The Great Crested Grebe in Scotland. *Scottish Naturalist,* **1919**: 197.
Class: Bird
Area: TW FO OR

2598 **Hunter, D.G.** (1919). Black-tailed Godwit in Forfarshire. *Scottish Naturalist,* **1919**: 198.
Class: Bird
Area: TA

2599 **Marshall, J.M.** (1919). Woodcock and young. *Scottish Naturalist,* **1919**: 198.
Class: Bird
Area: Gen TA

2600 **Lees, H.H.G.** (1920). New breeding place of the Great Crested Grebe in Selkirkshire. *Scottish Naturalist,* **1920**: 5-6.
Class: Bird
Area: TW

2601 **Hunter, D.G.** (1920). Great Crested Grebes in Forfarshire. *Scottish Naturalist,* **1920**: 6.
Class: Bird
Area: TA

2602 **Cranma, J.** (1920). Arrival and breeding of Great Crested Grebes at Dupplin Lochs. *Scottish Naturalist,* **1920**: 6.
Class: Bird
Area: TA

2603 **Baxter, E.V. and Rintoul, L.J.** (1920). On the Report of the Departmental Committee on the Protection of Wild Birds. *Scottish Naturalist,* **1920**: 7-12.
Class: Bird
Area: Gen

2604 **Anderson, J.A.** (1920). The American Wigeon in Stirlingshire. *Scottish Naturalist,* **1920**: 13.
Class: Bird
Area: CL

2605 **Rintoul, L.J. and Baxter, E.V.** (1920). American Wigeon in Fife. *Scottish Naturalist,* **1920**: 13-14.
Class: Bird
Area: TA

2606 **Robertson, J.** (1920). Mountain Hare on the shore in summer. *Scottish Naturalist,* **1920**: 14.
Class: Mamm
Area: CL AG

2607 **Baxter, E.V. and Rintoul, L.J.** (1920). The Gadwall as a Scottish breeding species. *Scottish Naturalist,* **1920**: 15-20.
Class: Bird
Area: SO TW CL FO TA DE MO CS AG IH OH OR SH

2608 **Reid, C.C.** (1920). Glaucous Gulls in Kinross-shire. *Scottish Naturalist,* **1920**: 20.
Class: Bird
Area: FO

2609 **Tulloch, J.S.** (1920). Bird notes from Shetland. *Scottish Naturalist,* **1920**: 28.
Class: Bird
Area: SH

2610 **Kay, T.G.** (1920). Reed-Warbler in Shetland. *Scottish Naturalist,* **1920**: 28.
Class: Bird
Area: SH

2611 **Campbell, B.** (1920). Skipper or Saury in the Firth of Forth. *Scottish Naturalist,* **1920**: 28.
Class: Fish
Area: FO

2612 **Beveridge, G.** (1920). Skipper or Saury in the Outer Hebrides. *Scottish Naturalist,* **1920**: 29.
Class: Fish
Area: OH

2613 **Editorial note.** (1920). [First record of Skipper for Outer Hebrides]. *Scottish Naturalist,* **1920**: 29.
Class: Fish
Area: OH

2614 **Baxter, E.V. and Rintoul, L.J.** (1920). The Wigeon as a Scottish breeding species. *Scottish Naturalist,* **1920**: 33-42.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH

2615 **Robertson, J.** (1920). The Garden-Warbler and the Blackcap in the Clyde area. *Scottish Naturalist,* **1920**: 43-44.
Class: Bird
Area: CL

2616 **Robertson, J.** (1920). Peregrine preying on Merlin. *Scottish Naturalist,* **1920**: 48.
Class: Bird
Area: CL

2617 **Robertson, J.** (1920). Spotted Redshank in east Renfrewshire. *Scottish Naturalist,* **1920**: 48.
Class: Bird
Area: CL

2618 **Jackson, A.C.** (1920). Red-backed Shrike in the Moray area. *Scottish Naturalist,* **1920**: 54.
Class: Bird
Area: MO

2619 **Butterfield, E.P.** (1920). Imitative powers of the Whinchat. *Scottish Naturalist,* **1920**: 54.
Class: Bird
Area: Gen

2620 **Beveridge, G.** (1920). Whooper Swan in Scotland in summer. *Scottish Naturalist,* **1920**: 54.
Class: Bird
Area: Gen OH

2621 **Simpson, H.D.** (1920). Choughs in Peeblesshire. *Scottish Naturalist,* **1920**: 55.
Class: Bird
Area: TW

2622 **Editorial note.** (1920). [Protection of Chough]. *Scottish Naturalist,* **1920**: 55.
Class: Bird
Area: TW

2623 **Smalley, F.W.** (1920). Occurrences of the American Wigeon in Scotland. *Scottish Naturalist,* **1920**: 55-56.
Class: Bird
Area: Gen SO

2624 **Robertson, J.** (1920). Ringed Plover nesting inland in Clyde. *Scottish Naturalist,* **1920**: 56.
Class: Bird
Area: CL

2625 **Hopkins, N.** (1920). Green Sandpiper in Ayrshire. *Scottish Naturalist,* **1920**: 56-57.
Class: Bird
Area: CL

2626 **Cranma, J.** (1920). Winter bird notes from central Perthshire. *Scottish Naturalist,* **1920**: 57.
Class: Bird
Area: TA

2627 **Editorial comment.** (1920). Cetacea stranded during 1918. *Scottish Naturalist,* **1920**: 59.
Class: Mamm
Area: Gen CL TA DE CS AG OH OR SH

2628 **Editorial comment.** (1920). Scottish Freshwater Fisheries. *Scottish Naturalist,* **1920**: 60-61.
Class: Fish
Area: Gen

2629 **Ritchie, J.** (1920). Discovery of horn-sheath of the prehistoric Celtic Shorthorn Ox in Peeblesshire. *Scottish Naturalist,* **1920**: 65-67.
Class: Mamm
Area: TW

2630 **Clarke, W.E.** (1920). Nesting of the Wild Swan in west Perthshire. *Scottish Naturalist,* **1920**: 68.
Class: Bird
Area: Gen TA

2631 **Place, E.H.** (1920). Nesting of the Wild Swan in west Perthshire. *Scottish Naturalist,* **1920**: 68.
Class: Bird
Area: Gen TA

2632 **Collinge, W.E.** (1920). On the proposed new subspecies of the Litte Owl (*Carine noctua (scopoli)*). *Scottish Naturalist,* **1920**: 69-70.
Class: Bird
Area: Gen

2633 **Laidlaw, T.G.** (1920). Cuckoo's eggs in the nest of Common Sandpiper. *Scottish Naturalist,* **1920**: 70.
Class: Bird
Area: TW

2634 **Evans, W.** (1920). Breeding colonies of the Black-headed Gull in the Forth area. *Scottish Naturalist,* **1920**: 71-83.
Class: Bird
Area: CL FO

2635 **Clarke, W.E.** (1920). Some further notes on "Blue" Fulmar. *Scottish Naturalist,* **1920**: 83-84.
Class: Bird
Area: Gen SK

2636 **Evans, W.** (1920). Nesting of the Shoveler in the Lothians. *Scottish Naturalist,* **1920**: 84.
Class: Bird
Area: FO

2637 **Macdonald, D.** (1920). Black Terns on the Kelvin. *Scottish Naturalist,* **1920**: 84.
Class: Bird
Area: CL

2638 **Cochrane, A.** (1920). Northern Bullfinch in East Lothian. *Scottish Naturalist,* **1920**: 89.
Class: Bird
Area: FO

2639 **Robinson, H.W.** (1920). The protection of Terns. *Scottish Naturalist,* **1920**: 90.
Class: Bird
Area: Gen

2640 **Editorial note.** (1920). [The protection of Terns]. *Scottish Naturalist,* **1920**: 90.
Class: Bird
Area: Gen

2641 **Beveridge, F.S.** (1920). Ring Ouzel in Outer Hebrides. *Scottish Naturalist,* **1920**: 93.
Class: Bird
Area: OH

2642 **Leschallas, J.H.P.** (1920). Great Spotted Woodpecker in Argyll. *Scottish Naturalist,* **1920**: 93.
Class: Bird
Area: CL AG

2643 **Editorial note.** (1920). [Another record of the Great Spotted Woodpecker in Argyll]. *Scottish Naturalist,* **1920**: 93.
Class: Bird
Area: CL AG

2644 **Rintoul, L.J. and Baxter, E.V.** (1920). Report on Scottish ornithology in 1919, including migration. *Scottish Naturalist,* **1920**: 97-144.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2645 **Begg, W.** (1920). Spring migration at Little Ross in 1920. *Scottish Naturalist,* **1920**: 145-149.
Class: Bird
Area: SO

2646 **Beveridge, G.** (1920). The changing habits of birds. *Scottish Naturalist,* **1920**: 149-150.
Class: Bird
Area: Gen OH

2647 **Clarke, W.E.** (1920). Ringed Plover breeding inland in Midlothian. *Scottish Naturalist,* **1920**: 150.
Class: Bird
Area: FO

2648 **Clarke, W.E.** (1920). The attempted breeding of the Bee-eater (*Merops apiaster*) in Midlothian. *Scottish Naturalist,* **1920**: 151-153.
Class: Bird
Area: FO

2649 **Cumming, H.G.** (1920). Garganey near Glasgow. *Scottish Naturalist,* **1920**: 153.
Class: Bird
Area: CL

2650 **Baxter, N.E.** (1920). Wigeon breeding in West Ross. *Scottish Naturalist,* **1920**: 153.
Class: Bird
Area: NW

2651 **Bartholomew, J.** (1920). Wigeon near Glasgow. *Scottish Naturalist,* **1920**: 154.
Class: Bird
Area: CL

2652 **Clarke, W.E.** (1920). Cuckoo's egg in a Song-Thrush's nest. *Scottish Naturalist,* **1920**: 154.
Class: Bird
Area: Gen TA

2653 **Clarke, W.E.** (1920). Greenland Falcon in Orkney. *Scottish Naturalist,* **1920**: 154.
Class: Bird
Area: OR

2654 **MacGillivray, W.L.** (1920). Albino Rock-Dove in Outer Hebrides. *Scottish Naturalist,* **1920**: 154.
Class: Bird
Area: OH

2655 **Kirk, C.** (1920). Corncrake - late nesting - in Glen Shira, Argyllshire. *Scottish Naturalist,* **1920**: 154.
Class: Bird
Area: CL AG

2656 **Johnson, N.M.** (1920). Unusual abundance of Purple Sandpipers at Kirkcaldy. *Scottish Naturalist,* **1920**: 154.
Class: Bird
Area: FO

2657 **Rintoul, L.J. and Baxter, E.V.** (1920). The Shoveler as a Scottish breeding species. *Scottish Naturalist,* **1920**: 155-164, [195-196].
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR

2658 **Macdonald, A.** (1920). Crossbills in Dee. *Scottish Naturalist,* **1920**: 168.
Class: Bird
Area: DE

2659 **Bedford, Duchess of** (1920). Common Crane in Kirkcudbright. *Scottish Naturalist,* **1920**: 168.
Class: Bird
Area: SO

2660 **Raeburn, H.** (1920). The Fulmar Petrel breeding in the Forth area. *Scottish Naturalist,* **1920**: 170.
Class: Bird
Area: FO

2661 **Baxter, E.V. and Rintoul, L.J.** (1920). Fulmars breeding at Fowlsheugh, Kincardineshire. *Scottish Naturalist,* **1920**: 170-171.
Class: Bird
Area: SO

2662 **Gowan, J.** (1920). Fulmars at Troup Head, Banffshire. *Scottish Naturalist,* **1920**: 171.
Class: Bird
Area: DE

2663 **Editorial note.** (1920). Otter captured at Musselburgh. *Scottish Naturalist,* **1920**: 171.
Class: Mamm
Area: FO

2664 **Editorial comment.** (1920). The status of Scottish Wild Cats. *Scottish Naturalist,* **1920**: 171.
Class: Mamm
Area: Gen

2665 **Editorial comment.** (1920). Distribution of Scottish Crested Tit. *Scottish Naturalist,* **1920**: 172-173.
Class: Bird
Area: Gen MO

2666 **Hunter, D.G.** (1920). Crested Tit in Forfarshire. *Scottish Naturalist,* **1920**: 178.
Class: Bird
Area: TA

2667 **Hunter, D.G.** (1920). Black-tailed Godwits in Forfarshire. *Scottish Naturalist,* **1920**: 178.
Class: Bird
Area: TA

2668 **Jamieson, H.** (1920). Appearance of the Walrus off the Shetland Isles. *Scottish Naturalist,* **1920**: 179-180.
Class: Mamm
Area: SH

2669 **Hodgkin, C. and Hodgkin, T.E.** (1920). The breeding of the Brambling in Scotland. *Scottish Naturalist,* **1920**: 181-182.
Class: Bird
Area: Gen TA

2670 **Hopkins, N.** (1920). Blue-headed Wagtail in Ayrshire. *Scottish Naturalist,* **1920**: 182.
Class: Bird
Area: CL

2671 **Robinson, H.W.** (1920). Unrecorded Greenland and Iceland Falcons in Orkney. *Scottish Naturalist,* **1920**: 182.
Class: Bird
Area: OR

2672 **Hunter, D.G.** (1920). Nest of Hawfinch in Aberdeenshire. *Scottish Naturalist,* **1920**: 183-184.
Class: Bird
Area: DE

2673 **Macdonald, A.** (1920). Nesting of the White Wagtail on lower Deeside. *Scottish Naturalist,* **1920**: 184.
Class: Bird
Area: DE

2674 **Blackwood, G.G.** (1920). Notes on the breeding habits of the Dotterel (*Eudromias morinellus*) in Scotland. *Scottish Naturalist,* **1920**: 185-194.
Class: Bird
Area: DE MO

2675 **Greenaway, W.H.** (1920). A remarkable bird group. *Scottish Naturalist,* **1920**: 194.
Class: Bird
Area: SH

2676 **Wilson, W.** (1920). Turtle Dove in Linlithgowshire. *Scottish Naturalist,* **1920**: 194.
Class: Bird
Area: FO

2677 **Hunter, D.G.** (1920). Starlings as mimics. *Scottish Naturalist,* **1920**: 195.
Class: Bird
Area: Gen TA

2678 **Hunter, D.G.** (1920). Grey Lag Geese in south-eastern Forfarshire. *Scottish Naturalist,* **1920**: 195.
Class: Bird
Area: TA

2679 **Robertson, J.** (1920). Shoveler in Clyde. *Scottish Naturalist,* **1920**: 195-196.
Class: Bird
Area: CL

2680 **Gladstone, H.S.** (1920). Shoveler breeding in Solway. *Scottish Naturalist,* **1920**: 196.
Class: Bird
Area: SO

2681 **White, A.** (1920). Gannet with black eyes on Bass Rock. *Scottish Naturalist,* **1920**: 197.
Class: Bird
Area: Gen FO

2682 **Hunter, D.G.** (1920). Green Sandpiper in Forfarshire. *Scottish Naturalist,* **1920**: 197.
Class: Bird
Area: TA

2683 **Editorial comment.** (1921). Suggestions for a census of Scottish colonial breeding birds. *Scottish Naturalist,* **1921**: 2-3.
Class: Bird
Area: Gen

2684 **Campbell, B.** (1921). Late breeding of Red Squirrel. *Scottish Naturalist,* **1921**: 3.
Class: Mamm
Area: Gen TA

2685 **Trail, H.** (1921). Fulmar Petrel at Troup Head. *Scottish Naturalist,* **1921**: 4.
Class: Bird
Area: MO

2686 **Gladstone, H.S.** (1921). Black-tailed Godwit in Kirkcudbrightshire. *Scottish Naturalist,* **1921**: 4.
Class: Bird
Area: SO

2687 **Malloch, T.** (1921). White-fronted Goose and Leach's Fork-tailed Petrel in Renfrewshire. *Scottish Naturalist,* **1921**: 4.
Class: Bird
Area: CL

2688 **Ritchie, J.** (1921). The Walrus in British waters. *Scottish Naturalist,* **1921**: 5-9, 77-86.
Class: Mamm
Area: Gen MO CS NW IH OH OR SH

2689 **Editorial note.** (1921). Glossy Ibises in Scotland in 1920. *Scottish Naturalist,* **1921**: 10.
Class: Bird
Area: DE SH

2690 **Saxby, T.E.** (1921). Glossy Ibis in Unst, Shetland. *Scottish Naturalist,* **1921**: 10.
Class: Bird
Area: SH

2691 **Lumsden, J.F.** (1921). Glossy Ibises in Aberdeenshire. *Scottish Naturalist,* **1921**: 10.
Class: Bird
Area: DE

2692 **Beveridge, G.** (1921). Ravens in North Uist. *Scottish Naturalist,* **1921**: 10.
Class: Bird
Area: OH

2693 **Laidlaw, T.G.** (1921). Green Sandpiper in Berwickshire. *Scottish Naturalist,* **1921**: 10.
Class: Bird
Area: TW

2694 **Brock, S.E.** (1921). Bird-associations in Scotland. *Scottish Naturalist,* **1921**: 11-21, 49-58.
Class: Bird
Area: Gen

2695 **MacKeith, T.T.** (1921). Blackcap Warbler at Kilmacolm. *Scottish Naturalist,* **1921**: 21.
Class: Bird
Area: SO CL

2696 **Evans, W.** (1921). The Palmated Newt in Argyllshire. *Scottish Naturalist,* **1921**: 21.
Class: Bird
Area: CL AG

2697 **Collinge, W.E.** (1921). The need for a bird census. *Scottish Naturalist,* **1921**: 22-24.
Class: Bird
Area: Gen

2698 **Laidlaw, T.G.** (1921). Gadwall in Berwickshire. *Scottish Naturalist,* **1921**: 24.
Class: Bird
Area: TW

2699 **Gladstone, H.S.** (1921). Late nesting of Mallard. *Scottish Naturalist,* **1921**: 24.
Class: Bird
Area: Gen SO

2700 **Gillespie, T.H.** (1921). Notes from The Scottish Zoological Park. *Scottish Naturalist,* **1921**: 31-32, 63-64, 95-96, 127-128, 163-164, 189-190.
Class: Mamm Bird Rept
Area: Gen

2701 **Editorial comment.** (1921). A Scottish Naturalists' Union. *Scottish Naturalist,* **1921**: 33-35.
Class: Mamm Bird Rept Amph Fish
Area: Gen

2702 **Ritchie, J.** (1921). The golden-toothed Sheep of Aberdeenshire. *Scottish Naturalist,* **1921**: 36.
Class: Mamm
Area: Gen DE

2703 **Editorial note.** (1921). Visitation of Waxwings. *Scottish Naturalist,* **1921**: 36.
Class: Bird
Area: CL

2704 **Ingles, W.M.** (1921). Waxwings in Haddingtonshire. *Scottish Naturalist,* **1921**: 36.
Class: Bird
Area: FO

2705 **Gladstone, H.S.** (1921). Waxwings in Dumfriesshire. *Scottish Naturalist,* **1921**: 36.
Class: Bird
Area: SO

2706 **Baxter, E.V. and Rintoul, L.J.** (1921). The Pintail as a Scottish breeding species. *Scottish Naturalist,* **1921**: 37-42.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH

2707 **Holmes, H.** (1921). Breeding of Shoveler in 1899. *Scottish Naturalist,* **1921**: 42.
Class: Bird
Area: SO

2708 **Editorial note.** (1921). Goldfinch immigration to Dumfriesshire. *Scottish Naturalist,* **1921**: 42.
Class: Bird
Area: SO

2709 **Clarke, W.E.** (1921). Great Snow Goose in Solway. *Scottish Naturalist,* **1921**: 48.
Class: Bird
Area: SO

2710 **Editorial comment.** (1921). The extermination of the old Scottish fauna. *Scottish Naturalist,* **1921**: 65-66.
Class: Mamm
Area: Gen MO CS NW

2711 **Maxwell, H.** (1921). How Hedgehogs climb. *Scottish Naturalist,* **1921**: 67.
Class: Mamm
Area: Gen SO

2712 **Editorial note.** (1921). Birds in a storm in the Outer Hebrides. *Scottish Naturalist,* **1921**: 67-68.
Class: Bird
Area: OH

2713 **Clarke, W.E.** (1921). The Greater Snow Goose in the Scottish Solway area: a first record for Great Britain. *Scottish Naturalist,* **1921**: 69-70.
Class: Bird
Area: SO

2714 **Gladstone, H.S.** (1921). Waxwing in Kirkcudbrightshire. *Scottish Naturalist,* **1921**: 70.
Class: Bird
Area: SO

2715 **Bolam, G.** (1921). Small birds in the garden. *Scottish Naturalist,* **1921**: 71-75.
Class: Bird
Area: Gen TW

2716 **Rintoul, L.J. and Baxter, E.V.** (1921). Tree-Creepers on the Isle of May. *Scottish Naturalist,* **1921**: 75.
Class: Bird
Area: FO

2717 **Stenhouse, J.H.** (1921). Lapland Bluethroat at Fair Isle. *Scottish Naturalist,* **1921**: 76.
Class: Bird
Area: FI

2718 **Laidlaw, T.G.** (1921). The Marsh Titmouse in Berwickshire. *Scottish Naturalist,* **1921**: 86.
Class: Bird
Area: TW

2719 **Editorial comment.** (1921). The Protection of Wild Birds. *Scottish Naturalist,* **1921**: 97-98.
Class: Bird
Area: Gen MO

2720 **Eckford, R.** (1921). Great extinct Wild Ox, *Bos primigenius*, in Peeblesshire. *Scottish Naturalist,* **1921**: 104.
Class: Mamm
Area: TW

2721 **Boase, H.** (1921). Common Scoter in Perthshire. *Scottish Naturalist,* **1921**: 104.
Class: Bird
Area: TA

2722 **Baxter, E.V. and Rintoul, L.J.** (1920). Report on Scottish ornithology in 1920, including migration. *Scottish Naturalist,* **1921**: 105-120, 135-158.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2723 **Tomlinson, M.R.** (1921). Quail in Midlothian. *Scottish Naturalist,* **1921**: 125.
Class: Bird
Area: FO

2724 **Gladstone, H.S.** (1921). Turtle Dove in Kirkcudbrightshire. *Scottish Naturalist,* **1921**: 125.
Class: Bird
Area: SO

2725 **Gladstone, H.S.** (1921). Decrease of Ring-Ouzel. *Scottish Naturalist,* **1921**: 125.
Class: Bird
Area: SO

2726 **Hunter, D.G.** (1921). Nesting of Fulmar Petrel on Forfarshire coast. *Scottish Naturalist,* **1921**: 125-126.
Class: Bird
Area: TA

2727 **Evans, W.** (1921). The Fulmar colony at St Abb's Head. *Scottish Naturalist,* **1921**: 126.
Class: Bird
Area: TW

2728 **Maxwell, H.** (1921). Golden Oriole in Wigtownshire. *Scottish Naturalist,* **1921**: 132.
Class: Bird
Area: SO

2729 **Laidlaw, T.G.** (1921). Bittern in Berwickshire. *Scottish Naturalist,* **1921**: 132.
Class: Bird
Area: TW

2730 **Collinge, W.E.** (1921). Winter occurrence of the Common Tern in Scotland. *Scottish Naturalist,* **1921**: 133.
Class: Bird
Area: Gen TA DE

2731 **Leschallas, J.H.P.** (1921). Nesting of Great Spotted Woodpecker in Argyllshire. *Scottish Naturalist,* **1921**: 134.
Class: Bird
Area: CL AG

2732 **Tomlinson, M.R.** (1921). Nesting of Great Spotted Woodpecker in Perthshire. *Scottish Naturalist,* **1921**: 134.
Class: Bird
Area: TA

2733 **Malloch, T.** (1921). Six eggs in an Oystercatcher's nest. *Scottish Naturalist,* **1921**: 134.
Class: Bird
Area: Gen CL

2734 **Sykes, C.** (1921). Wryneck in Midlothian. *Scottish Naturalist,* **1921**: 158.
Class: Bird
Area: FO

2735 **Beveridge, G.** (1921). Greenland Falcon and Pink-footed Geese on North Uist. *Scottish Naturalist,* **1921**: 158.
Class: Bird
Area: OH

2736 **Larnach, W.** (1921). Fulmars on the Arbroath cliffs. *Scottish Naturalist,* **1921**: 158.
Class: Bird
Area: TA

2737 **Carmichael, J.** (1921). Large prehistoric antlers of Red Deer, from Barry, Forfarshire. *Scottish Naturalist,* **1921**: 161.
Class: Mamm
Area: TA

2738 **Editorial note.** (1921). Large prehistoric antlers of Red Deer. *Scottish Naturalist,* **1921**: 161.
Class: Mamm
Area: Gen

2739 **Ritchie, J.** (1921). "Blue-mouth" (*Scorpaena dactyloptera*) off Dunbar. *Scottish Naturalist,* **1921**: 161.
Class: Fish
Area: FO

2740 **Editorial note.** (1921). Redstart common in Glengarry. *Scottish Naturalist,* **1921**: 162.
Class: Bird
Area: MO

2741 **Ritchie, J.** (1921). Great extinct Ox or Urus in Linlithgowshire. *Scottish Naturalist,* **1921**: 168.
Class: Mamm
Area: FO

2742 **Gladstone, H.S.** (1921). The last of the indigenous Scottish Capercaillies. *Scottish Naturalist,* **1921**: 169-177.
Class: Bird
Area: Gen

2743 **Wilson, W.** (1921). Hoopoe in Aberdeenshire. *Scottish Naturalist,* **1921**: 178.
Class: Bird
Area: DE

2744 **Clarke, W.E. and Stenhouse, J.H.** (1921). The Eastern Lesser Whitethroat, an addition to the British avifauna; and the Yellow-legged Herring Gull, a new record for Scotland, at Fair Isle. *Scottish Naturalist,* **1921**: 179-180.
Class: Bird
Area: FI

2745 **Clarke, W.E.** (1921). Iceland Falcon at Sule Skerry. *Scottish Naturalist,* **1921**: 185.
Class: Bird
Area: OR

2746 **Fairbairn, A.** (1921). Great or Solitary Snipe in Ayrshire. *Scottish Naturalist,* **1921**: 185.
Class: Bird
Area: CL

2747 **Editorial note.** (1921). Pale grey phase of Great Snipe. *Scottish Naturalist,* **1921**: 185.
Class: Bird
Area: Gen CL

2748 **Editorial comment.** (1922). Bird-catching. *Scottish Naturalist,* **1922**: 1-3.
Class: Bird
Area: Gen

2749 **Editorial comment.** (1922). Disturbance of nesting Whooper Swan. *Scottish Naturalist,* **1922**: 3-4.
Class: Bird
Area: Gen

2750 **Ritchie, J.** (1922). Extraordinary adaptability of a Stoat. *Scottish Naturalist,* **1922**: 5-7.
Class: Mamm
Area: Gen FO

2751 **Hunter, D.G.** (1922). New heronry in Forfarshire. *Scottish Naturalist,* **1922**: 8.
Class: Bird
Area: TA

2752 **Macdonald, A.** (1922). Heronries in Dee area. *Scottish Naturalist,* **1922**: 8.
Class: Bird
Area: TA

2753 **Beveridge, G.** (1922). Leach's Petrels at North Uist. *Scottish Naturalist,* **1922**: 8.
Class: Bird
Area: OH

2754 **Editorial note.** (1922). Large Skate off Harris. *Scottish Naturalist,* **1922**: 8.
Class: Fish
Area: OH

2755 **Evans, W.** (1922). Edinburgh rookeries in 1921. *Scottish Naturalist,* **1922**: 9-12.
Class: Bird
Area: FO

2756 **Wild, O.H.** (1922). A Scottish method of bird-catching. *Scottish Naturalist,* **1922**: 13-15.
Class: Bird
Area: Gen FO

2757 **Jourdain, F.C.R.** (1922). Earliest breeding dates of Wigeon, Shoveler, and other ducks in Scotland. *Scottish Naturalist,* **1922**: 15-16.
Class: Bird
Area: Gen CL MO CS AG

2758 **Robinson, H.W.** (1922). An optical illusion regarding Herring Gulls. *Scottish Naturalist,* **1922**: 16.
Class: Bird
Area: Gen OR

2759 **Evans, W.** (1922). Mallophaga (bird-lice) on a Fulmar from the Forth. *Scottish Naturalist,* **1922**: 27-28.
Class: Bird
Area: Gen FO

2760 **Gillespie, T.H.** (1922). Notes from The Scottish Zoological Park. *Scottish Naturalist,* **1922**: 31-32, 63-64, 95-96, 131-132, 167-168, 203-204.
Class: Mamm Bird Rept
Area: Gen

2761 **Editorial comment.** (1922). The Grey Seals of Haskeir. *Scottish Naturalist,* **1922**: 33-35.
Class: Mamm
Area: OH

2762 **Gladstone, H.S.** (1922). Fox playing with Collie. *Scottish Naturalist,* **1922**: 36.
Class: Mamm
Area: Gen SO

2763 **Editorial note.** (1922). Wild Cat in Ross-shire. *Scottish Naturalist,* **1922**: 36.
Class: Mamm
Area: NW

2764 **Calderwood, W.L.** (1922). The homing of the Salmon. *Scottish Naturalist,* **1922**: 37-43.
Class: Fish
Area: Gen CL TA DE MO CS NW AG OH

2765 **Blackwood, G.G.** (1922). Status of the Garden Warbler and of the Blackcap in Peeblesshire. *Scottish Naturalist,* **1922**: 43-44.
Class: Bird
Area: TW

2766 **Ritchie, J.** (1922). The history of feathers, with special reference to the Mallard. *Scottish Naturalist,* **1922**: 45-49.
Class: Bird
Area: Gen

2767 **Johnston, R.** (1922). Common Bittern in Berwickshire. *Scottish Naturalist,* **1922**: 49.
Class: Bird
Area: TW

2768 **Blackwood, G.G.** (1922). Greenland Falcon in Forfarshire. *Scottish Naturalist,* **1922**: 49.
Class: Bird
Area: TA

2769 **Hunter, D.G.** (1922). Hobby in Forfarshire. *Scottish Naturalist,* **1922**: 49-50.
Class: Bird
Area: TA

2770 **Hunter, D.G.** (1922). Osprey in Forfarshire. *Scottish Naturalist,* **1922**: 50.
Class: Bird
Area: TA

2771 **Maxwell, H.** (1922). The Bittern - a coincidence. *Scottish Naturalist,* **1922**: 50.
Class: Bird
Area: Gen

2772 **Berry, W.** (1922). The rarity of the Bean Goose on the east coast. *Scottish Naturalist,* **1922**: 59.
Class: Bird
Area: TA

2773 **Begg, W.** (1922). Increase and decrease of birds in the Ross of Mull. *Scottish Naturalist,* **1922**: 60.
Class: Bird
Area: AG IH

2774 **Editorial comment.** (1922). Scotland and the fur supply. *Scottish Naturalist,* **1922**: 65-66.
Class: Mamm
Area: Gen

2775 **Bartholomew, J.** (1922). Adaptability of Stoat. *Scottish Naturalist,* **1922**: 68.
Class: Mamm
Area: Gen CL

2776 **Ritchie, J.** (1922). The great extinct Ox or Urus in Peeblesshire. *Scottish Naturalist,* **1922**: 68.
Class: Mamm
Area: TW

2777 **Rintoul, L.J. and Baxter, E.V.** (1922). Report on Scottish ornithology in 1921, including migration. *Scottish Naturalist,* **1922**: 69-84, 109-129.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2778 **Evans, W.** (1922). An uncommon Wrasse, *Crenilabrus melops*, from the coast of East Lothian. *Scottish Naturalist,* **1922**: 92.
Class: Fish
Area: FO

2779 **Blackwood, G.G.** (1922). Ray's Wagtail in Ayrshire. *Scottish Naturalist,* **1922**: 93-94.
Class: Bird
Area: CL

2780 **Beveridge, G.** (1922). Greenland Falcon in N. Uist. *Scottish Naturalist,* **1922**: 94.
Class: Bird
Area: OH

2781 **Berry, W.** (1922). Geese on the east coast. *Scottish Naturalist,* **1922**: 94.
Class: Bird
Area: TA

2782 **Editorial comment.** (1922). The naturalisation of animals. *Scottish Naturalist,* **1922**: 97-98.
Class: Mamm
Area: Gen

2783 **Maxwell, H.** (1922). Nesting of the Golden Eagle in Galloway. *Scottish Naturalist,* **1922**: 99-100.
Class: Bird
Area: SO

2784 **McConachie, W.** (1922). Bird notes from the Highlands. *Scottish Naturalist,* **1922**: 100.
Class: Bird
Area: TA MO NW AG

2785 **Waterston, J.** (1922). On the Ischnocera (bird lice or Mallophaga) parasitic upon British Grouse. *Scottish Naturalist,* **1922**: 101-104.
Class: Bird
Area: Gen

2786 **Evans, W.** (1922). Notes on the breeding of the Goosander and the Red-breasted Merganser in the Forth area; a retrospect. *Scottish Naturalist,* **1922**: 105-108.
Class: Bird
Area: FO

2787 **Ritchie, J.** (1922-23). The great Waxwing invasion of 1921. *Scottish Naturalist,* **1922**: 133-142, 193-201, **1923**: 23-29.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG OH OR

2788 **Cuthbertson, A.** (1922). Breeding-stations of the Black-headed Gull in Dumbartonshire. *Scottish Naturalist,* **1922**: 143-145.
Class: Bird
Area: CL

2789 **Stenhouse, J.H.** (1922). On the dark phase of the young of the Starling. *Scottish Naturalist,* **1922**: 145-146.
Class: Bird
Area: Gen FO

2790 **Watson R.M.** (1922). Nesting of Slavonian Grebe in Scotland. *Scottish Naturalist,* **1922**: 146.
Class: Bird
Area: MO

2791 **Meinertzhagen, A.C. and Meinertzhagen, R.** (1922). Curlew Sandpiper and Ortolan Bunting in Ross-shire. *Scottish Naturalist,* **1922**: 165.
Class: Bird
Area: MO

2792 **Editorial note.** (1922). Buzzards, Ravens, etc., in Perthshire. *Scottish Naturalist,* **1922**: 165.
Class: Bird
Area: TA

2793 **Maxwell, H.** (1922). Food of the Goldfinch (*Carduelis elegans*). *Scottish Naturalist,* **1922**: 173-174.
Class: Bird
Area: Gen SO

2794 **Russell, W.M.** (1922). Great Snipe in Kirkcudbrightshire. *Scottish Naturalist,* **1922**: 174.
Class: Bird
Area: SO

2795 **Robertson, J.** (1922). Garganey in Dumbartonshire. *Scottish Naturalist,* **1922**: 174.
Class: Bird
Area: CL

2796 **Thomson, S.M.** (1922). Greenshank in Linlithgowshire. *Scottish Naturalist,* **1922**: 174.
Class: Bird
Area: FO

2797 **Editorial note.** (1922). Greenshank in Linlithgowshire. *Scottish Naturalist,* **1922**: 174.
Class: Bird
Area: FO

2798 **McConachie, W.** (1922). The Raven in the Lammermoors. *Scottish Naturalist,* **1922**: 191-192.
Class: Bird
Area: TW

2799 **Editorial comment.** (1923). The open winter and animal life. *Scottish Naturalist,* **1923**: 1-3.
Class: Bird
Area: Gen

2800 **Buchanan, M.G.** (1923). Spread of Great Spotted Woodpecker in Argyllshire. *Scottish Naturalist,* **1923**: 4.
Class: Bird
Area: CL

2801 **Editorial note.** (1923). Spread of Great Spotted Woodpecker in Argyllshire. *Scottish Naturalist,* **1923**: 4.
Class: Bird
Area: CL

2802 **Bedford, Duchess of** (1923). Grey Phalarope in Wigtownshire. *Scottish Naturalist,* **1923**: 4.
Class: Bird
Area: SO

2803 **McIntosh, W.C.** (1923). A century of zoology in Edinburgh. *Scottish Naturalist,* **1923**: 5-13, 37-46.
Class: Mamm Bird Rept Amph Fish
Area: Gen FO

2804 **Rintoul, L.J.** (1923). Yellow-browed Warbler in east Fife. *Scottish Naturalist,* **1923**: 14.
Class: Bird
Area: FO

2805 **Scott, G.G.** (1923). Whooper Swan in Edinburgh. *Scottish Naturalist,* **1923**: 14.
Class: Bird
Area: FO

2806 **Editorial note.** (1923). Seagull over thirty years of age. *Scottish Naturalist,* **1923**: 14.
Class: Bird
Area: Gen FO

2807 **Ritchie, J.** (1923). Migration in the sea. *Scottish Naturalist,* **1923**: 15-17.
Class: Fish
Area: Gen DE MO CS OR SH

2808 **Wilson, R.W.S.** (1923). Garganey in Lanarkshire. *Scottish Naturalist,* **1923**: 17.
Class: Bird
Area: CL

2809 **Rintoul, L.J. and Baxter, E.V.** (1923). Birds singing on autumn migration. *Scottish Naturalist,* **1923**: 17.
Class: Bird
Area: Gen FO

2810 **Tait, T.** (1923). Gudgeon (*Gobio fluviatilis*) in Don. *Scottish Naturalist,* **1923**: 18.
Class: Fish
Area: DE

2811 **Ritchie, J.** (1923). [Gudgeon (*Gobio fluviatilis*) in Don]. *Scottish Naturalist,* **1923**: 18.
Class: Fish
Area: DE

2812 **Meinertzhagen, A.C.** (1923). The sub-species of the Dunlin. *Scottish Naturalist,* **1923**: 21-22, 95.
Class: Bird
Area: Gen FI

2813 **Gillespie, T.H.** (1923). Notes from The Scottish Zoological Park. *Scottish Naturalist,* **1923**: 30-32, 98-100, 165-168, 194-195.
Class: Mamm Bird
Area: Gen

2814 **Editorial comment.** (1923). The winter whiteness of the Stoat. *Scottish Naturalist,* **1923**: 33-35.
Class: Mamm
Area: Gen

2815 **McWilliam, J.M.** (1923). The open winter and early nesting - young Starlings in December. *Scottish Naturalist,* **1923**: 46.
Class: Bird
Area: CL

2816 **Bartholomew, J.** (1923). The open winter and early nesting - young Wood-Pigeons in February. *Scottish Naturalist,* **1923**: 46.
Class: Bird
Area: CL

2817 **McWilliam, J.M.** (1923). Notes on some of the birds of Buteshire and Ayrshire. *Scottish Naturalist,* **1923**: 47-53.
Class: Bird
Area: CL

2818 **Bartholomew, J.** (1923). A well-stocked Mouse nursery. *Scottish Naturalist,* **1923**: 53.
Class: Mamm
Area: CL

2819 **Editorial note.** (1923). A well-stocked Mouse nursery. *Scottish Naturalist,* **1923**: 53.
Class: Mamm
Area: Gen

2820 **Jourdain, F.C.R.** (1923). Supposed breeding of the Blue-headed Wagtail in Scotland. *Scottish Naturalist,* **1923**: 53.
Class: Bird
Area: Gen TA

2821 **Gladstone, H.S.** (1923). Blackgame damaging young Larch. *Scottish Naturalist,* **1923**: 54.
Class: Bird
Area: Gen SO

2822 **Baxter, E.V. and Rintoul, L.J.** (1923). Report on Scottish ornithology in 1922, including migration. *Scottish Naturalist,* **1923**: 65-84, 101-122.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2823 **Smith, J.N.D.** (1923). Glandular secretion in the Golden Plover. *Scottish Naturalist,* **1923**: 85.
Class: Bird
Area: Gen TA

2824 **Johnston, N.M.** (1923). Some rookeries in Fifeshire. *Scottish Naturalist,* **1923**: 86.
Class: Bird
Area: FO

2825 **Ritchie, J.** (1923). Spread of American Grey Squirrel in Scotland. *Scottish Naturalist,* **1923**: 93-94.
Class: Mamm
Area: Gen CL FO

2826 **Learmonth, W.** (1923). Hoopoe in Kirkcudbright. *Scottish Naturalist,* **1923**: 94.
Class: Bird
Area: SO

2827 **Nash, J.K.** (1923). Hoopoe in Midlothian. *Scottish Naturalist,* **1923**: 94-94.
Class: Bird
Area: FO

2828 **Meinertzhagen, A.C.** (1923). The sub-species of the Dunlin. *Scottish Naturalist,* **1923**: [21-22], 95.
Class: Bird
Area: Gen FI

2829 **Editorial note.** (1923). The British Common Guillemot. A new sub-species. *Scottish Naturalist,* **1923**: 122.
Class: Bird
Area: Gen

2830 **Meinertzhagen, A.C. and Meinertzhagen, R** (1923). On the occurrence of the Faröe Snipe in the British Isles. *Scottish Naturalist,* **1923**: 123.
Class: Bird
Area: Gen IH SK

2831 **Ritchie, J.** (1923). Winter example of black variety of Mountain Hare. *Scottish Naturalist,* **1923**: 124.
Class: Mamm
Area: Gen CS

2832 **Douglas, W.C.** (1923). Pheasant nesting in tree. *Scottish Naturalist,* **1923**: 124.
Class: Bird
Area: Gen TA

2833 **Maxwell, J.S.** (1923). Abnormal growth of hoofs in Red Deer. *Scottish Naturalist,* **1923**: 132.
Class: Mamm
Area: Gen MO

2834 **Ritchie, J.** (1923). [Abnormal growth of hoofs in Red Deer]. *Scottish Naturalist,* **1923**: 132.
Class: Mamm
Area: Gen

2835 **Gowan, J.** (1923). Turtle Dove in Banffshire. *Scottish Naturalist,* **1923**: 132.
Class: Bird
Area: DE

2836 **Ritchie, J.** (1923). [Increase in number of Turtle Doves seen in Scotland]. *Scottish Naturalist,* **1923**: 132.
Class: Bird
Area: Gen

2837 **Simpson, J.R.** (1923). Pied Flycatcher in Selkirkshire. *Scottish Naturalist,* **1923**: 133.
Class: Bird
Area: TW

2838 **Ritchie, J.** (1923). Müller's Topknot, *Zeugopterus punctatus*, off Shetland. *Scottish Naturalist,* **1923**: 133.
Class: Fish
Area: SH

2839 **Rintoul, L.J. and Baxter, E.V.** (1923). Scandinavian Lesser Black-backed Gull on spring passage at the Isle of May. *Scottish Naturalist,* **1923**: 134.
Class: Bird
Area: FO

2840 **Bain, J.** (1923). Manx Shearwaters at the lantern at Hyskeir. *Scottish Naturalist,* **1923**: 134.
Class: Bird
Area: IH

2841 **Craw, J.H.** (1923). Great-spotted Woodpecker in north Perthshire. *Scottish Naturalist,* **1923**: 134.
Class: Bird
Area: TA

2842 **Robinson, H.W.** (1923). Little Stints in Orkney. *Scottish Naturalist,* **1923**: 134.
Class: Bird
Area: OR

2843 **Hamilton, D.** (1923). Early arrival and late stay of Swifts. *Scottish Naturalist,* **1923**: 139.
Class: Bird
Area: Gen FO

2844 **Gill, E.L.** (1923). Late stay of Swifts near Edinburgh. *Scottish Naturalist,* **1923**: 139.
Class: Bird
Area: Gen FO

2845 **Gordon, S.** (1923). Late Swift in Inverness-shire. *Scottish Naturalist,* **1923**: 140.
Class: Bird
Area: MO

2846 **Jack, J.** (1923). Hoopoe in Lanarkshire. *Scottish Naturalist,* **1923**: 140.
Class: Bird
Area: CL

2847 **Hunter, D.J.** (1923). Nesting of Great Spotted Woodpecker in Forfarshire. *Scottish Naturalist,* **1923**: 140.
Class: Bird
Area: TA

2848 **Stewart, W.** (1923). The Rook in Lanarkshire. *Scottish Naturalist,* **1923**: 141-146.
Class: Bird
Area: CL

2849 **Evans, W.** (1923). The Eider Duck (*Somateria mollissima*) in the "Forth Area". *Scottish Naturalist,* **1923**: 147-152.
Class: Bird
Area: FO

2850 **Hamilton, D.** (1923). Goldfinch in Midlothian. *Scottish Naturalist,* **1923**: 152.
Class: Bird
Area: FO

2851 **Beveridge, G.** (1923). Ruff in North Uist. *Scottish Naturalist,* **1923**: 152.
Class: Bird
Area: OH

2852 **Gill, E.L.** (1923). Chiffchaff in Argyllshire. *Scottish Naturalist,* **1923**: 152.
Class: Bird
Area: CL

2853 **Clarke, W.E.** (1923). Little Stints in Orkney in winter. *Scottish Naturalist,* **1923**: 162.
Class: Bird
Area: OR

2854 **Marwick, J.G.** (1923). Albino Brown Rats in Orkney. *Scottish Naturalist,* **1923**: 172.
Class: Mamm
Area: OR

2855 **Editorial note.** (1923). [Albino Brown Rats in Orkney]. *Scottish Naturalist,* **1923**: 172.
Class: Mamm
Area: Gen OR

2856 **Maxwell, H.** (1923). Wild-fowl visitors to Loch of Myrtoun, Wigtownshire. *Scottish Naturalist,* **1923**: 172.
Class: Bird
Area: SO

2857 **Stenhouse, J.H.** (1923). Bird notes from Fair Isle, 1923. *Scottish Naturalist,* **1923**: 173-174.
Class: Bird
Area: FI

2858 **Hughes-Onslow, G.** (1923). Red-breasted Merganser in Ayrshire. *Scottish Naturalist,* **1923**: 174.
Class: Bird
Area: CL

2859 **Stables, A.** (1923). Great Crested and Red-necked Grebes in Moray. *Scottish Naturalist,* **1923**: 174.
Class: Bird
Area: MO

2860 **Hunter, D.G.** (1923). Curious nesting habit of Moorhens. *Scottish Naturalist,* **1923**: 175-176.
Class: Bird
Area: Gen TA

2861 **Robinson, H.W.** (1923). Stints in Orkney. *Scottish Naturalist,* **1923**: 176.
Class: Bird
Area: OR

2862 **Baxter, E.V. and Rintoul, L.J.** (1923-24). The spread and distribution of the Woodcock as a breeding bird in Scotland since the beginning of the nineteenth century. *Scottish Naturalist,* **1923**: 177-183, **1924**: 13-20, 47-51.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH OR SH

2863 **McCrindle, J.** (1923). Black-backed Gull and Black Guillemot in Ayrshire. *Scottish Naturalist,* **1923**: 184.
Class: Bird
Area: CL

2864 **Stables, A.** (1923). Increase of Goldcrests and Long-tailed Tits in Moray. *Scottish Naturalist,* **1923**: 184.
Class: Bird
Area: MO

2865 **Ingles, W.M.** (1923). Tunny in Firth of Forth. *Scottish Naturalist,* **1923**: 192.
Class: Fish
Area: FO

2866 **Editorial note.** (1923). [Scottish records of the Tunny]. *Scottish Naturalist,* **1923**: 192.
Class: Fish
Area: Gen

2867 **Berry, J.** (1924). Combat between Heron and black Water-Vole. *Scottish Naturalist,* **1924**: 4.
Class: Mamm Bird
Area: Gen TA

2868 **Editorial note.** (1924). [Black Water-Vole in Fife]. *Scottish Naturalist,* **1924**: 4.
Class: Mamm
Area: Gen TA

2869 **Clarke, W.E. and Stenhouse, J.H.** (1924). Coues' Redpoll and Eastern Lesser Whitethroat at Fair Isle. *Scottish Naturalist,* **1924**: 4.
Class: Bird
Area: FI

2870 **McWilliam, J.M.** (1924). The roosting habits of the Rooks of Bute. *Scottish Naturalist,* **1924**: 5-7.
Class: Bird
Area: CL

2871 **Blair, H.M.S.** (1924). Iceland Gull on the Argyll coast in summer. *Scottish Naturalist,* **1924**: 8.
Class: Bird
Area: AG

2872 **Stables, A.** (1924). Pratincole in Morayshire. *Scottish Naturalist,* **1924**: 8.
Class: Bird
Area: MO

2873 **Bartholomew, J.** (1924). Colours of Grey Lag-Geese. *Scottish Naturalist,* **1924**: 8.
Class: Bird
Area: Gen TA

2874 **Clarke, W.E.** (1924). The Lesser Snow-Goose in the Outer Hebrides. *Scottish Naturalist,* **1924**: 9.
Class: Bird
Area: OH

2875 **Nicolson, A.J.** (1924). Great Snipe in Shetland. *Scottish Naturalist,* **1924**: 10.
Class: Bird
Area: SH

2876 **Editorial note.** (1924). Great Snipe from Fair Isle. *Scottish Naturalist,* **1924**: 10.
Class: Bird
Area: FI

2877 **Campbell, B.** (1924). Nesting of the Great Spotted Woodpecker in Linlithgowshire and in Inverness-shire. *Scottish Naturalist,* **1924**: 10.
Class: Bird
Area: FO MO

2878 **Editorial note.** (1924). Partial migration of Grouse. *Scottish Naturalist,* **1924**: 10.
Class: Bird
Area: Gen AG

2879 **Evans, W.** (1924). A naturalist's notes on the Old Redford or Bavelaw Wood. *Scottish Naturalist,* **1924**: 11-12.
Class: Bird
Area: FO

2880 **Beveridge, G.** (1924). White-fronted Geese in North Uist. *Scottish Naturalist,* **1924**: 28.
Class: Bird
Area: OH

2881 **Clarke, W.E.** (1924). Immature White-fronted Geese in North Uist and the Firth of Forth. *Scottish Naturalist,* **1924**: 28.
Class: Bird
Area: FO OH

2882 **Campbell, B.** (1924). Goldfinches in Perthshire. *Scottish Naturalist,* **1924**: 28.
Class: Bird
Area: TA

2883 **Gillespie, T.H.** (1924). Notes from The Scottish Zoological Park. *Scottish Naturalist,* **1924**: 31-32, 63-64, 191-195.
Class: Bird
Area: Gen

2884 **Editorial comment.** (1924). Shall the Bittern be allowed to recolonise Scotland? *Scottish Naturalist,* **1924**: 33-34.
Class: Bird
Area: Gen

2885 **Lindsay, Lord.** (1924). Bean Geese in south Fife. *Scottish Naturalist,* **1924**: 35.
Class: Bird
Area: FO

2886 **Rintoul, L.J. and Baxter, E.V.** (1924). Northern Golden Plover in Scotland. *Scottish Naturalist,* **1924**: 35-36.
Class: Bird
Area: FO

2887 **MacKeith, T.T.** (1924). Weasel killed by Barn Owl; and note on the hatching of young Barn Owls. *Scottish Naturalist,* **1924**: 36.
Class: Mamm Bird
Area: CL

2888 **Stables, A.** (1924). Extensive immigration of Wood-Pigeons. *Scottish Naturalist,* **1924**: 36.
Class: Bird
Area: MO

2889 **White, A.** (1924). Recovery of ringed Woodcock. *Scottish Naturalist,* **1924**: 36.
Class: Bird
Area: TW

2890 **Wild, O.H.** (1924). Glaucous Gull in East Lothian. *Scottish Naturalist,* **1924**: 36.
Class: Bird
Area: FO

2891 **Ritchie, J.** (1924). Observations on a Pilot Whale stranded in the Firth of Forth. *Scottish Naturalist,* **1924**: 37-43.
Class: Mamm
Area: FO

2892 **Bell, J.P.F.** (1924). The Bittern in Berwickshire and East Lothian. *Scottish Naturalist,* **1924**: 43-44.
Class: Bird
Area: TW FO

2893 **Gladstone, H.S.** (1924). Bittern and Smew in Kirkcudbright. *Scottish Naturalist,* **1924**: 44.
Class: Bird
Area: SO

2894 **Russell, W.M.** (1924). Bittern in Kirkcudbright. *Scottish Naturalist,* **1924**: 44.
Class: Bird
Area: SO

2895 **Meikle, K.W.** (1924). Bittern in Ayrshire. *Scottish Naturalist,* **1924**: 44.
Class: Bird
Area: CL

2896 **Meinertzhagen, R.** (1924). A note on the Hedge Sparrows (*Accentor modularis*) of the British Islands. *Scottish Naturalist,* **1924**: 45-46.
Class: Bird
Area: Gen OH

2897 **Jamieson, H.** (1924). Breeding of Sandwich Tern in Shetland. *Scottish Naturalist,* **1924**: 52.
Class: Bird
Area: SH

2898 **Editorial note.** (1924). Orkney and Shetland local name for terns. *Scottish Naturalist,* **1924**: 52.
Class: Bird
Area: OR SH

2899 **MacKeith, T.T.** (1924). The Hawfinch in Renfrewshire. *Scottish Naturalist,* **1924**: 52.
Class: Bird
Area: CL

2900 **Malloch, T.** (1924). Smew in Renfrewshire. *Scottish Naturalist,* **1924**: 52.
Class: Bird
Area: CL

2901 **Laing, D.** (1924). Curious capture by Halibut. *Scottish Naturalist,* **1924**: 60.
Class: Fish
Area: Gen CS

2902 **Editorial note.** (1924). [Curious capture by Halibut]. *Scottish Naturalist,* **1924**: 60.
Class: Fish
Area: Gen

2903 **Editorial comment.** (1924). The egg-laying vagaries of birds - a problem for the field-naturalist. *Scottish Naturalist,* **1924**: 65-67.
Class: Bird
Area: Gen

2904 **Editorial comment.** (1924). The preservation of the Wild Cat. *Scottish Naturalist,* **1924**: 67.
Class: Mamm
Area: Gen

2905 **Editorial comment.** (1924). The protection of Lapwings' eggs. *Scottish Naturalist,* **1924**: 67.
Class: Bird
Area: Gen

2906 **Gladstone, J.R.** (1924). Unusual litter of Foxes. *Scottish Naturalist,* **1924**: 68.
Class: Mamm
Area: Gen TA

2907 **Badger, C.W.** (1924). Buff-coloured Common Hare. *Scottish Naturalist,* **1924**: 68.
Class: Mamm
Area: Gen FO

2908 **Editorial note.** (1924). [Buff-coloured Common Hare]. *Scottish Naturalist,* **1924**: 68.
Class: Mamm
Area: Gen

2909 **Stewart, W.** (1924-25). Roosting habits of Lanarkshire Rooks. *Scottish Naturalist,* **1924**: 69-74; **1925**: 23-24.
Class: Bird
Area: CL

2910 **Ritchie, J.** (1924). White-beaked Dolphin in Firth of Forth. *Scottish Naturalist,* **1924**: 75.
Class: Mamm
Area: FO

2911 **Rintoul, L.J. and Baxter, E.V.** (1924). Wood-Lark in east Fife. *Scottish Naturalist,* **1924**: 75-76.
Class: Bird
Area: FO

2912 **Wauchope, D.A.** (1924). Black Redstart in Midlothian. *Scottish Naturalist,* **1924**: 76.
Class: Bird
Area: FO

2913 **Bell, J.P.F.** (1924). The Little Owl in Berwickshire. *Scottish Naturalist,* **1924**: 76.
Class: Bird
Area: TW

2914 **Editorial note.** (1924). [Extension of range of Little Owl]. *Scottish Naturalist,* **1924**: 76.
Class: Bird
Area: Gen TW FO TA

2915 **Nash, J.K.** (1924). Observations on the Swift. *Scottish Naturalist,* **1924**: 77-83.
Class: Bird
Area: Gen FO

2916 **Ritchie, J.** (1924). Swallow's nest on branch of tree. *Scottish Naturalist,* **1924**: 83-84.
Class: Bird
Area: Gen

2917 **Bedford, Duchess of** (1924). Alpine Swifts in Wigtownshire. *Scottish Naturalist,* **1924**: 84.
Class: Bird
Area: SO

2918 **Gladstone, H.S.** (1924). Great Bustard in the Orkney Islands. *Scottish Naturalist,* **1924**: 89.
Class: Bird
Area: OR

2919 **Laidlaw, T.G.** (1924). Alleged Scottish record of Green Woodpecker. *Scottish Naturalist,* **1924**: 89.
Class: Bird
Area: TW

2920 **Ingles, W.M.** (1924). Hag-fish in Firth of Forth. *Scottish Naturalist,* **1924**: 89.
Class: Fish
Area: FO

2921 **Editorial note.** (1924). [Hag-fish in Firth of Forth]. *Scottish Naturalist,* **1924**: 89.
Class: Fish
Area: Gen FO

2922 **Watson, W.G.** (1924). Record of a migrant rush at Holy Island, Northumberland, between 8th and 11th November 1923. *Scottish Naturalist,* **1924**: 89-91.
Class: Bird
Area: Gen

2923 **Stenhouse, J.H.** (1924). Notes on rare land birds from Tristan d'Acunha in the Royal Scottish Museum. *Scottish Naturalist,* **1924**: 93-96.
Class: Bird
Area: Gen

2924 **Editorial note.** (1924). Age of Common Gull. *Scottish Naturalist,* **1924**: 96.
Class: Bird
Area: Gen

2925 **Editorial comment.** (1924). Protection required for the Wild Cat. *Scottish Naturalist,* **1924**: 97-98.
Class: Mamm
Area: Gen

2926 **Ritchie, J.** (1924). The Loggerhead Turtle in Scotland. *Scottish Naturalist,* **1924**: 99-103, 165.
Class: Rept
Area: CL DE IH

2927 **Rintoul, L.J. and Baxter, E.V.** (1924). Report on Scottish ornithology in 1923. *Scottish Naturalist,* **1924**: 105-120, 137-161.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2928 **Rintoul, L.J. and Baxter, E.V.** (1924). A third record for Britain of the Subalpine Warbler. *Scottish Naturalist,* **1924**: 126.
Class: Bird
Area: FO

2929 **Gordon, S.** (1924). Late migration of Swifts. *Scottish Naturalist,* **1924**: 126.
Class: Bird
Area: Gen MO

2930 **McWilliam, J.M.** (1924). Great Black-backed Gull breeding in Buteshire. *Scottish Naturalist,* **1924**: 126.
Class: Bird
Area: CL

2931 **McWilliam, J.M.** (1924). Great Black-backed Gull nesting in Clyde area. *Scottish Naturalist,* **1924**: 126.
Class: Bird
Area: CL

2932 **Gordon, S.** (1924). Greenshank breeding in Aberdeenshire. *Scottish Naturalist,* **1924**: 126.
Class: Bird
Area: DE

2933 **Ritchie, J.** (1924). Willow-Wren building in tree in Perthshire. *Scottish Naturalist,* **1924**: 127.
Class: Bird
Area: Gen TA

2934 **Bartholomew, J.** (1924). Colour-variety of Rook. *Scottish Naturalist,* **1924**: 127.
Class: Bird
Area: Gen CL

2935 **Editorial note.** (1924). [Colour-variety of Rook]. *Scottish Naturalist,* **1924**: 127.
Class: Bird
Area: Gen

2936 **Gordon, S.** (1924). Abnormally shaped Ptarmigan's eggs. *Scottish Naturalist,* **1924**: 127.
Class: Bird
Area: Gen MO

2937 **Editorial note.** (1924). [Abnormally shaped Ptarmigan's eggs]. *Scottish Naturalist,* **1924**: 127.
Class: Bird
Area: Gen

2938 **Editorial comment.** (1924). The tyranny of names. *Scottish Naturalist,* **1924**: 129-130.
Class: Mamm Bird Rept
Area: Gen

2939 **Meinertzhagen, R.** (1924). A note on Scottish Wrens (*Troglodytes*), with characteristics of a newly defined Hebridean race. *Scottish Naturalist,* **1924**: 135.
Class: Bird
Area: Gen OH

2940 **Hamilton, D.** (1924). Rooks removing nests. *Scottish Naturalist,* **1924**: 135-136.
Class: Bird
Area: Gen FO

2941 **Ritchie, J.P.** (1924). Sandwich Tern breeding on the Clyde. *Scottish Naturalist,* **1924**: 136.
Class: Bird
Area: CL

2942 **Gladstone, H.S.** (1924). Slaughter of Bitterns in Solway area. *Scottish Naturalist,* **1924**: 136.
Class: Bird
Area: SO

2943 **McWilliam, J.M.** (1924). Nesting of the Wigeon on Bute. *Scottish Naturalist,* **1924**: 162.
Class: Bird
Area: CL

2944 **Connell, C.G.** (1924). Late nesting of Coot in Midlothian. *Scottish Naturalist,* **1924**: 162, 188.
Class: Bird
Area: Gen FO

2945 **Gladstone, H.S.** (1924). Return of Curlews to same breeding area. *Scottish Naturalist,* **1924**: 162.
Class: Bird
Area: Gen SO

2946 **Gladstone, H.S.** (1924). Hoopoe in shipyard near Glasgow. *Scottish Naturalist,* **1924**: 162.
Class: Bird
Area: CL

2947 **Hamilton, D.** (1924). Iceland Gull in Midlothian. *Scottish Naturalist,* **1924**: 164.
Class: Bird
Area: FO

2948 **Ritchie, J.P.** (1924). Breeding of Black-headed Gull on Little Cumbraes. *Scottish Naturalist,* **1924**: 164.
Class: Bird
Area: CL

2949 **McWilliam, J.M.** (1924). Breeding of Eider in the Clyde area. *Scottish Naturalist,* **1924**: 165.
Class: Bird
Area: CL

2950 **Ritchie, J.** (1924). Occurrences of Loggerhead Turtle in Scotland. *Scottish Naturalist,* **1924**: 165.
Class: Rept
Area: OH

2951 **Stenhouse, J.H.** (1924). Late appearance of a House Martin. *Scottish Naturalist,* **1924**: 172.
Class: Bird
Area: Gen FO

2952 **Gladstone, H.S.** (1924). The Great Bustard in Scotland. *Scottish Naturalist,* **1924**: 173-183.
Class: Bird
Area: Gen SO TW CL FO TA MO CS OR

2953 **Greenaway, W.H** (1924). Cinnamon-coloured Sparrow. *Scottish Naturalist,* **1924**: 183.
Class: Bird
Area: Gen SH

2954 **Maxwell, H.** (1924). Pheasants and Lilies. *Scottish Naturalist,* **1924**: 183-184.
Class: Bird
Area: Gen

2955 **Leslie, R.** (1924). Black Redstart in Inner Hebrides. *Scottish Naturalist,* **1924**: 184.
Class: Bird
Area: IH

2956 **Robinson, H.W.** (1924). Swimming of Redshanks. *Scottish Naturalist,* **1924**: 184.
Class: Bird
Area: Gen

2957 **Robinson, H.W.** (1924). Iceland Gulls in East Lothian. *Scottish Naturalist,* **1924**: 184.
Class: Bird
Area: FO

2958 **Beaton, J.** (1924). Albino example of Shag or Scart. *Scottish Naturalist,* **1924**: 189.
Class: Bird
Area: Gen OH

2959 **Editorial note.** (1924). [Albino example of Shag or Scart]. *Scottish Naturalist,* **1924**: 189.
Class: Bird
Area: Gen

2960 **Editorial comment.** (1925). The early spring. *Scottish Naturalist,* **1925**: 1-2.
Class: Bird
Area: Gen FO

2961 **Editorial comment.** (1925). Eagle eccentricities. *Scottish Naturalist,* **1925**: 2-3.
Class: Bird
Area: Gen TA DE CS IH OH

2962 **Calderwood, W.L.** (1925). Malformed Salmon. *Scottish Naturalist,* **1925**: 4.
Class: Fish
Area: Gen CS

2963 **Valpy, E.** (1925). Pine Marten in Argyllshire. *Scottish Naturalist,* **1925**: 4.
Class: Mamm
Area: AG

2964 **Evans, W.** (1925). The Starling (*Sturnus vulgaris*) in the Forth area. *Scottish Naturalist,* **1925**: 5-10.
Class: Bird
Area: FO

2965 **Menzies, W.J.M.** (1925). Bull-headed Sea-Trout in Don. *Scottish Naturalist,* **1925**: 10.
Class: Fish
Area: Gen DE

2966 **Stenhouse, J.H.** (1925). Wilson's Snipe in South Uist: a new British bird. *Scottish Naturalist,* **1925**: 11-12.
Class: Bird
Area: OH

2967 **Gladstone, H.S.** (1925). Cat swimming a river. *Scottish Naturalist,* **1925**: 12.
Class: Mamm
Area: Gen FO

2968 **Connell, C.G.** (1925). Red-crested Pochard (*Netta rufina*, Pallas), a rare Scottish immigrant, in Midlothian. *Scottish Naturalist,* **1925**: 21-22.
Class: Bird
Area: FO

2969 **Hunter, D.G.** (1925). Late occurrence of the Lesser Tern in Forfarshire. *Scottish Naturalist,* **1925**: 22.
Class: Bird
Area: Gen TA

2970 **Hamilton, D. and Nash, J.K.** (1925). Rare Gulls in West Lothian. *Scottish Naturalist,* **1925**: 22-23.
Class: Bird
Area: FO

2971 **Hunter, D.G.** (1925). The Little Gull in Forfarshire. *Scottish Naturalist,* **1925**: 23.
Class: Bird
Area: TA

2972 **Hamilton, D. and Nash, J.K.** (1925). Flocks of Tree Sparrows in Edinburgh district. *Scottish Naturalist,* **1925**: 23.
Class: Bird
Area: FO

2973 **Wilson, J.** (1925). Cinnamon variety of Redwing. *Scottish Naturalist,* **1925**: 25.
Class: Bird
Area: Gen FI

2974 **Gillespie, T.H.** (1925). Notes from The Scottish Zoological Park. *Scottish Naturalist,* **1925**: 29-32, 153-157.
Class: Bird
Area: Gen

2975 **Editorial comment.** (1925). Sunspots and animal plagues. *Scottish Naturalist,* **1925**: 33-36.
Class: Mamm
Area: Gen

2976 **Editorial note.** (1925). Scottish Branch of the Royal Society for the Protection of Birds. *Scottish Naturalist,* **1925**: 36.
Class: Bird
Area: Gen

2977 **Maxwell, H.** (1925). Bold birds and shy ones. *Scottish Naturalist,* **1925**: 37-38.
Class: Bird
Area: Gen SO

2978 **Nash, J.K.** (1925). The Hawfinch in Scotland. *Scottish Naturalist,* **1925**: 39-45.
Class: Bird
Area: Gen SO TW CL FO TA CS IH FI

2979 **Gunnis. F.G.** (1925). Golden Eagle and Fox. *Scottish Naturalist,* **1925**: 46.
Class: Mamm Bird
Area: Gen CS

2980 **Stewart, W.** (1925). Crested Tit in Lanarkshire. *Scottish Naturalist,* **1925**: 46.
Class: Bird
Area: CL

2981 **Ritchie, J.** (1925). Increase of the Mountain Hare in the Scottish Lowlands. *Scottish Naturalist,* **1925**: 47-48.
Class: Mamm
Area: Gen SO TW CL FO

2982 **Berry, W.** (1925). Generic habit exhibited by "domesticated" Mandarin Duck. *Scottish Naturalist,* **1925**: 56-57.
Class: Bird
Area: Gen TA

2983 **Robinson, H.W.** (1925). Albino Shags in Orkney and Shetland. *Scottish Naturalist,* **1925**: 57.
Class: Bird
Area: OR SH

2984 **Ewart, R.N.T.** (1925). Smew in Forfarshire. *Scottish Naturalist,* **1925**: 57.
Class: Bird
Area: TA

2985 **Chatterton, J.M.** (1925). Land Rail in Orkney in winter *Scottish Naturalist,* **1925**: 57-58.
Class: Bird
Area: Gen OR

2986 **Stenhouse, J.H.** (1925). Faroese Snipe at Fair Isle. *Scottish Naturalist,* **1925**: 58.
Class: Bird
Area: FI

2987 **Gunnis, F.G.** (1925). Grouse, Weasel and Sparrow-Hawk. *Scottish Naturalist,* **1925**: 58.
Class: Mamm Bird
Area: Gen CS

2988 **Beveridge, G.** (1925). Bean Geese in North Uist. *Scottish Naturalist,* **1925**: 58.
Class: Bird
Area: OH

2989 **Editorial comment.** (1925). Whales stranded in Scotland in 1923 and 1924. *Scottish Naturalist,* **1925**: 59.
Class: Mamm
Area: Gen FO TA CS OH SH

2990 **Editorial note.** (1925). The food of the Herring's food. *Scottish Naturalist,* **1925**: 59.
Class: Fish
Area: Gen

2991 **Editorial comment.** (1925). Wanted - A "Nature Monuments Commission". *Scottish Naturalist,* **1925**: 65-67.
Class: Mamm Bird
Area: Gen

2992 **Editorial comment.** (1925). [Mammals of the Lammermoors]. *Scottish Naturalist,* **1925**: 67.
Class: Mamm
Area: TW

2993 **Aikman, J.** (1925). Albino Brown Rats in Kirkcudbrightshire. *Scottish Naturalist,* **1925**: 68.
Class: Mamm
Area: Gen SO

2994 **Editorial note.** (1925). [Albino Brown Rats in Kirkcudbrightshire]. *Scottish Naturalist,* **1925**: 68.
Class: Mamm
Area: SO

2995 **Hamilton, D. and Nash, J.K.** (1925). The Ruddy Sheld-Duck at Duddingston Loch. *Scottish Naturalist,* **1925**: 68.
Class: Bird
Area: FO

2996 **Grimshaw, P.H.** (1925). The food of the Ptarmigan. *Scottish Naturalist,* **1925**: 69-70.
Class: Bird
Area: Gen NW

2997 **Wild, O.H.** (1925). Observations on sea-birds and oil. *Scottish Naturalist,* **1925**: 71-72.
Class: Bird
Area: Gen FO

2998 **Baxter, E.V. and Rintoul, L.J.** (1925). Report on Scottish ornithology in 1924. *Scottish Naturalist,* **1925**: 73-88, 109-130.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OL OR SH FI

2999 **Hughes-Onslow, J** (1925). Polygamy amongst Sparrow-Hawks. *Scottish Naturalist,* **1925**: 95.
Class: Bird
Area: Gen CL

3000 **McWilliam, J.M.** (1925). Increase of Eider Ducks in Firth of Clyde. *Scottish Naturalist,* **1925**: 95-96.
Class: Bird
Area: Gen CL

3001 **Gladstone, H.S.** (1925). Pugnacity of the Redbreast. *Scottish Naturalist,* **1925**: 96.
Class: Bird
Area: Gen SO

3002 **Tait, R.L.** (1925). Golden Oriole in Kirkcudbrightshire *Scottish Naturalist,* **1925**: 100.
Class: Bird
Area: SO

3003 **Stenhouse, J.H.** (1925). Mixed plumages in a brood of hybrid Crows. *Scottish Naturalist,* **1925**: 101-105.
Class: Bird
Area: Gen TA

3004 **Stewart, W** (1925). Black-headed Wagtail - first recorded appearance in Scotland. *Scottish Naturalist,* **1925**: 107.
Class: Bird
Area: SO

3005 **Editorial note.** (1925). Greenshank nesting in Scottish Lowlands. *Scottish Naturalist,* **1925**: 107.
Class: Bird
Area: Gen TW

3006 **Stephen, A.C.** (1925). Red Grouse eggs of unusual colour. *Scottish Naturalist,* **1925**: 107.
Class: Bird
Area: Gen TA

3007 **Simpson, J.R.** (1925). Stock Dove's nest under a bridge. *Scottish Naturalist,* **1925**: 108.
Class: Bird
Area: Gen TW

3008 **Gordon, S.** (1925). Birds at high altitudes on Cairngorms. *Scottish Naturalist,* **1925**: 108.
Class: Bird
Area: Gen MO

3009 **Jamieson, H.** (1925). Oystercatcher eating Tern's eggs. *Scottish Naturalist,* **1925**: 108.
Class: Bird
Area: Gen SH

3010 **Faulkner, G.H.** (1925). Amphipod crustaceans attacking Cod ovary. *Scottish Naturalist,* **1925**: 131-132.
Class: Fish
Area: Gen

3011 **Bedford, Duchess of** (1925). Habits of "domesticated" Mandarin Duck. *Scottish Naturalist,* **1925**: 132.
Class: Bird
Area: Gen

3012 **Editorial note.** (1925). Human transport and wild life. *Scottish Naturalist,* **1925**: 133-136.
Class: Bird
Area: Gen

3013 **Editorial note.** (1925). [Vertebrate fauna of Peeblesshire]. *Scottish Naturalist,* **1925**: 136.
Class: Mamm Bird Rept Amph Fish
Area: TW

3014 **Morris, D.B.** (1925). The whale remains of the Carse of Stirling. *Scottish Naturalist,* **1925**: 137-140.
Class: Mamm
Area: FO

3015 **Stenhouse, J.H.** (1925). The Petchora Pipit at Fair Isle: an addition to the British avifauna. *Scottish Naturalist,* **1925**: 141-142.
Class: Bird
Area: FI

3016 **Connell, C.G.** (1925). Bird life on Handa in 1925. *Scottish Naturalist,* **1925**: 143-147.
Class: Bird
Area: NW

3017 **Gordon, A.** (1925). Field Vole at great altitude in Skye. *Scottish Naturalist,* **1925**: 147.
Class: Mamm
Area: Gen NW IH

3018 **Editorial note.** (1925). Survival of Field Voles at high altitudes. *Scottish Naturalist,* **1925**: 147.
Class: Mamm
Area: Gen

3019 **Clarke, W.E.** (1925). Rose-coloured Starling in the Outer Hebrides. *Scottish Naturalist,* **1925**: 148.
Class: Bird
Area: OH

3020 **Clarke, W.E.** (1925). Snow Bunting nesting in southern Inverness-shire. *Scottish Naturalist,* **1925**: 148.
Class: Bird
Area: MO AG

3021 **Booth, H.B.** (1925). Meadow Pipit at high altitude on the Cairngorms. *Scottish Naturalist,* **1925**: 148.
Class: Bird
Area: MO

3022 **Wedderburn, F.L.S.** (1925). Pheasant eating Field Vole. *Scottish Naturalist,* **1925**: 152.
Class: Mamm Bird
Area: Gen FO

3023 **Baxter, E.V.** (1925). Starling feeding young on buds of Nipplewort. *Scottish Naturalist,* **1925**: 152.
Class: Bird
Area: Gen FO

3024 **Bain, J.** (1925). White Wagtail nesting near Oban. *Scottish Naturalist,* **1925**: 152.
Class: Bird
Area: AG

3025 **Hunter, D.G.** (1925). Nesting habits and incubation period of the Redwing. *Scottish Naturalist,* **1925**: 158.
Class: Bird
Area: Gen

3026 **Craw, J.H.** (1925). Hoopoe in Berwickshire. *Scottish Naturalist,* **1925**: 158.
Class: Bird
Area: TW

3027 **Berry, W.** (1925). Strange death of Rook. *Scottish Naturalist,* **1925**: 158.
Class: Bird
Area: Gen TA

3028 **McWilliam, J.M.** (1925). Slow-Worm on Ailsa Craig. *Scottish Naturalist,* **1925**: 159.
Class: Rept
Area: CL

3029 **Editorial comment.** (1925). Scottish wild life reserves. *Scottish Naturalist,* **1925**: 165-167.
Class: Mamm Bird
Area: Gen

3030 **Rintoul, A.J.** (1925). Pied Wagtails hatching and rearing Blackbirds. *Scottish Naturalist,* **1925**: 168.
Class: Bird
Area: Gen TW

3031 **Beveridge, F.S. and Johnson, N.M.** (1925). Black-throated Diverts on Dunfermline Loch. *Scottish Naturalist,* **1925**: 168.
Class: Bird
Area: FO

3032 **Wedderburn, C.S.** (1925). Bean Geese in the Tay area. *Scottish Naturalist,* **1925**: 168.
Class: Bird
Area: TA

3033 **Millar, W.M.C.** (1925). A Rat migration. *Scottish Naturalist,* **1925**: 169-172.
Class: Mamm
Area: Gen

3034 **Baxter, E.V.** (1925). Blue Shark in Largo bay. *Scottish Naturalist,* **1925**: 172.
Class: Fish
Area: FO

3035 **Stenhouse, J.H.** (1925). Jerdon's Reed-Warbler, *Acrocephalus agricola*, at Fair Isle; an addition to the British avifauna. *Scottish Naturalist,* **1925**: 173-174.
Class: Bird
Area: FI

3036 **Baxter, E.V. and Rintoul, L.J.** (1925). Fluctuations in breeding birds on the Isle of May. *Scottish Naturalist,* **1925**: 175-179.
Class: Bird
Area: FO

3037 **Baird, A.** (1925). Albino Mole in Berwickshire. *Scottish Naturalist,* **1925**: 179.
Class: Mamm
Area: Gen TW

3038 **Beveridge. G.** (1925). Wood Sandpiper at North Uist. *Scottish Naturalist,* **1925**: 179.
Class: Bird
Area: OH

3039 **Bedford, Duchess of** (1925). Black Redstarts in Wigtownshire. *Scottish Naturalist,* **1925**: 179.
Class: Bird
Area: SO

3040 **Rintoul, L.J. and Baxter, E.V.** (1925). Gulls and corn. *Scottish Naturalist,* **1925**: 180.
Class: Bird
Area: Gen FO TA

3041 **Kennedy, R.** (1925). Rose-coloured Starling in Perthshire. *Scottish Naturalist,* **1925**: 180.
Class: Bird
Area: TA

## MAMMALS

SCOTLAND - GENERAL
1861 1865 1886 2017 2065 2068 2108 2167 2169 2192 2433 2449
2451 2452 2466 2474 2496 2502 2515 2517 2531 2548 2549 2581
2582 2627 2664 2684 2688 2700 2701 2702 2710 2711 2738 2750
2760 2762 2774 2775 2782 2803 2813 2814 2819 2825 2831 2833
2834 2855 2867 2868 2904 2906 2907 2908 2925 2938 2967 2975
2979 2981 2987 2989 2991 2993 3017 3018 3022 3029 3033 3037

SOLWAY
1898 1916 1932 2119 2169 2183 2433 2528 2548 2711 2762 2981
2993 2994

TWEED
2068 2169 2241 2629 2720 2776 2981 2992 3013 3037

CLYDE
1874 1931 1970 1983 2120 2135 2159 2167 2169 2282 2299 2315
2502 2516 2517 2550 2553 2581 2606 2627 2775 2818 2825 2887
2981

FORTH
1865 2053 2275 2314 2433 2441 2502 2531 2551 2663 2741 2750
2803 2825 2891 2907 2910 2967 2981 2989 3014 3022

TAY
2192 2365 2433 2442 2466 2502 2627 2684 2737 2867 2868 2906
2989

DEE
2627 2702

MORAY
2019 2031 2055 2085 2133 2191 2365 2449 2465 2466 2474 2688
2710 2833

CAITHNESS AND SUTHERLAND
1861 2191 2365 2466 2502 2514 2627 2688 2710 2831 2979 2987
2989

NORTH-WEST HIGHLANDS
1954 2191 2394 2466 2502 2688 2710 2763 3017

ARGYLL
1954 1970 2159 2287 2466 2550 2606 2627 2963

INNER HEBRIDES
2287 2394 2688 3017

OUTER HEBRIDES
1861 2169 2191 2309 2364 2433 2514 2627 2688 2761 2989

ST. KILDA
1861 2169 2176 2191 2514

OUTLIERS
1886 2191 2514

ORKNEY
1861 1989 2497 2514 2627 2688 2854 2855

SHETLAND
1861 1886 2169 2514 2580 2627 2668 2688 2989

FAIR ISLE
1861 2191

## BIRDS

### SCOTLAND - GENERAL

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1865 | 1873 | 1895 | 1896 | 1899 | 1904 | 1905 | 1907 | 1915 | 1921 | 1926 | 1930 |
| 1935 | 1938 | 1943 | 1946 | 1952 | 1953 | 1955 | 1981 | 1982 | 1985 | 1988 | 1991 |
| 1997 | 2003 | 2004 | 2006 | 2008 | 2013 | 2017 | 2018 | 2020 | 2028 | 2034 | 2039 |
| 2049 | 2054 | 2088 | 2089 | 2092 | 2093 | 2094 | 2106 | 2112 | 2127 | 2155 | 2156 |
| 2158 | 2164 | 2166 | 2172 | 2185 | 2193 | 2201 | 2204 | 2214 | 2218 | 2226 | 2227 |
| 2229 | 2244 | 2252 | 2254 | 2255 | 2257 | 2261 | 2262 | 2265 | 2284 | 2288 | 2289 |
| 2290 | 2291 | 2295 | 2296 | 2300 | 2301 | 2302 | 2306 | 2308 | 2311 | 2312 | 2313 |
| 2318 | 2322 | 2323 | 2325 | 2326 | 2327 | 2328 | 2334 | 2335 | 2339 | 2341 | 2343 |
| 2344 | 2345 | 2346 | 2356 | 2357 | 2360 | 2361 | 2367 | 2369 | 2372 | 2374 | 2379 |
| 2384 | 2390 | 2396 | 2402 | 2404 | 2405 | 2406 | 2407 | 2409 | 2410 | 2413 | 2417 |
| 2418 | 2420 | 2421 | 2422 | 2424 | 2425 | 2426 | 2428 | 2429 | 2435 | 2436 | 2437 |
| 2439 | 2440 | 2445 | 2446 | 2448 | 2449 | 2456 | 2459 | 2461 | 2462 | 2464 | 2466 |
| 2467 | 2469 | 2470 | 2473 | 2475 | 2479 | 2480 | 2481 | 2487 | 2490 | 2494 | 2496 |
| 2501 | 2502 | 2505 | 2510 | 2511 | 2523 | 2527 | 2530 | 2536 | 2539 | 2541 | 2544 |
| 2547 | 2556 | 2561 | 2564 | 2566 | 2575 | 2583 | 2592 | 2594 | 2599 | 2603 | 2619 |
| 2620 | 2623 | 2630 | 2631 | 2632 | 2635 | 2639 | 2640 | 2646 | 2652 | 2665 | 2669 |
| 2677 | 2681 | 2683 | 2694 | 2697 | 2699 | 2700 | 2701 | 2715 | 2719 | 2730 | 2733 |
| 2742 | 2747 | 2748 | 2749 | 2756 | 2757 | 2758 | 2759 | 2760 | 2766 | 2771 | 2785 |
| 2789 | 2793 | 2799 | 2803 | 2806 | 2809 | 2812 | 2813 | 2820 | 2821 | 2823 | 2828 |
| 2829 | 2830 | 2832 | 2836 | 2843 | 2844 | 2860 | 2867 | 2873 | 2878 | 2883 | 2884 |
| 2896 | 2903 | 2905 | 2914 | 2915 | 2916 | 2922 | 2923 | 2924 | 2929 | 2933 | 2934 |
| 2935 | 2936 | 2937 | 2938 | 2939 | 2940 | 2944 | 2945 | 2951 | 2952 | 2953 | 2954 |
| 2956 | 2958 | 2959 | 2960 | 2961 | 2969 | 2973 | 2974 | 2976 | 2977 | 2978 | 2979 |
| 2982 | 2985 | 2987 | 2991 | 2996 | 2997 | 2999 | 3000 | 3001 | 3003 | 3005 | 3006 |
| 3007 | 3008 | 3009 | 3011 | 3012 | 3022 | 3023 | 3025 | 3027 | 3029 | 3030 | 3040 |

### SOLWAY

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1869 | 1876 | 1881 | 1890 | 1895 | 1900 | 1905 | 1911 | 1927 | 1929 | 1933 | 1934 |
| 1941 | 1947 | 1956 | 1962 | 1966 | 1974 | 1975 | 1984 | 1990 | 1996 | 2001 | 2045 |
| 2056 | 2074 | 2098 | 2111 | 2117 | 2123 | 2171 | 2179 | 2194 | 2197 | 2210 | 2213 |
| 2214 | 2228 | 2255 | 2264 | 2280 | 2283 | 2293 | 2303 | 2316 | 2317 | 2333 | 2336 |
| 2360 | 2361 | 2363 | 2378 | 2392 | 2393 | 2400 | 2404 | 2420 | 2450 | 2456 | 2479 |
| 2513 | 2527 | 2528 | 2535 | 2552 | 2562 | 2567 | 2575 | 2578 | 2590 | 2607 | 2614 |
| 2623 | 2644 | 2645 | 2657 | 2659 | 2661 | 2680 | 2686 | 2695 | 2699 | 2705 | 2706 |
| 2707 | 2708 | 2709 | 2713 | 2714 | 2722 | 2724 | 2725 | 2728 | 2777 | 2783 | 2787 |
| 2793 | 2794 | 2802 | 2821 | 2822 | 2826 | 2856 | 2862 | 2893 | 2894 | 2917 | 2927 |
| 2942 | 2945 | 2952 | 2977 | 2978 | 2998 | 3001 | 3002 | 3004 | 3039 | | |

### TWEED

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1868 | 1875 | 1895 | 1918 | 1920 | 1930 | 1939 | 1949 | 1950 | 1958 | 1959 | 1975 |
| 2001 | 2016 | 2020 | 2076 | 2117 | 2122 | 2148 | 2154 | 2171 | 2172 | 2180 | 2205 |
| 2221 | 2222 | 2228 | 2242 | 2243 | 2280 | 2296 | 2307 | 2318 | 2349 | 2350 | 2360 |
| 2369 | 2376 | 2404 | 2419 | 2444 | 2450 | 2454 | 2489 | 2513 | 2545 | 2558 | 2562 |
| 2567 | 2597 | 2600 | 2607 | 2614 | 2621 | 2622 | 2633 | 2644 | 2657 | 2693 | 2698 |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2706 | 2715 | 2718 | 2722 | 2727 | 2729 | 2765 | 2767 | 2777 | 2787 | 2798 | 2822 |
| 2837 | 2862 | 2889 | 2892 | 2913 | 2914 | 2919 | 2927 | 2952 | 2978 | 2998 | 3005 |
| 3007 | 3013 | 3026 | 3030 | | | | | | | | |

CLYDE

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1870 | 1895 | 1901 | 1913 | 1923 | 1930 | 1940 | 1943 | 1944 | 1965 | 1971 | 1981 |
| 1995 | 2001 | 2004 | 2012 | 2016 | 2024 | 2039 | 2041 | 2042 | 2051 | 2077 | 2083 |
| 2101 | 2106 | 2117 | 2151 | 2171 | 2186 | 2200 | 2225 | 2228 | 2236 | 2244 | 2245 |
| 2246 | 2247 | 2263 | 2264 | 2273 | 2280 | 2304 | 2308 | 2319 | 2321 | 2324 | 2338 |
| 2339 | 2343 | 2345 | 2357 | 2360 | 2362 | 2363 | 2366 | 2370 | 2383 | 2384 | 2391 |
| 2396 | 2399 | 2402 | 2404 | 2413 | 2420 | 2431 | 2434 | 2439 | 2447 | 2450 | 2458 |
| 2459 | 2468 | 2471 | 2482 | 2484 | 2485 | 2486 | 2487 | 2502 | 2504 | 2513 | 2523 |
| 2526 | 2533 | 2536 | 2540 | 2543 | 2544 | 2547 | 2560 | 2562 | 2567 | 2572 | 2573 |
| 2585 | 2587 | 2589 | 2592 | 2604 | 2607 | 2614 | 2615 | 2616 | 2617 | 2624 | 2625 |
| 2634 | 2637 | 2642 | 2643 | 2644 | 2649 | 2651 | 2655 | 2657 | 2670 | 2679 | 2687 |
| 2695 | 2696 | 2703 | 2706 | 2722 | 2731 | 2733 | 2746 | 2747 | 2757 | 2777 | 2779 |
| 2787 | 2788 | 2795 | 2800 | 2801 | 2808 | 2815 | 2816 | 2817 | 2822 | 2846 | 2848 |
| 2852 | 2858 | 2862 | 2863 | 2870 | 2887 | 2895 | 2899 | 2900 | 2909 | 2927 | 2930 |
| 2931 | 2934 | 2941 | 2943 | 2946 | 2948 | 2949 | 2952 | 2978 | 2980 | 2998 | 2999 |
| 3000 | | | | | | | | | | | |

FORTH

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1863 | 1864 | 1865 | 1871 | 1877 | 1878 | 1882 | 1883 | 1884 | 1885 | 1888 | 1895 |
| 1904 | 1905 | 1906 | 1907 | 1910 | 1917 | 1919 | 1921 | 1928 | 1929 | 1930 | 1935 |
| 1946 | 1950 | 1957 | 1958 | 1969 | 1972 | 1973 | 1977 | 1985 | 1986 | 1988 | 1997 |
| 1998 | 2001 | 2003 | 2006 | 2007 | 2009 | 2011 | 2013 | 2016 | 2023 | 2026 | 2028 |
| 2029 | 2034 | 2035 | 2058 | 2060 | 2061 | 2062 | 2070 | 2083 | 2088 | 2095 | 2097 |
| 2102 | 2104 | 2107 | 2110 | 2112 | 2117 | 2121 | 2125 | 2128 | 2129 | 2130 | 2131 |
| 2164 | 2166 | 2170 | 2171 | 2173 | 2174 | 2184 | 2185 | 2187 | 2193 | 2195 | 2201 |
| 2211 | 2212 | 2214 | 2215 | 2216 | 2220 | 2226 | 2227 | 2228 | 2236 | 2237 | 2238 |
| 2252 | 2257 | 2261 | 2272 | 2280 | 2288 | 2289 | 2290 | 2291 | 2295 | 2296 | 2307 |
| 2308 | 2312 | 2323 | 2327 | 2328 | 2339 | 2348 | 2353 | 2360 | 2361 | 2363 | 2367 |
| 2371 | 2372 | 2375 | 2379 | 2380 | 2381 | 2388 | 2392 | 2395 | 2399 | 2401 | 2404 |
| 2408 | 2412 | 2419 | 2423 | 2427 | 2436 | 2437 | 2450 | 2455 | 2456 | 2467 | 2479 |
| 2480 | 2487 | 2490 | 2491 | 2492 | 2493 | 2499 | 2501 | 2502 | 2513 | 2521 | 2532 |
| 2541 | 2542 | 2554 | 2556 | 2557 | 2562 | 2567 | 2574 | 2596 | 2597 | 2607 | 2608 |
| 2614 | 2634 | 2636 | 2638 | 2644 | 2647 | 2648 | 2656 | 2657 | 2660 | 2676 | 2681 |
| 2704 | 2706 | 2716 | 2722 | 2723 | 2734 | 2755 | 2756 | 2759 | 2777 | 2786 | 2787 |
| 2789 | 2796 | 2797 | 2803 | 2804 | 2805 | 2806 | 2809 | 2822 | 2824 | 2827 | 2839 |
| 2843 | 2844 | 2849 | 2850 | 2862 | 2877 | 2879 | 2881 | 2885 | 2886 | 2890 | 2892 |
| 2911 | 2912 | 2914 | 2915 | 2927 | 2928 | 2940 | 2944 | 2947 | 2951 | 2952 | 2957 |
| 2960 | 2964 | 2968 | 2970 | 2972 | 2978 | 2995 | 2997 | 2998 | 3022 | 3023 | 3031 |
| 3036 | 3040 | | | | | | | | | | |

TAY

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1880 | 1894 | 1895 | 1930 | 1948 | 1951 | 1963 | 2001 | 2005 | 2016 | 2025 | 2072 |
| 2105 | 2117 | 2171 | 2203 | 2209 | 2228 | 2235 | 2238 | 2250 | 2269 | 2272 | 2280 |
| 2284 | 2288 | 2307 | 2308 | 2334 | 2344 | 2352 | 2360 | 2363 | 2385 | 2392 | 2399 |
| 2404 | 2410 | 2416 | 2419 | 2421 | 2423 | 2450 | 2456 | 2466 | 2467 | 2473 | 2475 |
| 2483 | 2487 | 2500 | 2502 | 2506 | 2510 | 2512 | 2513 | 2532 | 2534 | 2546 | 2562 |
| 2566 | 2567 | 2570 | 2598 | 2599 | 2601 | 2602 | 2605 | 2607 | 2614 | 2626 | 2630 |
| 2631 | 2644 | 2652 | 2657 | 2666 | 2667 | 2669 | 2677 | 2678 | 2682 | 2706 | 2721 |
| 2722 | 2726 | 2730 | 2732 | 2736 | 2751 | 2752 | 2768 | 2769 | 2770 | 2772 | 2777 |
| 2781 | 2784 | 2787 | 2792 | 2820 | 2822 | 2823 | 2832 | 2841 | 2847 | 2860 | 2862 |
| 2867 | 2873 | 2882 | 2914 | 2927 | 2933 | 2952 | 2961 | 2969 | 2971 | 2978 | 2982 |
| 2984 | 2998 | 3003 | 3006 | 3027 | 3032 | 3040 | 3041 | | | | |

DEE

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1879 | 1880 | 1895 | 1897 | 1899 | 1924 | 1930 | 2001 | 2016 | 2054 | 2073 | 2117 |
| 2171 | 2196 | 2203 | 2207 | 2209 | 2218 | 2228 | 2238 | 2274 | 2280 | 2292 | 2308 |
| 2355 | 2360 | 2363 | 2368 | 2404 | 2420 | 2450 | 2461 | 2463 | 2469 | 2494 | 2509 |
| 2512 | 2513 | 2519 | 2524 | 2525 | 2537 | 2538 | 2555 | 2562 | 2565 | 2567 | 2591 |
| 2607 | 2614 | 2644 | 2657 | 2658 | 2662 | 2672 | 2673 | 2674 | 2689 | 2691 | 2706 |
| 2722 | 2730 | 2743 | 2777 | 2787 | 2822 | 2835 | 2862 | 2927 | 2932 | 2961 | 2998 |

MORAY

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1880 | 1889 | 1892 | 1895 | 1902 | 1908 | 1912 | 1922 | 1926 | 1930 | 1933 | 1994 |
| 2001 | 2016 | 2021 | 2038 | 2040 | 2046 | 2049 | 2050 | 2052 | 2075 | 2079 | 2081 |
| 2082 | 2093 | 2094 | 2117 | 2141 | 2142 | 2146 | 2153 | 2171 | 2177 | 2182 | 2191 |
| 2207 | 2228 | 2238 | 2249 | 2253 | 2254 | 2258 | 2265 | 2280 | 2294 | 2308 | 2320 |
| 2331 | 2337 | 2347 | 2359 | 2360 | 2363 | 2399 | 2405 | 2411 | 2419 | 2424 | 2426 |
| 2438 | 2449 | 2450 | 2456 | 2466 | 2513 | 2520 | 2562 | 2567 | 2579 | 2588 | 2594 |
| 2595 | 2607 | 2614 | 2618 | 2644 | 2657 | 2665 | 2674 | 2685 | 2706 | 2719 | 2722 |
| 2740 | 2757 | 2777 | 2784 | 2787 | 2790 | 2791 | 2822 | 2845 | 2859 | 2862 | 2864 |
| 2872 | 2877 | 2888 | 2927 | 2929 | 2936 | 2952 | 2998 | 3008 | 3020 | 3021 | |

CAITHNESS AND SUTHERLAND

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1880 | 1895 | 1914 | 1930 | 2001 | 2010 | 2027 | 2064 | 2069 | 2096 | 2117 | 2153 |
| 2191 | 2228 | 2248 | 2251 | 2259 | 2280 | 2363 | 2450 | 2456 | 2466 | 2502 | 2513 |
| 2562 | 2567 | 2607 | 2614 | 2644 | 2657 | 2706 | 2722 | 2757 | 2777 | 2787 | 2822 |
| 2862 | 2927 | 2952 | 2961 | 2978 | 2979 | 2987 | 2998 | | | | |

NORTH-WEST HIGHLANDS

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1895 | 1914 | 1954 | 2001 | 2022 | 2033 | 2036 | 2091 | 2114 | 2117 | 2150 | 2171 |
| 2191 | 2228 | 2265 | 2279 | 2280 | 2354 | 2358 | 2363 | 2382 | 2399 | 2450 | 2466 |
| 2488 | 2502 | 2513 | 2562 | 2567 | 2579 | 2588 | 2614 | 2644 | 2650 | 2657 | 2706 |
| 2722 | 2777 | 2784 | 2787 | 2822 | 2862 | 2927 | 2996 | 2998 | 3016 | | |

ARGYLL

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1887 | 1891 | 1895 | 1914 | 1930 | 1981 | 2001 | 2024 | 2039 | 2044 | 2059 | 2084 |
| 2092 | 2113 | 2117 | 2136 | 2137 | 2171 | 2199 | 2228 | 2232 | 2280 | 2308 | 2321 |
| 2360 | 2363 | 2404 | 2450 | 2466 | 2498 | 2513 | 2562 | 2567 | 2569 | 2585 | 2589 |
| 2607 | 2614 | 2642 | 2643 | 2644 | 2655 | 2657 | 2696 | 2706 | 2722 | 2731 | 2757 |
| 2773 | 2777 | 2784 | 2787 | 2822 | 2862 | 2871 | 2878 | 2927 | 2998 | 3020 | 3024 |

INNER HEBRIDES

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1887 | 1895 | 1914 | 1982 | 2001 | 2036 | 2044 | 2059 | 2113 | 2117 | 2136 | 2137 |
| 2171 | 2228 | 2232 | 2280 | 2360 | 2363 | 2382 | 2399 | 2450 | 2508 | 2513 | 2562 |
| 2567 | 2669 | 2607 | 2614 | 2644 | 2657 | 2706 | 2722 | 2773 | 2777 | 2822 | 2830 |
| 2840 | 2862 | 2927 | 2955 | 2961 | 2978 | 2998 | | | | | |

OUTER HEBRIDES

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1867 | 1895 | 1914 | 1930 | 1937 | 1938 | 1945 | 1955 | 1961 | 1964 | 1976 | 2001 |
| 2008 | 2030 | 2037 | 2063 | 2086 | 2087 | 2091 | 2099 | 2103 | 2117 | 2126 | 2127 |
| 2134 | 2143 | 2144 | 2152 | 2171 | 2188 | 2191 | 2202 | 2208 | 2228 | 2233 | 2240 |
| 2280 | 2308 | 2342 | 2354 | 2356 | 2360 | 2363 | 2377 | 2386 | 2387 | 2399 | 2414 |
| 2415 | 2443 | 2450 | 2476 | 2495 | 2503 | 2508 | 2513 | 2518 | 2522 | 2529 | 2559 |
| 2563 | 2567 | 2568 | 2571 | 2576 | 2586 | 2593 | 2607 | 2614 | 2620 | 2641 | 2644 |
| 2646 | 2654 | 2657 | 2692 | 2706 | 2712 | 2722 | 2735 | 2753 | 2777 | 2780 | 2787 |
| 2822 | 2851 | 2862 | 2874 | 2880 | 2881 | 2896 | 2927 | 2939 | 2958 | 2961 | 2966 |
| 2988 | 2998 | 3019 | 3038 | | | | | | | | |

ST. KILDA

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1862 | 1914 | 1915 | 2001 | 2030 | 2117 | 2191 | 2204 | 2214 | 2228 | 2280 | 2297 |
| 2310 | 2351 | 2354 | 2360 | 2363 | 2373 | 2450 | 2513 | 2567 | 2584 | 2635 | 2644 |
| 2722 | 2777 | 2822 | 2830 | 2927 | 2998 | | | | | | |

OUTLIERS

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1914 | 2001 | 2100 | 2117 | 2191 | 2228 | 2280 | 2360 | 2363 | 2403 | 2450 | 2513 |
| 2567 | 2644 | 2722 | 2777 | 2822 | 2927 | 2998 | | | | | |

ORKNEY

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1895 | 1914 | 1930 | 1953 | 1967 | 1968 | 1987 | 1992 | 1993 | 2001 | 2008 | 2047 |
| 2067 | 2089 | 2090 | 2109 | 2117 | 2118 | 2139 | 2140 | 2149 | 2160 | 2165 | 2171 |
| 2206 | 2228 | 2256 | 2260 | 2270 | 2271 | 2278 | 2280 | 2285 | 2308 | 2329 | 2330 |
| 2335 | 2360 | 2363 | 2389 | 2390 | 2401 | 2429 | 2432 | 2450 | 2456 | 2462 | 2513 |
| 2562 | 2567 | 2597 | 2607 | 2614 | 2644 | 2653 | 2657 | 2671 | 2706 | 2722 | 2745 |
| 2758 | 2777 | 2787 | 2822 | 2842 | 2853 | 2861 | 2862 | 2898 | 2918 | 2927 | 2952 |
| 2983 | 2985 | 2998 | 3009 | | | | | | | | |

SHETLAND

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1895 | 1903 | 1909 | 1914 | 1915 | 1925 | 1936 | 1960 | 1978 | 1987 | 2001 | 2032 |
| 2048 | 2057 | 2059 | 2071 | 2078 | 2117 | 2124 | 2138 | 2145 | 2161 | 2162 | 2163 |
| 2178 | 2204 | 2214 | 2219 | 2223 | 2224 | 2228 | 2229 | 2234 | 2268 | 2276 | 2277 |
| 2280 | 2281 | 2305 | 2308 | 2332 | 2354 | 2360 | 2361 | 2363 | 2399 | 2401 | 2429 |
| 2432 | 2450 | 2453 | 2456 | 2457 | 2472 | 2513 | 2562 | 2567 | 2577 | 2584 | 2607 |
| 2609 | 2610 | 2614 | 2644 | 2675 | 2689 | 2690 | 2706 | 2722 | 2777 | 2822 | 2862 |
| 2875 | 2897 | 2898 | 2927 | 2953 | 2983 | 2998 | 3009 | | | | |

FAIR ISLE

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1862 | 1866 | 1895 | 1914 | 1915 | 2001 | 2002 | 2066 | 2117 | 2147 | 2191 | 2214 |
| 2228 | 2230 | 2266 | 2267 | 2280 | 2354 | 2360 | 2361 | 2363 | 2399 | 2450 | 2513 |
| 2567 | 2584 | 2644 | 2717 | 2722 | 2744 | 2777 | 2812 | 2822 | 2828 | 2857 | 2869 |
| 2876 | 2927 | 2973 | 2978 | 2986 | 2998 | 3015 | 3035 | | | | |

## REPTILES

SCOTLAND - GENERAL
2017 2466 2700 2701 2760 2803 2938

SOLWAY
Nil

TWEED
3013

CLYDE
2926 3028

FORTH
2803

TAY
2466

DEE
2926

MORAY
2298 2466

CAITHNESS AND SUTHERLAND
2466

NORTH-WEST HIGHLANDS
2466

ARGYLL
2466

INNER HEBRIDES
2926

OUTER HEBRIDES
2950

ST. KILDA
Nil

OUTLIERS
Nil

ORKNEY
Nil

SHETLAND
Nil

FAIR ISLE
Nil

## AMPHIBIANS

SCOTLAND - GENERAL
2017 2466 2502 2701 2803

SOLWAY
Nil

TWEED
2231 3013

CLYDE
2502

FORTH
2502 2803

TAY
2175 2466 2502

DEE
Nil

MORAY
2189 2466

CAITHNESS AND SUTHERLAND
2115 2116 2466 2502

NORTH-WEST HIGHLANDS
2466 2502

ARGYLL
2466

INNER HEBRIDES
Nil

OUTER HEBRIDES
Nil

ST. KILDA
Nil

OUTLIERS
Nil

ORKNEY
Nil

SHETLAND
Nil

FAIR ISLE
Nil

## FISHES

SCOTLAND - GENERAL
1907 2017 2181 2478 2628 2701 2764 2803 2807 2866 2901 2902
2921 2962 2965 2990 3010

SOLWAY
1942 2080 2132 2198

TWEED
3013

CLYDE
2181 2190 2340 2398 2764

FORTH
1872 1893 1907 1980 2014 2217 2430 2477 2507 2611 2739 2778
2803 2865 2920 2921 3034

TAY
1894 2764

DEE
2157 2168 2460 2478 2764 2807 2810 2811 2965

MORAY
2157 2191 2239 2286 2764 2807

CAITHNESS AND SUTHERLAND
2191 2460 2764 2807 2901 2962

NORTH-WEST HIGHLANDS
2191 2398 2764

ARGYLL
2181 2397 2398 2764

INNER HEBRIDES
2398

OUTER HEBRIDES
2043 2191 2398 2460 2612 2613 2754 2764

ST. KILDA
2191 2460

OUTLIERS
2014 2191 2460 2478

ORKNEY
1989 2460 2478 2807

SHETLAND
1979 1999 2000 2015 2157 2460 2478 2807 2838

FAIR ISLE
2191 2460

---

To be continued

Part 4: 1926-1950

---

*Dr. J.A. Gibson, Scottish Natural History Library,*
*Foremount House, KILBARCHAN, Renfrewshire PA10 2EZ.*

**THE SCOTTISH NATURALIST**

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

---

Record of Publication

**The Scottish Naturalist and Journal of the Perthshire Society of Natural Science**
1871

**The Scottish Naturalist**
1872-1891

**The Annals of Scottish Natural History**
1892-1911

**The Scottish Naturalist**
1912-1939, 1948-1957, 1961-1964

**The Western Naturalist**
1972-1982

**The Scottish Naturalist**
1983-date

---

Published by The Scottish Natural History Library

---

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

113th Year 2001

CONTENTS

2001 - Parts 1-2

**Vertebrate Zoology in the Scottish Naturalist**
**Part 3: 1901-1925**
**3b:** *Scottish Naturalist* 1912-1925
By Dr. J.A. Gibson 3-100

Published by The Scottish Natural History Library